

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
12/10/2023 00:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-6.79
12/10/2023 09:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.75
12/10/2023 10:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-13.61
12/10/2023 11:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-13.33
12/10/2023 12:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-14.3
12/10/2023 13:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-15.29
12/10/2023 14:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-15.25
12/10/2023 15:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-15.59
12/10/2023 16:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-16.34
12/10/2023 17:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-36.15
12/10/2023 18:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-30.66
12/10/2023 19:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-14.62
12/10/2023 20:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-11.81
12/10/2023 21:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-6.84
12/10/2023 22:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-1.32
12/10/2023 00:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	7.91
12/10/2023 09:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.78
12/10/2023 10:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	15.6
12/10/2023 11:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	15.29
12/10/2023 12:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	16.4
12/10/2023 13:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	17.54
12/10/2023 14:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	17.51
12/10/2023 15:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	17.89
12/10/2023 16:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	18.76
12/10/2023 17:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	41.58
12/10/2023 18:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	35.25
12/10/2023 19:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	16.78
12/10/2023 20:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	13.54
12/10/2023 21:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	7.79
12/10/2023 22:00	EST	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	1.59
12/10/2023 17:00	EST	HQTL ACTIVE DNI	980	ACTIVE DNI	0.58
12/10/2023 00:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	12.52
12/10/2023 09:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	1.27
12/10/2023 10:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	24.77
12/10/2023 11:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	24.24
12/10/2023 12:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	26.0
12/10/2023 13:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	27.81
12/10/2023 14:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	27.75
12/10/2023 15:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	28.37
12/10/2023 16:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	29.74
12/10/2023 17:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	65.94
12/10/2023 18:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	55.91
12/10/2023 19:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	26.6
12/10/2023 20:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	21.47
12/10/2023 21:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	12.39
12/10/2023 22:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	2.54