

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
12/17/2023 12:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	5.85
12/17/2023 13:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	5.54
12/17/2023 14:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	5.74
12/17/2023 15:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	6.05
12/17/2023 17:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	10.08
12/17/2023 18:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	8.87
12/17/2023 21:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	5.95
12/17/2023 22:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	4.56
12/17/2023 00:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/17/2023 17:00	EST	HQTL ACTIVE DNI	980	ACTIVE DNI	0.6
12/17/2023 17:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	0.46
12/17/2023 11:00	EST	EGRDNCTY 345 EGRDNCTY 138 1	25552	EGRDNCTY_345/138_AT1	5.39
12/17/2023 16:00	EST	EGRDNCTY 345 EGRDNCTY 138 1	25552	EGRDNCTY_345/138_AT1	10.13
12/17/2023 19:00	EST	EGRDNCTY 345 EGRDNCTY 138 1	25552	EGRDNCTY_345/138_AT1	8.17
12/17/2023 20:00	EST	EGRDNCTY 345 EGRDNCTY 138 1	25552	EGRDNCTY_345/138_AT1	5.7
12/17/2023 12:00	EST	EGRDNCTY 345 EGRDNCTY 138 1	25552	SCB:EGDNCTY(1340)462&AT1&R1	0.02
12/17/2023 13:00	EST	EGRDNCTY 345 EGRDNCTY 138 1	25552	SCB:EGDNCTY(1340)462&AT1&R1	0.02
12/17/2023 14:00	EST	EGRDNCTY 345 EGRDNCTY 138 1	25552	SCB:EGDNCTY(1340)462&AT1&R1	0.02
12/17/2023 15:00	EST	EGRDNCTY 345 EGRDNCTY 138 1	25552	SCB:EGDNCTY(1340)462&AT1&R1	0.02
12/17/2023 17:00	EST	EGRDNCTY 345 EGRDNCTY 138 1	25552	SCB:EGDNCTY(1340)462&AT1&R1	0.02
12/17/2023 18:00	EST	EGRDNCTY 345 EGRDNCTY 138 1	25552	SCB:EGDNCTY(1340)462&AT1&R1	0.02