

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
12/18/2023 07:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	3.9
12/18/2023 08:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	3.4
12/18/2023 09:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.59
12/18/2023 10:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	4.37
12/18/2023 11:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	6.14
12/18/2023 12:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	5.64
12/18/2023 13:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	6.76
12/18/2023 14:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	5.34
12/18/2023 15:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	8.32
12/18/2023 16:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	10.52
12/18/2023 17:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	13.05
12/18/2023 18:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	17.36
12/18/2023 19:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	8.39
12/18/2023 20:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	9.62
12/18/2023 21:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	7.72
12/18/2023 22:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	3.2
12/18/2023 23:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.64
12/18/2023 17:00	EST	SCH - NPX_1385	325277	BASE CASE	0.42
12/18/2023 18:00	EST	SCH - NPX_1385	325277	BASE CASE	3.76
12/18/2023 17:00	EST	HQTL ACTIVE DNI	980	ACTIVE DNI	0.29
12/18/2023 19:00	EST	MALONE 115 WILLIS 115 1	25586	MOSES__-WILLIS__230_MW1	-57.88