

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
12/30/2023 08:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	2.11
12/30/2023 09:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	3.77
12/30/2023 10:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	6.84
12/30/2023 11:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	7.84
12/30/2023 12:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	5.0
12/30/2023 13:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	3.89
12/30/2023 14:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	7.8
12/30/2023 15:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	8.1
12/30/2023 16:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	5.98
12/30/2023 17:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	13.34
12/30/2023 18:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	11.13
12/30/2023 19:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	12.37
12/30/2023 20:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	10.32
12/30/2023 21:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	9.14
12/30/2023 22:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	9.03
12/30/2023 23:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.77
12/30/2023 00:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/30/2023 01:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/30/2023 02:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/30/2023 03:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/30/2023 04:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/30/2023 17:00	EST	GOWANUS 138 GREENWD 138 1	25215	TWR:GOETHALS 22 & 21	0.03
12/30/2023 18:00	EST	GOWANUS 138 GREENWD 138 1	25215	TWR:GOETHALS 22 & 21	0.03
12/30/2023 17:00	EST	GREENWD 138 VERNON 138 1	25337	TWR:GOETHALS 22 & 21	-0.11
12/30/2023 18:00	EST	GREENWD 138 VERNON 138 1	25337	TWR:GOETHALS 22 & 21	-0.11
12/30/2023 19:00	EST	GREENWD 138 VERNON 138 1	25337	TWR:GOETHALS 22 & 21	-0.04
12/30/2023 20:00	EST	GREENWD 138 VERNON 138 1	25337	TWR:GOETHALS 22 & 21	-0.04