

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/21/2024 14:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.83
04/21/2024 15:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	1.02
04/21/2024 14:00	EDT	E179THST 138 HELLGATE 138 1	25289	BASE CASE	1.63
04/21/2024 15:00	EDT	E179THST 138 HELLGATE 138 1	25289	BASE CASE	2.03
04/21/2024 19:00	EDT	HQTL ACTIVE DNI	980	ACTIVE DNI	1.33
04/21/2024 07:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	-2.43
04/21/2024 08:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	-0.31
04/21/2024 18:00	EDT	PJAC ACTIVE DNI	994	ACTIVE DNI	1.04
04/21/2024 22:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES___-WILLIS___230_MW1	-41.88
04/21/2024 23:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES___-WILLIS___230_MW1	-37.78
04/21/2024 17:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	0.02
04/21/2024 22:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	0.02
04/21/2024 17:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.3
04/21/2024 20:00	EDT	CHASLAKE 230 PORTER 230 1	25051	SIN:MSU1&7040& HQ GN&LD PROXY	0.02
04/21/2024 11:00	EDT	MOTTHAVN 345 RAINEY 345 1	325430	SPRNBK_-W49TH_ST_345_M52	0.02
04/21/2024 12:00	EDT	MOTTHAVN 345 RAINEY 345 1	325430	SPRNBK_-W49TH_ST_345_M52	0.02
04/21/2024 13:00	EDT	MOTTHAVN 345 RAINEY 345 1	325430	SPRNBK_-W49TH_ST_345_M52	0.02
04/21/2024 14:00	EDT	MOTTHAVN 345 RAINEY 345 1	325430	SPRNBK_-W49TH_ST_345_M52	0.87
04/21/2024 15:00	EDT	MOTTHAVN 345 RAINEY 345 1	325430	SPRNBK_-W49TH_ST_345_M52	1.08
04/21/2024 19:00	EDT	DEPOSIT 69 INDIANHD 69 1	325971	TWR:HOLBROOK 880 & 882	0.06
04/21/2024 20:00	EDT	DEPOSIT 69 INDIANHD 69 1	325971	TWR:HOLBROOK 880 & 882	0.06
04/21/2024 21:00	EDT	DEPOSIT 69 INDIANHD 69 1	325971	TWR:HOLBROOK 880 & 882	0.06
04/21/2024 14:00	EDT	CHASLAKE 230 PORTER 230 1	25051	TWR:MASSENA MMS1 & MMS2	10.75
04/21/2024 15:00	EDT	CHASLAKE 230 PORTER 230 1	25051	TWR:MASSENA MMS1 & MMS2	14.36
04/21/2024 16:00	EDT	CHASLAKE 230 PORTER 230 1	25051	TWR:MASSENA MMS1 & MMS2	0.02