

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
05/05/2024 00:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.29
05/05/2024 01:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.11
05/05/2024 02:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.68
05/05/2024 03:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.62
05/05/2024 04:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.6
05/05/2024 05:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.23
05/05/2024 06:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.67
05/05/2024 07:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.36
05/05/2024 08:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.81
05/05/2024 09:00	EDT	SCH - NE - NY	23318	BASE CASE	-4.09
05/05/2024 10:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.29
05/05/2024 11:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.6
05/05/2024 09:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.93
05/05/2024 10:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.76
05/05/2024 11:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	4.99
05/05/2024 12:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	4.13
05/05/2024 13:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	4.37
05/05/2024 14:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	2.81
05/05/2024 15:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	2.59
05/05/2024 16:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	4.66
05/05/2024 17:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.79
05/05/2024 18:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.05
05/05/2024 00:00	EDT	LOCUSTGR 138 NEWBRDGE 138 1	25158	BASE CASE	-1.18
05/05/2024 01:00	EDT	LOCUSTGR 138 NEWBRDGE 138 1	25158	BASE CASE	-0.74
05/05/2024 02:00	EDT	LOCUSTGR 138 NEWBRDGE 138 1	25158	BASE CASE	-0.26
05/05/2024 03:00	EDT	LOCUSTGR 138 NEWBRDGE 138 1	25158	BASE CASE	-0.37
05/05/2024 04:00	EDT	LOCUSTGR 138 NEWBRDGE 138 1	25158	BASE CASE	-0.37
05/05/2024 05:00	EDT	LOCUSTGR 138 NEWBRDGE 138 1	25158	BASE CASE	-1.23
05/05/2024 08:00	EDT	LOCUSTGR 138 NEWBRDGE 138 1	25158	BASE CASE	-0.85
05/05/2024 09:00	EDT	LOCUSTGR 138 NEWBRDGE 138 1	25158	BASE CASE	-0.56
05/05/2024 03:00	EDT	GREENLWN 138 SYOSSET 138 1	25548	BASE CASE	-0.18
05/05/2024 04:00	EDT	GREENLWN 138 SYOSSET 138 1	25548	BASE CASE	-0.64
05/05/2024 09:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	0.23
05/05/2024 05:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	NEPTUNE HVDC TIE LINE	0.02
05/05/2024 00:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.03
05/05/2024 08:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.02
05/05/2024 09:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.48
05/05/2024 10:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.2
05/05/2024 11:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49&M29&Y49_ST	7.94
05/05/2024 12:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49&M29&Y49_ST	6.58
05/05/2024 13:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49&M29&Y49_ST	6.95
05/05/2024 14:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49&M29&Y49_ST	4.46
05/05/2024 15:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49&M29&Y49_ST	4.11
05/05/2024 16:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49&M29&Y49_ST	7.4
05/05/2024 17:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.84
05/05/2024 18:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.65
05/05/2024 00:00	EDT	DEPOSIT 69 INDIANHD 69 1	325971	TWR:HOLBROOK 880 & 882	37.0
05/05/2024 01:00	EDT	DEPOSIT 69 INDIANHD 69 1	325971	TWR:HOLBROOK 880 & 882	23.53
05/05/2024 02:00	EDT	DEPOSIT 69 INDIANHD 69 1	325971	TWR:HOLBROOK 880 & 882	8.36
05/05/2024 03:00	EDT	DEPOSIT 69 INDIANHD 69 1	325971	TWR:HOLBROOK 880 & 882	18.6
05/05/2024 04:00	EDT	DEPOSIT 69 INDIANHD 69 1	325971	TWR:HOLBROOK 880 & 882	35.81
05/05/2024 05:00	EDT	DEPOSIT 69 INDIANHD 69 1	325971	TWR:HOLBROOK 880 & 882	38.62
05/05/2024 08:00	EDT	DEPOSIT 69 INDIANHD 69 1	325971	TWR:HOLBROOK 880 & 882	26.79
05/05/2024 09:00	EDT	DEPOSIT 69 INDIANHD 69 1	325971	TWR:HOLBROOK 880 & 882	17.76