

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
09/20/2024 02:00	EDT	SCH - PJ - NY	23316	BASE CASE	2.03
09/20/2024 03:00	EDT	SCH - PJ - NY	23316	BASE CASE	2.28
09/20/2024 04:00	EDT	SCH - PJ - NY	23316	BASE CASE	1.65
09/20/2024 00:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	6.15
09/20/2024 01:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	7.69
09/20/2024 02:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	3.13
09/20/2024 03:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	3.77
09/20/2024 04:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	3.37
09/20/2024 05:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	6.51
09/20/2024 06:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.88
09/20/2024 07:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.42
09/20/2024 08:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.65
09/20/2024 09:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.77
09/20/2024 11:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.42
09/20/2024 23:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	2.3
09/20/2024 00:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
09/20/2024 01:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
09/20/2024 02:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
09/20/2024 03:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
09/20/2024 04:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
09/20/2024 15:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
09/20/2024 16:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
09/20/2024 23:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
09/20/2024 15:00	EDT	FOXHILLS 138 GREENWD 138 1	25321	BASE CASE	0.02
09/20/2024 16:00	EDT	FOXHILLS 138 GREENWD 138 1	25321	BASE CASE	0.02
09/20/2024 16:00	EDT	NIAGB130 115 PACKARD 115 1	26055	BASE CASE	-0.1
09/20/2024 00:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.54
09/20/2024 01:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.28
09/20/2024 03:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.38
09/20/2024 05:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.85
09/20/2024 23:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.6
09/20/2024 08:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCB:SCRIBA(R935):21&FS-10	0.61
09/20/2024 09:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCB:SCRIBA(R935):21&FS-10	0.61
09/20/2024 10:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCRIBA__VOLNEY__345_21	18.47
09/20/2024 11:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCRIBA__VOLNEY__345_21	19.31
09/20/2024 12:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCRIBA__VOLNEY__345_21	21.57
09/20/2024 13:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCRIBA__VOLNEY__345_21	24.14
09/20/2024 14:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCRIBA__VOLNEY__345_21	27.98
09/20/2024 15:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCRIBA__VOLNEY__345_21	31.3
09/20/2024 16:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCRIBA__VOLNEY__345_21	39.94
09/20/2024 17:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCRIBA__VOLNEY__345_21	48.27
09/20/2024 18:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCRIBA__VOLNEY__345_21	48.94
09/20/2024 19:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCRIBA__VOLNEY__345_21	42.28
09/20/2024 20:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCRIBA__VOLNEY__345_21	33.5
09/20/2024 21:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCRIBA__VOLNEY__345_21	22.74
09/20/2024 22:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCRIBA__VOLNEY__345_21	10.27