

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
11/01/2024 00:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.29
11/01/2024 01:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.92
11/01/2024 02:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.92
11/01/2024 03:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.99
11/01/2024 04:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.28
11/01/2024 05:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.41
11/01/2024 06:00	EDT	SCH - NE - NY	23318	BASE CASE	-9.31
11/01/2024 07:00	EDT	SCH - NE - NY	23318	BASE CASE	-8.17
11/01/2024 08:00	EDT	SCH - NE - NY	23318	BASE CASE	-8.68
11/01/2024 09:00	EDT	SCH - NE - NY	23318	BASE CASE	-5.38
11/01/2024 10:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.66
11/01/2024 11:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.37
11/01/2024 14:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.03
11/01/2024 15:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.01
11/01/2024 16:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.67
11/01/2024 10:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25145	BASE CASE	-0.07
11/01/2024 11:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25145	BASE CASE	-0.07
11/01/2024 00:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-37.1
11/01/2024 01:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-50.04
11/01/2024 02:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-35.63
11/01/2024 03:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-35.62
11/01/2024 04:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-47.13
11/01/2024 05:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-64.39
11/01/2024 06:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-45.84
11/01/2024 07:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-76.07
11/01/2024 08:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-24.92
11/01/2024 09:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-24.36
11/01/2024 10:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-37.94
11/01/2024 11:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-37.98
11/01/2024 12:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-38.41
11/01/2024 13:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-38.87
11/01/2024 14:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-39.26
11/01/2024 15:00	EDT	MALONE 115 WILLIS 115 1	25586	MOSES__ -WILLIS__ 230_MW2	-40.67
11/01/2024 08:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	SIN:MSU1&7040& HQ GN&LD PROXY	59.22
11/01/2024 09:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	SIN:MSU1&7040& HQ GN&LD PROXY	53.17
11/01/2024 00:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	32.0
11/01/2024 01:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	16.74
11/01/2024 02:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	27.36
11/01/2024 03:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	26.43
11/01/2024 04:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	16.42
11/01/2024 06:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	37.95
11/01/2024 07:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	15.89
11/01/2024 10:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	40.51
11/01/2024 11:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	40.7
11/01/2024 12:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	40.99
11/01/2024 13:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	41.61
11/01/2024 14:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	42.76
11/01/2024 15:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	45.9
11/01/2024 16:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	TWR:MASSENA MMS1 & MMS2	53.69