

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
11/17/2024 13:00	EST	SCH - PJ - NY	23316	BASE CASE	0.71
11/17/2024 14:00	EST	SCH - PJ - NY	23316	BASE CASE	1.93
11/17/2024 15:00	EST	SCH - PJ - NY	23316	BASE CASE	0.96
11/17/2024 00:00	EST	SCH - OH - NY	23317	BASE CASE	2.74
11/17/2024 01:00	EST	SCH - OH - NY	23317	BASE CASE	1.84
11/17/2024 02:00	EST	SCH - OH - NY	23317	BASE CASE	1.32
11/17/2024 03:00	EST	SCH - OH - NY	23317	BASE CASE	1.13
11/17/2024 04:00	EST	SCH - OH - NY	23317	BASE CASE	1.31
11/17/2024 05:00	EST	SCH - OH - NY	23317	BASE CASE	2.75
11/17/2024 06:00	EST	SCH - OH - NY	23317	BASE CASE	2.56
11/17/2024 16:00	EST	SCH - OH - NY	23317	BASE CASE	0.22
11/17/2024 18:00	EST	SCH - OH - NY	23317	BASE CASE	0.14
11/17/2024 23:00	EST	SCH - OH - NY	23317	BASE CASE	1.15
11/17/2024 02:00	EST	SCH - NE - NY	23318	BASE CASE	-0.46
11/17/2024 03:00	EST	SCH - NE - NY	23318	BASE CASE	-0.79
11/17/2024 04:00	EST	SCH - NE - NY	23318	BASE CASE	-0.62
11/17/2024 05:00	EST	SCH - NE - NY	23318	BASE CASE	-0.1
11/17/2024 06:00	EST	SCH - NE - NY	23318	BASE CASE	-0.32
11/17/2024 07:00	EST	SCH - NE - NY	23318	BASE CASE	-1.29
11/17/2024 08:00	EST	SCH - NE - NY	23318	BASE CASE	-1.65
11/17/2024 15:00	EST	SCH - NE - NY	23318	BASE CASE	-0.45
11/17/2024 16:00	EST	SCH - NE - NY	23318	BASE CASE	-2.78
11/17/2024 17:00	EST	SCH - NE - NY	23318	BASE CASE	-4.98
11/17/2024 18:00	EST	SCH - NE - NY	23318	BASE CASE	-4.83
11/17/2024 19:00	EST	SCH - NE - NY	23318	BASE CASE	-1.89
11/17/2024 20:00	EST	SCH - NE - NY	23318	BASE CASE	-3.2
11/17/2024 21:00	EST	SCH - NE - NY	23318	BASE CASE	-3.38
11/17/2024 22:00	EST	SCH - NE - NY	23318	BASE CASE	-4.25
11/17/2024 23:00	EST	SCH - NE - NY	23318	BASE CASE	-0.75
11/17/2024 19:00	EST	CENTRAL EAST - VC	23330	BASE CASE	0.03
11/17/2024 20:00	EST	CENTRAL EAST - VC	23330	BASE CASE	3.56
11/17/2024 00:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25145	BASE CASE	-0.06
11/17/2024 14:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25145	BASE CASE	-0.06
11/17/2024 15:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25145	BASE CASE	-0.06
11/17/2024 16:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25145	BASE CASE	-0.06
11/17/2024 17:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25145	BASE CASE	-0.06
11/17/2024 18:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25145	BASE CASE	-0.06
11/17/2024 19:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25145	BASE CASE	-0.06
11/17/2024 20:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25145	BASE CASE	-0.07
11/17/2024 21:00	EST	LAKSUCSS 138 SHORE_RD 138 1	25145	BASE CASE	-0.07
11/17/2024 00:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/17/2024 01:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/17/2024 02:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/17/2024 07:00	EST	PJAC ACTIVE DNI	994	ACTIVE DNI	-0.1
11/17/2024 20:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	0.03
11/17/2024 21:00	EST	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	0.03
11/17/2024 20:00	EST	NIAGARA 345 NIAGARA 230 2	25449	SCB:NIAGARA(3008):PA301&AT3	-0.13