

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/24/2025 01:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.52
04/24/2025 02:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.46
04/24/2025 03:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.85
04/24/2025 04:00	EDT	SCH - NE - NY	23318	BASE CASE	-6.2
04/24/2025 05:00	EDT	SCH - NE - NY	23318	BASE CASE	-4.86
04/24/2025 06:00	EDT	SCH - NE - NY	23318	BASE CASE	-10.79
04/24/2025 07:00	EDT	SCH - NE - NY	23318	BASE CASE	-9.64
04/24/2025 08:00	EDT	SCH - NE - NY	23318	BASE CASE	-4.94
04/24/2025 09:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.17
04/24/2025 14:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.86
04/24/2025 17:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.06
04/24/2025 18:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.06
04/24/2025 19:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.06
04/24/2025 20:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.06
04/24/2025 21:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.06
04/24/2025 09:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
04/24/2025 00:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/24/2025 01:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/24/2025 02:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/24/2025 09:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/24/2025 18:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/24/2025 19:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/24/2025 20:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02