

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
06/15/2025 17:00	EDT	ASTANNEX 345 E13THSTA 345 1	25142	BASE CASE	0.02
06/15/2025 18:00	EDT	ASTANNEX 345 E13THSTA 345 1	25142	BASE CASE	0.02
06/15/2025 19:00	EDT	ASTANNEX 345 E13THSTA 345 1	25142	BASE CASE	0.02
06/15/2025 20:00	EDT	ASTANNEX 345 E13THSTA 345 1	25142	BASE CASE	0.02
06/15/2025 01:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
06/15/2025 00:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	2.66
06/15/2025 17:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	3.21
06/15/2025 18:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	1.63
06/15/2025 19:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	3.68
06/15/2025 20:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	5.39
06/15/2025 21:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	3.61
06/15/2025 22:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	1.1