

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
08/02/2025 17:00	EDT	GREENWD 138 VERNON 138 1	25337	BASE CASE	-0.02
08/02/2025 12:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.75
08/02/2025 13:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.93
08/02/2025 10:00	EDT	SPRNBK 345 UNIONHBS 345 1	25105	NEPTUNE HVDC TIE LINE	0.88
08/02/2025 11:00	EDT	SPRNBK 345 UNIONHBS 345 1	25105	NEPTUNE HVDC TIE LINE	0.77
08/02/2025 12:00	EDT	SPRNBK 345 UNIONHBS 345 1	25105	NEPTUNE HVDC TIE LINE	1.01
08/02/2025 13:00	EDT	SPRNBK 345 UNIONHBS 345 1	25105	NEPTUNE HVDC TIE LINE	1.51
08/02/2025 14:00	EDT	SPRNBK 345 UNIONHBS 345 1	25105	NEPTUNE HVDC TIE LINE	0.87
08/02/2025 15:00	EDT	SPRNBK 345 UNIONHBS 345 1	25105	NEPTUNE HVDC TIE LINE	0.22
08/02/2025 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.05
08/02/2025 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.8
08/02/2025 12:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.37
08/02/2025 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	3.51
08/02/2025 14:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.03
08/02/2025 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.52