

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
08/30/2025 16:00	EDT	SPRNBK 345 UNIONHBS 345 1	25105	BASE CASE	0.66
08/30/2025 17:00	EDT	SPRNBK 345 UNIONHBS 345 1	25105	BASE CASE	0.4
08/30/2025 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.24
08/30/2025 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.76
08/30/2025 00:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	3.88
08/30/2025 01:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	2.07
08/30/2025 17:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	5.52
08/30/2025 18:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	11.57
08/30/2025 19:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	12.61
08/30/2025 20:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	11.93
08/30/2025 21:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	6.41
08/30/2025 22:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	SIN: E13THSTA Q35M&BK10&REA2	1.53
08/30/2025 01:00	EDT	GRASRIVR 115 MOSES 115 1	25583	TWR:MOSES MW2 & MAL4	-1.46
08/30/2025 20:00	EDT	GRASRIVR 115 MOSES 115 1	25583	TWR:MOSES MW2 & MAL4	-60.44