

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
09/07/2025 08:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.19
09/07/2025 10:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.93
09/07/2025 11:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.19
09/07/2025 16:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.01
09/07/2025 17:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.32
09/07/2025 12:00	EDT	SPRNBK 345 UNIONHBS 345 1	25105	BASE CASE	3.6
09/07/2025 10:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.06
09/07/2025 11:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.06
09/07/2025 12:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-28.16
09/07/2025 13:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.06
09/07/2025 14:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.06
09/07/2025 15:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.06
09/07/2025 16:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.06
09/07/2025 00:00	EDT	E179THST 138 HELLGATE 138 1	25289	BASE CASE	-0.02
09/07/2025 02:00	EDT	E179THST 138 HELLGATE 138 1	25289	BASE CASE	-0.02
09/07/2025 03:00	EDT	E179THST 138 HELLGATE 138 1	25289	BASE CASE	-0.02
09/07/2025 01:00	EDT	E179THST 138 HELLGATE 138 1	25290	BASE CASE	-0.02
09/07/2025 00:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	10.84
09/07/2025 01:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	8.11
09/07/2025 02:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	5.22
09/07/2025 03:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	3.35
09/07/2025 04:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	2.44
09/07/2025 05:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	3.4
09/07/2025 06:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	5.06
09/07/2025 07:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	4.13
09/07/2025 08:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	5.23
09/07/2025 09:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	5.99
09/07/2025 10:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	4.18
09/07/2025 11:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	3.5
09/07/2025 12:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	2.12
09/07/2025 13:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	1.52
09/07/2025 14:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	1.87
09/07/2025 15:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	2.69
09/07/2025 16:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	6.89
09/07/2025 17:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	13.5
09/07/2025 18:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	18.56
09/07/2025 19:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	19.51
09/07/2025 20:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	16.18
09/07/2025 21:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	11.06
09/07/2025 22:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	6.72
09/07/2025 23:00	EDT	ASTANNEX 138 ASTORIAE 138 1	325849	BASE CASE	3.24
09/07/2025 18:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	0.78
09/07/2025 19:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	1.28
09/07/2025 15:00	EDT	NEAC ACTIVE DNI	992	ACTIVE DNI	-4.82
09/07/2025 07:00	EDT	GREENBSH 115 REGENRON 115 1	327081	SCB:KNICRBKR(R2):6&2&Y57	41.34
09/07/2025 12:00	EDT	GREENBSH 115 REGENRON 115 1	327081	SCB:KNICRBKR(R2):6&2&Y57	106.15
09/07/2025 13:00	EDT	GREENBSH 115 REGENRON 115 1	327081	SCB:KNICRBKR(R2):6&2&Y57	75.51
09/07/2025 14:00	EDT	GREENBSH 115 REGENRON 115 1	327081	SCB:KNICRBKR(R2):6&2&Y57	112.32
09/07/2025 15:00	EDT	GREENBSH 115 REGENRON 115 1	327081	SCB:KNICRBKR(R2):6&2&Y57	0.11
09/07/2025 16:00	EDT	GREENBSH 115 REGENRON 115 1	327081	SCB:KNICRBKR(R2):6&2&Y57	19.17