

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
11/10/2025 00:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/10/2025 01:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/10/2025 02:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/10/2025 03:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/10/2025 04:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/10/2025 05:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/10/2025 23:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/10/2025 06:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	-0.78
11/10/2025 08:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	0.8
11/10/2025 21:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	0.67
11/10/2025 07:00	EST	NRTHPORT 138 PILGRIM 138 1	25307	NRTHPORT-PILGRIM__138_677	4.96
11/10/2025 08:00	EST	NRTHPORT 138 PILGRIM 138 1	25307	NRTHPORT-PILGRIM__138_677	0.07
11/10/2025 09:00	EST	NRTHPORT 138 PILGRIM 138 1	25307	NRTHPORT-PILGRIM__138_677	0.07
11/10/2025 13:00	EST	NRTHPORT 138 PILGRIM 138 1	25307	NRTHPORT-PILGRIM__138_677	2.0
11/10/2025 14:00	EST	NRTHPORT 138 PILGRIM 138 1	25307	NRTHPORT-PILGRIM__138_677	0.41
11/10/2025 17:00	EST	NRTHPORT 138 PILGRIM 138 1	25307	NRTHPORT-PILGRIM__138_677	1.65
11/10/2025 19:00	EST	NRTHPORT 138 PILGRIM 138 1	25307	NRTHPORT-PILGRIM__138_677	0.08