

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
12/01/2025 02:00	EST	SCH - PJ - NY	23316	BASE CASE	0.27
12/01/2025 03:00	EST	SCH - PJ - NY	23316	BASE CASE	1.53
12/01/2025 04:00	EST	SCH - PJ - NY	23316	BASE CASE	3.82
12/01/2025 05:00	EST	SCH - PJ - NY	23316	BASE CASE	3.89
12/01/2025 06:00	EST	SCH - PJ - NY	23316	BASE CASE	12.52
12/01/2025 07:00	EST	SCH - PJ - NY	23316	BASE CASE	17.74
12/01/2025 08:00	EST	SCH - PJ - NY	23316	BASE CASE	10.03
12/01/2025 09:00	EST	SCH - PJ - NY	23316	BASE CASE	2.77
12/01/2025 10:00	EST	SCH - PJ - NY	23316	BASE CASE	1.2
12/01/2025 11:00	EST	SCH - PJ - NY	23316	BASE CASE	0.58
12/01/2025 12:00	EST	SCH - PJ - NY	23316	BASE CASE	3.51
12/01/2025 13:00	EST	SCH - PJ - NY	23316	BASE CASE	8.38
12/01/2025 14:00	EST	SCH - PJ - NY	23316	BASE CASE	13.8
12/01/2025 15:00	EST	SCH - PJ - NY	23316	BASE CASE	22.3
12/01/2025 16:00	EST	SCH - PJ - NY	23316	BASE CASE	38.11
12/01/2025 17:00	EST	SCH - PJ - NY	23316	BASE CASE	50.09
12/01/2025 18:00	EST	SCH - PJ - NY	23316	BASE CASE	39.19
12/01/2025 19:00	EST	SCH - PJ - NY	23316	BASE CASE	31.96
12/01/2025 20:00	EST	SCH - PJ - NY	23316	BASE CASE	22.03
12/01/2025 21:00	EST	SCH - PJ - NY	23316	BASE CASE	17.71
12/01/2025 22:00	EST	SCH - PJ - NY	23316	BASE CASE	13.36
12/01/2025 23:00	EST	SCH - PJ - NY	23316	BASE CASE	10.13
12/01/2025 00:00	EST	SCH - NE - NY	23318	BASE CASE	-4.22
12/01/2025 01:00	EST	SCH - NE - NY	23318	BASE CASE	-3.71
12/01/2025 02:00	EST	SCH - NE - NY	23318	BASE CASE	-3.98
12/01/2025 03:00	EST	SCH - NE - NY	23318	BASE CASE	-2.61
12/01/2025 04:00	EST	SCH - NE - NY	23318	BASE CASE	-1.09
12/01/2025 05:00	EST	SCH - NE - NY	23318	BASE CASE	-0.99
12/01/2025 06:00	EST	SCH - NE - NY	23318	BASE CASE	-4.06
12/01/2025 06:00	EST	QUENBRDG 138 VERNON 138 1	25159	BASE CASE	0.02
12/01/2025 07:00	EST	QUENBRDG 138 VERNON 138 1	25159	BASE CASE	0.02
12/01/2025 08:00	EST	QUENBRDG 138 VERNON 138 1	25159	BASE CASE	0.02
12/01/2025 15:00	EST	RAINEY 138 VERNON 138 1	25296	BASE CASE	-0.02
12/01/2025 16:00	EST	RAINEY 138 VERNON 138 1	25296	BASE CASE	-0.02
12/01/2025 17:00	EST	RAINEY 138 VERNON 138 1	25296	BASE CASE	-0.02
12/01/2025 18:00	EST	RAINEY 138 VERNON 138 1	25296	BASE CASE	-0.02
12/01/2025 19:00	EST	RAINEY 138 VERNON 138 1	25296	BASE CASE	-0.02
12/01/2025 20:00	EST	RAINEY 138 VERNON 138 1	25296	BASE CASE	-0.02
12/01/2025 21:00	EST	RAINEY 138 VERNON 138 1	25296	BASE CASE	-0.02
12/01/2025 00:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/01/2025 01:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/01/2025 02:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/01/2025 03:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/01/2025 08:00	EST	NIAGARA 115 NIAGARA 230 1	25409	BASE CASE	-0.27
12/01/2025 09:00	EST	NIAGARA 115 NIAGARA 230 1	25409	BASE CASE	-0.16
12/01/2025 10:00	EST	NIAGARA 115 NIAGARA 230 1	25409	BASE CASE	-0.17
12/01/2025 11:00	EST	NIAGARA 115 NIAGARA 230 1	25409	BASE CASE	-0.13
12/01/2025 12:00	EST	NIAGARA 115 NIAGARA 230 1	25409	BASE CASE	-0.14
12/01/2025 13:00	EST	NIAGARA 115 NIAGARA 230 1	25409	BASE CASE	-0.17
12/01/2025 14:00	EST	NIAGARA 115 NIAGARA 230 1	25409	BASE CASE	-0.2
12/01/2025 05:00	EST	SCH - NPX_1385	325277	BASE CASE	-0.48
12/01/2025 06:00	EST	SCH - NPX_1385	325277	BASE CASE	-6.44
12/01/2025 07:00	EST	SCH - NPX_1385	325277	BASE CASE	-4.92
12/01/2025 15:00	EST	SCH - NPX_1385	325277	BASE CASE	-2.35
12/01/2025 16:00	EST	SCH - NPX_1385	325277	BASE CASE	-21.92
12/01/2025 17:00	EST	SCH - NPX_1385	325277	BASE CASE	-13.12
12/01/2025 23:00	EST	SCH - NPX_1385	325277	BASE CASE	-5.04
12/01/2025 08:00	EST	FITZPTRK 345 EDIC 345 1	25077	SCB:CLAY(R10)1&BK1	55.3
12/01/2025 09:00	EST	FITZPTRK 345 EDIC 345 1	25077	SCB:CLAY(R10)1&BK1	33.41
12/01/2025 10:00	EST	FITZPTRK 345 EDIC 345 1	25077	SCB:CLAY(R10)1&BK1	33.97
12/01/2025 11:00	EST	FITZPTRK 345 EDIC 345 1	25077	SCB:CLAY(R10)1&BK1	26.15
12/01/2025 12:00	EST	FITZPTRK 345 EDIC 345 1	25077	SCB:CLAY(R10)1&BK1	28.12
12/01/2025 13:00	EST	FITZPTRK 345 EDIC 345 1	25077	SCB:CLAY(R10)1&BK1	34.22

12/01/2025 14:00	EST	FITZPTRK 345 EDIC 345 1	25077	SCB:CLAY(R10)1&BK1	40.19
12/01/2025 20:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	6.75
12/01/2025 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	14.73
12/01/2025 08:00	EST	NIAGARA 230 PACKARD 230 2	25220	TWR:NIAGARA 61 & 64	0.25
12/01/2025 09:00	EST	NIAGARA 230 PACKARD 230 2	25220	TWR:NIAGARA 61 & 64	0.13
12/01/2025 10:00	EST	NIAGARA 230 PACKARD 230 2	25220	TWR:NIAGARA 61 & 64	0.13
12/01/2025 11:00	EST	NIAGARA 230 PACKARD 230 2	25220	TWR:NIAGARA 61 & 64	0.08
12/01/2025 12:00	EST	NIAGARA 230 PACKARD 230 2	25220	TWR:NIAGARA 61 & 64	0.1
12/01/2025 13:00	EST	NIAGARA 230 PACKARD 230 2	25220	TWR:NIAGARA 61 & 64	0.13
12/01/2025 14:00	EST	NIAGARA 230 PACKARD 230 2	25220	TWR:NIAGARA 61 & 64	0.16