

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/26/2026 00:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.31
04/26/2026 05:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.0
04/26/2026 08:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.1
04/26/2026 09:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.0
04/26/2026 10:00	EDT	SCH - NE - NY	23318	BASE CASE	-4.5
04/26/2026 11:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.93
04/26/2026 12:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.7
04/26/2026 13:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.91
04/26/2026 14:00	EDT	SCH - NE - NY	23318	BASE CASE	-4.0
04/26/2026 15:00	EDT	SCH - NE - NY	23318	BASE CASE	-5.35
04/26/2026 16:00	EDT	SCH - NE - NY	23318	BASE CASE	-18.56
04/26/2026 17:00	EDT	SCH - NE - NY	23318	BASE CASE	-22.35
04/26/2026 18:00	EDT	SCH - NE - NY	23318	BASE CASE	-17.88
04/26/2026 19:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.1
04/26/2026 21:00	EDT	SCH - NE - NY	23318	BASE CASE	-9.02
04/26/2026 22:00	EDT	SCH - NE - NY	23318	BASE CASE	-11.58
04/26/2026 23:00	EDT	SCH - NE - NY	23318	BASE CASE	-8.23
04/26/2026 10:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-82.4
04/26/2026 11:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.45
04/26/2026 12:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-74.44
04/26/2026 13:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-80.41
04/26/2026 14:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-93.75
04/26/2026 16:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.45
04/26/2026 17:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-69.34
04/26/2026 18:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-25.25
04/26/2026 19:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-55.9
04/26/2026 20:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.45
04/26/2026 22:00	EDT	LAKSUCSS 138 SHORE_RD 138 1	25150	BASE CASE	-0.45
04/26/2026 19:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	-0.02
04/26/2026 20:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	-0.02
04/26/2026 17:00	EDT	BARRETT 138 VALLYSTR 138 1	25312	BASE CASE	1.0
04/26/2026 18:00	EDT	BARRETT 138 VALLYSTR 138 1	25312	BASE CASE	0.4
04/26/2026 00:00	EDT	GREENWD 138 VERNON 138 1	25337	BASE CASE	-0.02
04/26/2026 01:00	EDT	GREENWD 138 VERNON 138 1	25337	BASE CASE	-0.02
04/26/2026 00:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	4.94
04/26/2026 01:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	5.41
04/26/2026 02:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	6.38
04/26/2026 03:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	5.82
04/26/2026 04:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	7.9
04/26/2026 05:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	5.14
04/26/2026 06:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.17
04/26/2026 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	5.44
04/26/2026 09:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	8.42
04/26/2026 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	10.69
04/26/2026 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	12.41
04/26/2026 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	14.5
04/26/2026 22:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	1.97
04/26/2026 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	7.05
04/26/2026 05:00	EDT	CHEMUNG 115 NWAVERLY 115 1	325289	SIN:OAKDALE 71 & BK1	0.23
04/26/2026 07:00	EDT	CHEMUNG 115 NWAVERLY 115 1	325289	SIN:OAKDALE 71 & BK1	0.23
04/26/2026 20:00	EDT	CHEMUNG 115 NWAVERLY 115 1	325289	SIN:OAKDALE 71 & BK1	18.32
04/26/2026 21:00	EDT	CHEMUNG 115 NWAVERLY 115 1	325289	SIN:OAKDALE 71 & BK1	0.23
04/26/2026 22:00	EDT	CHEMUNG 115 NWAVERLY 115 1	325289	SIN:OAKDALE 71 & BK1	0.23