

NYISO Operator Initiated Commitment

Insert Time	Event Start Time	Event End Time	PTID	Resource Name	Requestor	Commitment Type	Load Zone of Resource	Commitment Reason	ARR	UOL / USL(MWh)	MW Committed / LSL(MWh)
16-Oct-2021 00:31:16	16-Oct-2021 00:00:00	16-Oct-2021 23:00:00	24214	PPL_SHRM_GT4	TO	Deleted OOM	LONGIL	Constraint Management	-	45	45
16-Oct-2021 04:35:54	16-Oct-2021 04:00:00	16-Oct-2021 23:00:00	23616	PORT_JEFF_4	TO	Received OOM	LONGIL	Constraint Management	-	198.1	100
16-Oct-2021 05:01:14	17-Oct-2021 13:00:00	17-Oct-2021 13:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 05:01:14	17-Oct-2021 14:00:00	17-Oct-2021 14:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 05:01:14	17-Oct-2021 15:00:00	17-Oct-2021 15:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 05:01:14	17-Oct-2021 16:00:00	17-Oct-2021 16:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 05:01:14	17-Oct-2021 17:00:00	17-Oct-2021 17:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 05:01:14	17-Oct-2021 18:00:00	17-Oct-2021 18:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 05:01:14	17-Oct-2021 19:00:00	17-Oct-2021 19:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 05:01:14	17-Oct-2021 20:00:00	17-Oct-2021 20:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 05:01:14	17-Oct-2021 21:00:00	17-Oct-2021 21:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 05:01:14	17-Oct-2021 22:00:00	17-Oct-2021 22:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 05:01:14	17-Oct-2021 23:00:00	17-Oct-2021 23:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 05:01:14	17-Oct-2021 00:00:00	17-Oct-2021 00:59:59	23535	RAVENSWOOD___3	TO	DARU	N.Y.C.	Constraint Management	37	980.3	150
16-Oct-2021 05:01:14	17-Oct-2021 12:00:00	17-Oct-2021 12:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 05:01:14	17-Oct-2021 00:00:00	17-Oct-2021 00:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 05:01:14	17-Oct-2021 11:00:00	17-Oct-2021 11:59:59	23512	ARTHUR_KILL_2	TO	DARU	N.Y.C.	Constraint Management	37	339.6	90
16-Oct-2021 06:35:06	18-Oct-2021 00:00:00	22-Oct-2021 23:00:00	23512	ARTHUR_KILL_2	TO	Received Advisory DARU	N.Y.C.	Constraint Management	37	0	0
16-Oct-2021 06:41:58	18-Oct-2021 00:00:00	19-Oct-2021 01:00:00	23535	RAVENSWOOD___3	TO	Received Advisory DARU	N.Y.C.	Constraint Management	37	0	0
16-Oct-2021 06:51:59	16-Oct-2021 06:00:00	16-Oct-2021 23:00:00	23616	PORT_JEFF_4	TO	Modified OOM	LONGIL	Constraint Management	-	181	181
16-Oct-2021 10:34:29	16-Oct-2021 10:00:00	16-Oct-2021 23:00:00	23616	PORT_JEFF_4	TO	Deleted OOM	LONGIL	Constraint Management	-	181	181
16-Oct-2021 15:15:43	16-Oct-2021 15:00:00	16-Oct-2021 15:00:00	23757	GILBOA___2	NYISO	Received OOM	CAPITL	Constraint Management	-	292.7	140
16-Oct-2021 15:24:43	16-Oct-2021 15:00:00	16-Oct-2021 15:00:00	23757	GILBOA___2	NYISO	Deleted OOM	CAPITL	Constraint Management	-	292.7	140
16-Oct-2021 15:26:28	16-Oct-2021 15:00:00	16-Oct-2021 15:00:00	23757	GILBOA___2	NYISO	Modified OOM	CAPITL	Constraint Management	-	292.7	140
16-Oct-2021 15:44:25	16-Oct-2021 15:00:00	16-Oct-2021 23:00:00	23760	NIAGARA____	NYISO	Received OOM	WEST	Constraint Management	-	2987.5	0
16-Oct-2021 15:50:22	16-Oct-2021 15:00:00	16-Oct-2021 23:00:00	23760	NIAGARA____	NYISO	Deleted OOM	WEST	Constraint Management	-	2987.5	0
16-Oct-2021 15:53:45	16-Oct-2021 15:00:00	16-Oct-2021 15:00:00	23700	BARRETT_IC_9	NYISO	Received OOM	LONGIL	Constraint Management	-	48.8	33.9
16-Oct-2021 18:22:54	16-Oct-2021 18:00:00	16-Oct-2021 18:00:00	24216	PPL PILGRIM_ST_GT1	NYISO	Modified OOM	LONGIL	Constraint Management	-	45.8	44
16-Oct-2021 18:23:29	16-Oct-2021 19:00:00	16-Oct-2021 19:00:00	24216	PPL PILGRIM_ST_GT1	NYISO	Received OOM	LONGIL	Constraint Management	-	45.8	44