

NYISO Operator Initiated Commitment

Insert Time	Event Start Time	Event End Time	PTID	Resource Name	Requestor	Commitment Type	Load Zone of Resource	Commitment Reason	ARR	UOL/USL(MWh)/POI INJ (MW)	MW Committed/LSL(MWh)/POI WDL (MW)
21-Sep-2025 05:01:32	22-Sep-2025 16:00:00	22-Sep-2025 16:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	335.3	233.1
21-Sep-2025 05:01:32	22-Sep-2025 20:00:00	22-Sep-2025 20:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	336.2	234.3
21-Sep-2025 05:01:32	22-Sep-2025 13:00:00	22-Sep-2025 14:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	335.7	233.5
21-Sep-2025 05:01:32	22-Sep-2025 12:00:00	22-Sep-2025 12:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	336.5	234.3
21-Sep-2025 05:01:32	22-Sep-2025 11:00:00	22-Sep-2025 11:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	336.6	234.4
21-Sep-2025 05:01:32	22-Sep-2025 10:00:00	22-Sep-2025 10:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	338	235.7
21-Sep-2025 05:01:32	22-Sep-2025 09:00:00	22-Sep-2025 09:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	338.4	236.2
21-Sep-2025 05:01:32	22-Sep-2025 08:00:00	22-Sep-2025 08:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	338.4	237.8
21-Sep-2025 05:01:32	22-Sep-2025 06:00:00	22-Sep-2025 06:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	342.7	240.8
21-Sep-2025 05:01:32	22-Sep-2025 04:00:00	22-Sep-2025 07:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	343.7	241.4
21-Sep-2025 05:01:32	22-Sep-2025 03:00:00	22-Sep-2025 03:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	342.8	240.9
21-Sep-2025 05:01:32	22-Sep-2025 02:00:00	22-Sep-2025 02:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	342	240.4
21-Sep-2025 05:01:32	22-Sep-2025 01:00:00	22-Sep-2025 01:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	342.1	240.5
21-Sep-2025 05:01:32	22-Sep-2025 00:00:00	22-Sep-2025 00:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	341.3	240
21-Sep-2025 05:01:32	22-Sep-2025 00:00:00	22-Sep-2025 23:59:59	23546	BARRETT__2	TO	DARU	LONGIL	Voltage Support	28	181.1	40
21-Sep-2025 05:01:32	22-Sep-2025 17:00:00	22-Sep-2025 17:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	335.5	233.4
21-Sep-2025 05:01:32	22-Sep-2025 18:00:00	22-Sep-2025 18:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	335.4	233.4
21-Sep-2025 05:01:32	22-Sep-2025 19:00:00	22-Sep-2025 19:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	335.7	233.7
21-Sep-2025 05:01:32	22-Sep-2025 00:00:00	22-Sep-2025 23:59:59	23650	NORTHPORT__4	TO	DARU	LONGIL	Voltage Support	28	366.1	100
21-Sep-2025 05:01:32	22-Sep-2025 00:00:00	22-Sep-2025 23:59:59	23551	NORTHPORT__1	TO	DARU	LONGIL	Voltage Support	28	374.1	100
21-Sep-2025 05:01:32	22-Sep-2025 23:00:00	22-Sep-2025 23:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	336	234.3
21-Sep-2025 05:01:32	22-Sep-2025 21:00:00	22-Sep-2025 21:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	336.4	234.6
21-Sep-2025 05:01:32	22-Sep-2025 22:00:00	22-Sep-2025 22:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	336.1	234.3
21-Sep-2025 05:01:32	22-Sep-2025 15:00:00	22-Sep-2025 15:59:59	323624	CAITHNESS_CC_1	TO	DARU	LONGIL	Constraint Management	-	335.4	233.2
21-Sep-2025 10:22:14	22-Sep-2025 22:00:00	22-Sep-2025 22:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 21:00:00	22-Sep-2025 21:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 20:00:00	22-Sep-2025 20:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 19:00:00	22-Sep-2025 19:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 18:00:00	22-Sep-2025 18:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 17:00:00	22-Sep-2025 17:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 16:00:00	22-Sep-2025 16:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 15:00:00	22-Sep-2025 15:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 14:00:00	22-Sep-2025 14:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90

21-Sep-2025 10:22:14	22-Sep-2025 13:00:00	22-Sep-2025 13:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 12:00:00	22-Sep-2025 12:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 11:00:00	22-Sep-2025 11:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 10:00:00	22-Sep-2025 10:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 09:00:00	22-Sep-2025 09:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 08:00:00	22-Sep-2025 08:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 07:00:00	22-Sep-2025 07:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 06:00:00	22-Sep-2025 06:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 05:00:00	22-Sep-2025 05:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 04:00:00	22-Sep-2025 04:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 03:00:00	22-Sep-2025 03:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 02:00:00	22-Sep-2025 02:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 01:00:00	22-Sep-2025 01:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 00:00:00	22-Sep-2025 00:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:22:14	22-Sep-2025 23:00:00	22-Sep-2025 23:59:59	23512	ARTHUR_KILL_2	TO	SRE	N.Y.C.	Constraint Management	37	357.7	90
21-Sep-2025 10:27:30	22-Sep-2025 22:00:00	22-Sep-2025 22:59:59	23545	BARRETT___1	TO	SRE	LONGIL	Constraint Management	-	145	40
21-Sep-2025 10:27:30	22-Sep-2025 23:00:00	22-Sep-2025 23:59:59	23545	BARRETT___1	TO	SRE	LONGIL	Constraint Management	-	145	40
21-Sep-2025 16:09:34	23-Sep-2025 16:00:00	24-Sep-2025 16:00:00	23516	ASTORIA___3	TO	Received Advisory DARU	N.Y.C.	Constraint Management	37	0	0
21-Sep-2025 16:14:49	23-Sep-2025 16:00:00	24-Sep-2025 16:00:00	23516	ASTORIA___3	TO	Deleted Advisory DARU	N.Y.C.	Constraint Management	37	0	0
21-Sep-2025 16:16:17	23-Sep-2025 16:00:00	24-Sep-2025 16:00:00	23518	ASTORIA___5	TO	Received Advisory DARU	N.Y.C.	Constraint Management	37	0	0
21-Sep-2025 18:36:55	21-Sep-2025 18:00:00	21-Sep-2025 23:00:00	24172	SITHE_IND_GS4	NYISO	Received OOM	CENTRL	Constraint Management	-	0	0