

NYISO Operator Initiated Commitment

Insert Time	Event Start Time	Event End Time	PTID	Resource Name	Requestor	Commitment Type	Load Zone of Resource	Commitment Reason	ARR	UOL/USL(MWh)/POI INJ (MW)	MW Committed/LSL(MWh)/POI WDL (MW)
22-May-2026 02:26:07	22-May-2026 02:00:00	22-May-2026 23:00:00	23815	FPL FAR_ROCK_GT2	NYISO	Received OOM	LONGIL	Constraint Management	-	60.6	47
22-May-2026 05:01:20	23-May-2026 00:00:00	23-May-2026 23:59:59	23553	NORTHPORT___3	TO	DARU	LONGIL	Voltage Support	28	363	100
22-May-2026 05:01:20	23-May-2026 00:00:00	23-May-2026 23:59:59	23650	NORTHPORT___4	TO	DARU	LONGIL	Voltage Support	28	363	100
22-May-2026 05:01:20	23-May-2026 22:00:00	23-May-2026 23:59:59	23545	BARRETT___1	TO	DARU	LONGIL	Voltage Support	28	145	40
22-May-2026 05:01:20	23-May-2026 00:00:00	23-May-2026 21:59:59	23545	BARRETT___1	TO	DARU	LONGIL	Voltage Support	28	60	40
22-May-2026 11:05:05	24-May-2026 00:00:00	24-May-2026 23:00:00	23553	NORTHPORT___3	TO	Modified Advisory DARU	LONGIL	Voltage Support	28	0	0
22-May-2026 11:05:37	25-May-2026 00:00:00	26-May-2026 23:00:00	323624	CAITHNESS_CC_1	TO	Received Advisory DARU	LONGIL	Constraint Management	-	0	0
22-May-2026 11:05:46	24-May-2026 00:00:00	26-May-2026 23:00:00	23545	BARRETT___1	TO	Modified Advisory DARU	LONGIL	Voltage Support	28	0	0
22-May-2026 11:05:55	24-May-2026 00:00:00	26-May-2026 23:00:00	23650	NORTHPORT___4	TO	Modified Advisory DARU	LONGIL	Voltage Support	28	0	0
22-May-2026 13:14:18	22-May-2026 13:00:00	22-May-2026 23:00:00	23815	FPL FAR_ROCK_GT2	NYISO	Deleted OOM	LONGIL	Constraint Management	-	60.6	47
22-May-2026 15:42:54	24-May-2026 00:00:00	24-May-2026 23:00:00	323568	NYPA___ASTORIA_CC1	TO	Received Advisory DARU	N.Y.C.	Constraint Management	37	0	0
22-May-2026 15:43:12	24-May-2026 00:00:00	24-May-2026 23:00:00	323569	NYPA___ASTORIA_CC2	TO	Received Advisory DARU	N.Y.C.	Constraint Management	37	0	0
22-May-2026 15:44:53	24-May-2026 00:00:00	24-May-2026 23:00:00	323568	NYPA___ASTORIA_CC1	TO	Modified Advisory DARU	N.Y.C.	Constraint Management	37	0	0
22-May-2026 15:45:04	24-May-2026 00:00:00	24-May-2026 23:00:00	323569	NYPA___ASTORIA_CC2	TO	Modified Advisory DARU	N.Y.C.	Constraint Management	37	0	0
22-May-2026 16:14:51	22-May-2026 16:00:00	22-May-2026 23:00:00	24152	NYPA_KENT____GT	NYISO	Received OOM	N.Y.C.	Constraint Management	-	46.6	42
22-May-2026 16:27:21	22-May-2026 16:00:00	22-May-2026 23:00:00	24118	GOWANUS_GT2_5	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	0	0
22-May-2026 16:27:21	22-May-2026 16:00:00	22-May-2026 23:00:00	24117	GOWANUS_GT2_4	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	0	0
22-May-2026 16:27:21	22-May-2026 16:00:00	22-May-2026 23:00:00	24116	GOWANUS_GT2_3	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	0	0
22-May-2026 16:27:21	22-May-2026 16:00:00	22-May-2026 23:00:00	24119	GOWANUS_GT2_6	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	0	0
22-May-2026 16:27:21	22-May-2026 16:00:00	22-May-2026 23:00:00	24114	GOWANUS_GT2_1	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	0	0
22-May-2026 16:27:21	22-May-2026 16:00:00	22-May-2026 23:00:00	24115	GOWANUS_GT2_2	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	0	0
22-May-2026 16:27:21	22-May-2026 16:00:00	22-May-2026 23:00:00	24121	GOWANUS_GT2_8	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	0	0
22-May-2026 16:27:21	22-May-2026 16:00:00	22-May-2026 23:00:00	24120	GOWANUS_GT2_7	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	0	0
22-May-2026 16:27:37	22-May-2026 16:00:00	22-May-2026 16:00:00	24121	GOWANUS_GT2_8	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	23.1	0
22-May-2026 16:27:37	22-May-2026 17:00:00	22-May-2026 17:00:00	24118	GOWANUS_GT2_5	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	22.9	0
22-May-2026 16:27:37	22-May-2026 16:00:00	22-May-2026 16:00:00	24115	GOWANUS_GT2_2	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	22.3	0
22-May-2026 16:27:37	22-May-2026 16:00:00	22-May-2026 16:00:00	24119	GOWANUS_GT2_6	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	23.7	0
22-May-2026 16:27:37	22-May-2026 17:00:00	22-May-2026 17:00:00	24119	GOWANUS_GT2_6	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	23.7	0
22-May-2026 16:27:37	22-May-2026 16:00:00	22-May-2026 16:00:00	24118	GOWANUS_GT2_5	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	22.9	0
22-May-2026 16:27:37	22-May-2026 17:00:00	22-May-2026 17:00:00	24121	GOWANUS_GT2_8	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	23.1	0
22-May-2026 16:27:37	22-May-2026 16:00:00	22-May-2026 16:00:00	24120	GOWANUS_GT2_7	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	24.2	0
22-May-2026 16:27:37	22-May-2026 17:00:00	22-May-2026 17:00:00	24120	GOWANUS_GT2_7	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	24.2	0
22-May-2026 16:27:37	22-May-2026 16:00:00	22-May-2026 16:00:00	24114	GOWANUS_GT2_1	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	22	0

22-May-2026 16:27:37	22-May-2026 17:00:00	22-May-2026 17:00:00	24117	GOWANUS_GT2_4	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	21	0
22-May-2026 16:27:37	22-May-2026 16:00:00	22-May-2026 16:00:00	24117	GOWANUS_GT2_4	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	21	0
22-May-2026 16:27:37	22-May-2026 17:00:00	22-May-2026 17:00:00	24116	GOWANUS_GT2_3	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	24.3	0
22-May-2026 16:27:37	22-May-2026 16:00:00	22-May-2026 16:00:00	24116	GOWANUS_GT2_3	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	24.3	0
22-May-2026 16:27:37	22-May-2026 17:00:00	22-May-2026 17:00:00	24114	GOWANUS_GT2_1	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	22	0
22-May-2026 16:27:37	22-May-2026 17:00:00	22-May-2026 17:00:00	24115	GOWANUS_GT2_2	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	22.3	0
22-May-2026 16:44:51	22-May-2026 16:00:00	22-May-2026 23:00:00	24152	NYPA_KENT____GT	NYISO	Deleted OOM	N.Y.C.	Constraint Management	-	46.6	42
22-May-2026 16:45:55	22-May-2026 17:00:00	22-May-2026 23:00:00	24152	NYPA_KENT____GT	NYISO	Received OOM	N.Y.C.	Constraint Management	-	46.6	0
22-May-2026 17:14:49	22-May-2026 17:00:00	22-May-2026 23:00:00	23815	FPL_FAR_ROCK_GT2	NYISO	Received OOM	LONGIL	Constraint Management	-	60.6	47.2
22-May-2026 17:45:35	22-May-2026 17:00:00	22-May-2026 23:00:00	23815	FPL_FAR_ROCK_GT2	NYISO	Deleted OOM	LONGIL	Constraint Management	-	60.6	47.2