NYISO Operational Announcements

Dispatcher Notices
Committed for Reliability
Market Monitor Notices

Dispatcher Notices back to top

Insert Time	Message
22-Sep-2002 09:24:49	09/22/2002 09:23:30 NYISO SCD reserve pick-up remains active.
22-Sep-2002 09:26:45	09/22/2002 09:13:29 NYISO SCD reserve pick-up executed.
22-Sep-2002 12:13:53	ISO REQUESTS WADING RIVER_IC_2 OUT OF MERIT FOR ISO SECURITY AT START TIME 09/22/2002 12:00.
22-Sep-2002 12:14:21	ISO REQUESTS WADING RIVER_IC_3 OUT OF MERIT FOR ISO SECURITY AT START TIME 09/22/2002 12:00.
22-Sep-2002 12:20:44	ISO REQUESTS HOLTSVILLE_IC_1 OUT OF MERIT FOR ISO SECURITY AT START TIME 09/22/2002 12:00.
22-Sep-2002 12:21:25	ISO REQUESTS HOLTSVILLE_IC_4 OUT OF MERIT FOR ISO SECURITY AT START TIME 09/22/2002 12:00.
22-Sep-2002 12:45:53	TP-LI REQUESTS MONTAUK___DIESEL OUT OF MERIT FOR TO LOCAL SECURITY AT START TIME 09/22/2002 12:00.
22-Sep-2002 14:27:36	09/22/2002 14:25:12 NYISO SCD reserve pick-up remains active.
22-Sep-2002 14:27:44	09/22/2002 14:15:11 NYISO SCD reserve pick-up executed.
22-Sep-2002 15:32:20	TP-LI REMOVES MONTAUK___DIESEL OUT OF MERIT FOR TO LOCAL SECURITY AT START TIME 09/22/2002 15:00.
22-Sep-2002 19:00:59	ISO REQUESTS BOWLINE___1 OUT OF MERIT FOR ISO SECURITY AT START TIME 09/22/2002 19:00.
22-Sep-2002 19:01:31	ISO UPDATES BOWLINE___1 OUT OF MERIT FOR ISO SECURITY AT START TIME 09/22/2002 19:00.
22-Sep-2002 19:03:55	ISO UPDATES BOWLINE___1 OUT OF MERIT FOR ISO SECURITY AT START TIME 09/22/2002 19:00.

Committed for Reliability back to top

Insert Time	Message
22-Sep-2002 13:49:49	Generator: ARTHUR_KILL_2 scheduled for local reliability in DAM market for 09/23/2002 23 Energy = 90 MW. Regulation = MW. Min10 Spinning = MW. Min10 Nonsynch = MW. Min30 Spinning = MW. Min30 Nonsynch = MW. Operating Cap = MW.

Market Monitor Notices back to top

Insert Time	Message
22-Sep-2002 15:12:33	NYISO is reserving HB 22:00 in the September 21, 2002 Real-Time Market to verify prices. NYISO is reserving HB 11:00 and 12:00 in the September 21, 2002 Hour-Ahead Market to verify locational reserve prices. Prices in the September 22, 2002 Day-Ahead Market are correct.