

NYISO Operational Announcements

[Dispatcher Notices](#)

[Reliability Notices](#)

[15 Minute Scheduling Disabled Notices](#)

[Market Monitor Notices](#)

[Market Pricing Notices](#)

Dispatcher Notices

[back to top](#)

Insert Time	Message
-------------	---------

Committed for Reliability

[back to top](#)

Insert Time	Message
21-Oct-2017 14:41:51	10/21/2017 14:41:51 ***Advisory*** Generator: RAVENSWOOD___1 has been received for Day Ahead Reliability in DAM market for 10/23/2017 15:00:00 to 10/24/2017 22:00:00 ARR: 37
21-Oct-2017 14:45:08	10/21/2017 14:45:08 ***Advisory*** Generator: RAVENSWOOD___1 has been modified for Day Ahead Reliability in DAM market for 10/23/2017 15:00:00 to 10/24/2017 23:00:00 ARR: 37
21-Oct-2017 14:45:53	10/21/2017 14:45:53 ***Advisory*** Generator: RAVENSWOOD___1 has been modified for Day Ahead Reliability in DAM market for 10/23/2017 15:00:00 to 10/24/2017 23:00:00 ARR: 37
21-Oct-2017 14:49:29	10/21/2017 14:49:29 ***Advisory*** Generator: RAVENSWOOD___1 has been received for Day Ahead Reliability in DAM market for 10/24/2017 23:00:00 to 10/24/2017 23:00:00 ARR: 37

15 Minute Scheduling Disabled

[back to top](#)

Insert Time	Message
21-Oct-2017 17:30:00	Interface: HQ_GEN_WHEEL, 15 minute scheduling disabled beginning 21-Oct-2017 19:00:00 until 23-Oct-2017 00:00:00
21-Oct-2017 17:30:00	Interface: HQ_GEN_IMPORT, 15 minute scheduling disabled beginning 21-Oct-2017 19:00:00 until 23-Oct-2017 00:00:00

Market Monitor Notices

[back to top](#)

Insert Time	Message
-------------	---------

Market Pricing Notices

[back to top](#)

Insert Time	Message
21-Oct-2017 13:53:30	Prices in the October 20, 2017 Real-Time Market for the period hours beginning 12 through 23

encompassing Energy, Regulation, and Operating Reserves are correct. Prices in the October 22, 2017 Day-Ahead Market are correct.

21-Oct-2017 14:02:54

Prices in the October 21, 2017 Real-Time Market for the period hours beginning 0 through 11 encompassing Energy, Regulation, and Operating Reserves are correct.