

Ancillary Service Prices, Day Ahead Market

02/17/2004

| Time Stamp | East 10 Minute Spinning Reserve (\$/MWHr) | East 10 Minute Non- Synchronous Reserve (\$/MWHr) | East 30 Minute Operating Reserve (\$/MWHr) | East Regulation (\$/MWHr) | West 10 Minute Spinning Reserve (\$/MWHr) | West 10 Minute Non- Synchronous Reserve (\$/MWHr) | West 30 Minute Operating Reserve (\$/MWHr) | West Regulation (\$/MWHr) |
|------------|--|---|---|---------------------------------|---|---|--|---------------------------------|
| 00:00 | 1.75 | 0.25 | 0.25 | 25 | 1.75 | 0.25 | 0.25 | 25 |
| 01:00 | 1.75 | 0.5 | 0.5 | 25 | 1.75 | 0.5 | 0.5 | 25 |
| 02:00 | 1.75 | 0.5 | 0.5 | 20 | 1.75 | 0.5 | 0.5 | 20 |
| 03:00 | 0.5 | 0.5 | 0.5 | 20 | 0.5 | 0.5 | 0.5 | 20 |
| 04:00 | 0.5 | 0.5 | 0.5 | 20 | 0.5 | 0.5 | 0.5 | 20 |
| 05:00 | 1.75 | 0.25 | 0.25 | 20 | 1.75 | 0.25 | 0.25 | 20 |
| 06:00 | 3 | 0.5 | 0.5 | 20 | 3 | 0.5 | 0.5 | 20 |
| 07:00 | 3.25 | 0.19 | 0.19 | 11 | 3.25 | 0.19 | 0.19 | 11 |
| 08:00 | 3.25 | 0.17 | 0.17 | 11 | 3.25 | 0.17 | 0.17 | 11 |
| 09:00 | 3.25 | 0.19 | 0.19 | 11 | 3.25 | 0.19 | 0.19 | 11 |
| 10:00 | 3.25 | 0.17 | 0.17 | 11 | 3.25 | 0.17 | 0.17 | 11 |
| 11:00 | 3.25 | 0.17 | 0.17 | 11 | 3.25 | 0.17 | 0.17 | 11 |
| 12:00 | 3.25 | 0.18 | 0.18 | 11 | 3.25 | 0.18 | 0.18 | 11 |
| 13:00 | 3.25 | 0.18 | 0.18 | 11 | 3.25 | 0.18 | 0.18 | 11 |
| 14:00 | 3.25 | 0.19 | 0.19 | 11 | 3.25 | 0.19 | 0.19 | 11 |
| 15:00 | 3.25 | 0.19 | 0.19 | 11 | 3.25 | 0.19 | 0.19 | 11 |
| 16:00 | 3.25 | 0.17 | 0.17 | 11 | 3.25 | 0.17 | 0.17 | 11 |
| 17:00 | 12 | 0.17 | 0.17 | 11 | 12 | 0.17 | 0.17 | 11 |
| 18:00 | 3.25 | 0.15 | 0.15 | 35 | 3.25 | 0.15 | 0.15 | 35 |

| | | | | | | | | |
|-------|------|------|------|----|------|------|------|----|
| 19:00 | 3.25 | 0.15 | 0.15 | 35 | 3.25 | 0.15 | 0.15 | 35 |
| 20:00 | 12 | 0.2 | 0.2 | 25 | 12 | 0.2 | 0.2 | 25 |
| 21:00 | 12 | 0.17 | 0.17 | 25 | 12 | 0.17 | 0.17 | 25 |
| 22:00 | 3.25 | 0.18 | 0.18 | 25 | 3.25 | 0.18 | 0.18 | 25 |
| 23:00 | 3.25 | 0.19 | 0.19 | 25 | 3.25 | 0.19 | 0.19 | 25 |