

Ancillary Services Prices, Day Ahead Market

06/07/2009

| Time Stamp | East 10 Minute Spinning Reserve (\$/MWHr) | East 10 Minute Non- Synchronous Reserve (\$/MWHr) | East 30 Minute Operating Reserve (\$/MWHr) | East Regulation (\$/MWHr) | West 10 Minute Spinning Reserve (\$/MWHr) | West 10 Minute Non- Synchronous Reserve (\$/MWHr) | West 30 Minute Operating Reserve (\$/MWHr) | West Regulation (\$/MWHr) |
|------------|--|---|---|---------------------------------|---|---|--|---------------------------------|
| 00:00 | 0.42 | 0.42 | 0.25 | 32 | 0.25 | 0.25 | 0.25 | 32 |
| 01:00 | 1 | 1 | 0.25 | 32 | 0.25 | 0.25 | 0.25 | 32 |
| 02:00 | 3.35 | 3.35 | 0.25 | 32 | 0.25 | 0.25 | 0.25 | 32 |
| 03:00 | 3.35 | 3.35 | 0.25 | 32 | 0.25 | 0.25 | 0.25 | 32 |
| 04:00 | 3.35 | 3.35 | 0.25 | 32 | 0.25 | 0.25 | 0.25 | 32 |
| 05:00 | 3.35 | 3.35 | 0.25 | 32 | 0.25 | 0.25 | 0.25 | 32 |
| 06:00 | 3.33 | 3.33 | 0.25 | 34.31 | 0.25 | 0.25 | 0.25 | 34.31 |
| 07:00 | 3.36 | 3.36 | 0.5 | 32 | 3.36 | 3.36 | 0.5 | 32 |
| 08:00 | 3.35 | 3.35 | 0.5 | 32 | 3.35 | 3.35 | 0.5 | 32 |
| 09:00 | 3.33 | 3.33 | 0.5 | 32 | 3.33 | 3.33 | 0.5 | 32 |
| 10:00 | 4.21 | 3.36 | 0.5 | 32 | 4.21 | 3.36 | 0.5 | 32 |
| 11:00 | 4.77 | 3.36 | 0.5 | 32 | 4.77 | 3.36 | 0.5 | 32 |
| 12:00 | 6.38 | 3.36 | 0.5 | 32 | 6.38 | 3.36 | 0.5 | 32 |
| 13:00 | 6.63 | 3.36 | 0.5 | 32 | 6.63 | 3.36 | 0.5 | 32 |
| 14:00 | 7.12 | 3.36 | 0.5 | 32 | 7 | 3.24 | 0.5 | 32 |
| 15:00 | 9.87 | 3.37 | 0.5 | 32 | 7 | 0.5 | 0.5 | 32 |
| 16:00 | 6.95 | 3.34 | 0.5 | 37.99 | 6.95 | 3.34 | 0.5 | 37.99 |
| 17:00 | 5 | 3.35 | 0.5 | 41 | 5 | 3.35 | 0.5 | 41 |
| 18:00 | 5 | 3.35 | 0.5 | 41 | 5 | 3.35 | 0.5 | 41 |

| | | | | | | | | |
|-------|------|------|------|-------|------|------|------|-------|
| 19:00 | 5 | 3.35 | 0.5 | 41 | 5 | 3.35 | 0.5 | 41 |
| 20:00 | 5.15 | 3.35 | 0.5 | 41.1 | 5.15 | 3.35 | 0.5 | 41.1 |
| 21:00 | 5 | 3.36 | 0.5 | 41.79 | 5 | 3.36 | 0.5 | 41.79 |
| 22:00 | 5 | 3.38 | 0.5 | 32 | 5 | 3.38 | 0.5 | 32 |
| 23:00 | 3.34 | 3.34 | 0.25 | 32 | 0.25 | 0.25 | 0.25 | 32 |