

# Day Ahead Market Zonal LBMP

Zonal Data		10/12/2001																													
		--- LBMP \$										--- Marginal Cost of Losses										--- Marginal Cost of Congestion									
Name		00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00						
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT						
CAPITL	23.80	22.67	21.42	19.75	19.76	22.89	26.19	27.10	30.55	32.04	31.55	31.07	29.84	29.99	29.76	29.75	29.78	29.83	29.83	30.51	29.41	28.71	26.66	25.23							
61757	0.42	0.47	0.60	0.53	0.53	0.34	0.48	0.89	0.92	1.07	1.08	1.09	1.01	1.10	1.16	1.27	1.37	1.34	1.31	1.13	1.34	1.09	0.85	0.50							
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01	-0.05	-0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00							
CENTRL	22.77	21.53	20.18	18.73	18.75	21.95	24.98	25.73	28.97	30.14	29.65	29.16	28.05	28.08	27.77	27.57	27.50	27.63	27.75	28.58	27.24	26.82	24.81	23.85							
61754	-0.61	-0.67	-0.64	-0.49	-0.48	-0.60	-0.73	-0.48	-0.66	-0.83	-0.82	-0.82	-0.78	-0.81	-0.82	-0.86	-0.89	-0.86	-0.77	-0.80	-0.83	-0.80	-1.00	-0.88							
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00							
DUNWOD	24.43	23.22	21.76	20.07	20.06	23.68	27.00	28.20	32.03	33.66	33.24	32.74	31.48	31.55	31.49	31.49	31.13	31.05	31.00	31.88	30.37	30.00	28.13	26.11							
61760	1.05	1.02	0.94	0.85	0.83	1.13	1.29	1.99	2.40	2.69	2.77	2.76	2.65	2.66	2.60	2.59	2.58	2.56	2.48	2.50	2.30	2.38	2.32	1.38							
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.30	-0.47	-0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00							
GENESE	22.65	21.32	19.92	18.51	18.53	21.70	24.49	25.36	28.25	29.15	28.64	28.03	26.95	26.99	26.65	26.41	26.35	26.62	26.67	27.57	26.22	26.00	23.73	23.27							
61753	-0.73	-0.88	-0.90	-0.71	-0.70	-0.85	-1.22	-0.85	-1.38	-1.82	-1.83	-1.95	-1.88	-1.90	-1.94	-2.02	-2.04	-1.87	-1.85	-1.81	-1.85	-1.62	-2.08	-1.46							
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00							
H Q	19.81	22.29	20.88	19.28	19.29	22.64	25.92	26.00	29.42	30.75	30.23	29.74	28.60	28.66	28.36	28.20	28.13	28.23	28.26	29.17	27.87	27.37	25.71	24.85							
61844	0.09	0.09	0.06	0.06	0.06	0.09	0.21	-0.21	-0.21	-0.22	-0.24	-0.24	-0.23	-0.23	-0.23	-0.23	-0.26	-0.26	-0.26	-0.21	-0.20	-0.25	-0.10	0.12							
	3.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00							
HUD VL	24.35	23.12	21.66	19.97	19.98	23.57	26.90	28.08	31.93	33.57	33.14	32.64	31.37	31.44	31.31	31.31	31.05	30.98	30.95	31.79	30.29	29.87	28.04	25.99							
61758	0.97	0.92	0.84	0.75	0.75	1.02	1.19	1.87	2.30	2.60	2.67	2.66	2.54	2.55	2.50	2.48	2.52	2.49	2.43	2.41	2.22	2.25	2.23	1.26							
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.22	-0.40	-0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00							
LONGIL	24.37	23.71	22.89	22.39	22.38	24.05	26.92	28.31	32.36	34.17	33.78	34.70	35.41	36.46	36.47	41.83	36.38	31.50	31.39	32.34	30.80	30.17	28.26	26.05							
61762	0.99	1.51	1.38	1.26	1.25	1.50	1.21	2.10	2.73	3.20	3.31	3.28	3.12	3.12	3.04	3.04	3.06	3.01	2.87	2.96	2.73	2.55	2.45	1.32							
	0.00	0.00	-0.69	-1.91	-1.90	0.00	0.00	0.00	0.00	0.00	0.00	-1.44	-3.46	-4.45	-4.84	-10.36	-4.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00							
MHK VL	23.46	22.25	20.85	19.26	19.27	22.64	25.92	26.44	30.31	31.68	31.17	30.67	29.47	29.52	29.22	29.05	29.00	29.10	29.17	29.96	28.59	28.09	25.79	24.81							
61756	0.08	0.05	0.03	0.04	0.04	0.09	0.21	0.23	0.68	0.71	0.70	0.69	0.64	0.63	0.63	0.62	0.61	0.61	0.65	0.58	0.52	0.47	-0.02	0.08							
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00							
MILLWD	24.16	22.95	21.51	19.82	19.83	23.39	26.67	27.85	31.64	33.29	32.85	32.35	31.11	31.17	31.11	31.11	30.79	30.68	30.66	31.51	30.03	29.64	27.84	25.82							
61759	0.78	0.75	0.69	0.60	0.60	0.84	0.96	1.64	2.01	2.32	2.38	2.37	2.28	2.28	2.23	2.22	2.24	2.19	2.14	2.13	1.96	2.02	2.03	1.09							
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.29	-0.46	-0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00							
N.Y.C.	24.63	23.38	21.91	20.19	20.21	23.85	27.25	28.47	32.34	34.61	34.51	34.38	34.06	34.07	34.06	34.03	33.84	33.28	31.27	32.18	30.64	30.31	28.47	26.37							
61761	1.25	1.18	1.09	0.97	0.98	1.30	1.54	2.26	2.71	3.02	3.10	3.08	2.96	2.96	2.90	2.86	2.88	2.84	2.75	2.80	2.57	2.69	2.66	1.64							
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.62	-0.94	-1.32	-2.27	-2.22	-2.57	-2.74	-2.57	-1.95	0.00	0.00	0.00	0.00	0.00	0.00							
NORTH	23.44	22.27	20.87	19.26	19.28	22.63	26.01	26.02	29.51	30.88	30.32	29.82	28.67	28.72	28.42	28.26	28.20	28.30	28.34	29.29	28.04	27.45	25.76	24.93							
61755	0.06	0.07	0.05	0.04	0.05	0.08	0.30	-0.19	-0.12	-0.09	-0.15	-0.16	-0.16	-0.17	-0.17	-0.17	-0.19	-0.19	-0.18	-0.09	-0.03	-0.17	-0.05	0.20							
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00							
NPX	20.37	22.87	21.49	19.82	19.83	23.23	26.51	27.52	31.20	32.74	32.27	31.75	30.53	30.62	30.40	30.37	30.22	30.17	30.17	31.00	29.67	29.14	27.23	25.55							
61845	0.65	0.67	0.67	0.60	0.60	0.68	0.80	1.31	1.57	1.77	1.80	1.77	1.70	1.73	1.69	1.73	1.76	1.68	1.65	1.62	1.60	1.52	1.42	0.82							
	3.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.12	-0.21	-0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00							

PJH 61846	19.44 <del>-0.28</del> 3.66	21.67 <del>-0.53</del> 0.00	20.32 <del>-0.50</del> 0.00	18.84 <del>-0.38</del> 0.00	18.85 <del>-0.38</del> 0.00	22.14 <del>-0.41</del> 0.00	24.37 <del>-1.34</del> 0.00	25.00 <del>-1.21</del> 0.00	27.50 <del>-2.13</del> 0.00	28.03 <del>-2.94</del> 0.00	27.36 <del>-3.11</del> 0.00	26.86 <del>-3.12</del> 0.00	25.86 <del>-2.97</del> 0.00	25.86 <del>-3.03</del> 0.00	25.56 <del>-3.03</del> 0.00	25.33 <del>-3.10</del> 0.00	25.27 <del>-3.12</del> 0.00	25.47 <del>-3.02</del> 0.00	25.50 <del>-3.02</del> 0.00	26.29 <del>-3.09</del> 0.00	25.12 <del>-2.95</del> 0.00	25.41 <del>-2.21</del> 0.00	23.07 <del>-2.74</del> 0.00	23.00 <del>-1.73</del> 0.00
PJM 61847	19.00 <del>-0.72</del> 3.66	21.05 <del>-1.15</del> 0.00	19.72 <del>-1.10</del> 0.00	18.14 <del>-1.08</del> 0.00	18.00 <del>-1.23</del> 0.00	21.42 <del>-1.13</del> 0.00	24.42 <del>-1.29</del> 0.00	25.48 <del>-0.73</del> 0.00	28.27 <del>-1.36</del> 0.00	29.02 <del>-1.95</del> 0.00	28.52 <del>-1.95</del> 0.00	28.00 <del>-1.98</del> 0.00	26.96 <del>-1.87</del> 0.00	26.84 <del>-2.05</del> 0.00	26.53 <del>-2.06</del> 0.00	26.30 <del>-2.13</del> 0.00	26.23 <del>-2.16</del> 0.00	26.52 <del>-1.97</del> 0.00	26.72 <del>-1.80</del> 0.00	27.44 <del>-1.94</del> 0.00	26.08 <del>-1.99</del> 0.00	25.71 <del>-1.91</del> 0.00	23.72 <del>-2.09</del> 0.00	22.68 <del>-2.05</del> 0.00
WEST 61752	23.15 <del>-0.23</del> 0.00	21.68 <del>-0.52</del> 0.00	20.32 <del>-0.50</del> 0.00	18.83 <del>-0.39</del> 0.00	18.82 <del>-0.41</del> 0.00	22.15 <del>-0.40</del> 0.00	24.51 <del>-1.20</del> 0.00	25.23 <del>-0.98</del> 0.00	27.77 <del>-1.86</del> 0.00	28.31 <del>-2.66</del> 0.00	27.73 <del>-2.74</del> 0.00	27.23 <del>-2.75</del> 0.00	26.22 <del>-2.61</del> 0.00	26.19 <del>-2.70</del> 0.00	25.87 <del>-2.72</del> 0.00	25.63 <del>-2.80</del> 0.00	25.55 <del>-2.84</del> 0.00	25.78 <del>-2.71</del> 0.00	25.84 <del>-2.68</del> 0.00	26.62 <del>-2.76</del> 0.00	25.41 <del>-2.66</del> 0.00	25.60 <del>-2.02</del> 0.00	23.23 <del>-2.58</del> 0.00	23.03 <del>-1.70</del> 0.00