

Day Ahead Market Zonal LBMP

		--- LBMP \$										--- Marginal Cost of Losses										--- Marginal Cost of Congestion												
Zonal Data																											10/02/2023							
Name		00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00									
PTID		EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT									
CAPITL		23.61	22.08	19.67	19.12	19.25	21.50	26.75	28.21	27.06	26.07	24.55	25.47	25.73	27.14	28.68	31.32	34.26	41.11	43.48	41.42	33.51	28.96	26.11	23.73									
61757		0.75	0.68	0.59	0.61	0.58	0.61	0.93	1.16	1.12	1.00	0.92	1.05	0.95	1.03	1.03	1.15	1.51	2.18	2.67	2.34	1.69	1.38	1.15	0.85									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.11	0.16	0.21	0.22	0.00	0.00	0.00	-0.28	0.00	0.00	0.00	0.00	0.00									
CENTRL		23.24	21.72	19.31	18.71	18.97	21.23	26.29	27.48	26.29	25.47	23.99	24.89	25.37	26.74	28.42	30.78	33.44	39.94	41.95	40.51	32.46	28.02	25.38	23.36									
61754		0.39	0.32	0.23	0.20	0.30	0.33	0.47	0.43	0.34	0.40	0.35	0.37	0.42	0.42	0.56	0.60	0.69	1.01	1.42	1.17	0.64	0.44	0.42	0.48									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.27	0.00	0.00	0.00	0.00									
DUNWOD		24.06	22.43	19.92	19.30	19.42	21.77	27.40	29.00	27.98	27.07	25.50	26.54	27.03	28.50	30.03	32.25	34.95	42.16	45.00	42.24	33.86	29.62	26.78	24.35									
61760		1.21	1.03	0.84	0.80	0.75	0.88	1.58	1.95	2.03	1.98	1.87	1.91	1.92	1.98	1.95	2.08	2.19	3.23	3.73	3.16	2.04	2.04	1.82	1.47									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01	0.00	-0.11	-0.16	-0.21	-0.22	0.00	0.00	0.00	-0.75	0.00	0.00	0.00	0.00	0.00									
GENESE		22.92	21.44	19.02	18.45	18.73	20.98	25.90	27.00	25.85	25.20	23.63	24.60	25.05	26.40	28.09	30.47	33.21	39.67	41.66	39.93	32.11	27.61	25.04	23.09									
61753		0.07	0.04	-0.06	-0.06	0.06	0.08	0.08	-0.05	-0.10	0.13	0.00	0.07	0.10	0.08	0.22	0.30	0.46	0.74	1.13	0.86	0.29	0.03	0.08	0.21									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
H Q		22.63	21.25	18.99	18.41	18.58	20.79	25.59	26.81	25.74	24.85	23.42	24.30	24.70	26.08	27.61	29.90	33.23	37.39	39.44	37.39	32.40	27.28	24.69	22.58									
61844		-0.23	-0.15	-0.09	-0.09	-0.09	-0.10	-0.23	-0.24	-0.21	-0.23	-0.21	-0.22	-0.25	-0.24	-0.25	-0.27	-0.33	-0.74	-1.09	-0.78	-0.32	-0.30	-0.27	-0.30									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.80	0.80	0.00	0.90	-0.90	0.00	0.00	0.00									
HUD VL		23.88	22.26	19.81	19.19	19.23	21.52	26.98	28.46	27.40	26.48	24.93	25.98	26.41	27.86	29.38	31.65	34.36	41.46	43.19	41.65	33.41	29.18	26.43	24.07									
61758		1.03	0.86	0.72	0.69	0.56	0.63	1.16	1.41	1.45	1.40	1.30	1.40	1.37	1.42	1.39	1.48	1.60	2.53	3.00	2.58	1.59	1.60	1.47	1.19									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01	0.00	-0.06	-0.09	-0.12	-0.12	0.00	0.00	0.00	0.34	0.00	0.00	0.00	0.00	0.00									
LONGIL		24.70	23.41	20.51	19.71	19.94	22.34	28.31	30.87	29.44	29.10	28.47	30.19	36.29	37.23	33.45	45.44	49.69	51.87	55.52	53.63	39.09	33.50	27.93	24.98									
61762		1.85	1.78	1.43	1.20	1.27	1.44	2.48	2.84	2.88	2.81	2.46	2.55	2.57	2.63	2.65	2.87	2.98	4.21	4.70	4.14	2.93	2.87	2.67	2.10									
		0.00	-0.24	0.00	0.00	0.00	0.00	-0.01	-0.98	-0.61	-1.22	-2.38	-3.12	-8.77	-8.28	-2.93	-12.40	-13.96	-8.73	-10.29	-10.42	-4.34	-3.05	-0.30	0.00									
MHK VL		23.59	22.04	19.61	19.02	19.25	21.56	26.80	28.16	26.96	26.05	24.55	25.43	25.97	27.43	29.06	31.53	34.23	40.99	42.78	41.14	33.29	28.79	25.98	23.75									
61756		0.73	0.64	0.53	0.52	0.58	0.67	0.98	1.11	1.01	0.98	0.92	0.91	1.02	1.11	1.20	1.36	1.48	2.06	2.31	2.07	1.46	1.21	1.02	0.87									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00									
MILLWD		23.97	22.36	19.88	19.27	19.38	21.71	27.27	28.94	27.84	26.91	25.36	26.39	26.85	28.31	29.83	32.07	34.75	41.97	44.64	42.04	33.70	29.51	26.66	24.21									
61759		1.12	0.96	0.80	0.76	0.71	0.81	1.45	1.89	1.89	1.83	1.72	1.77	1.75	1.79	1.76	1.90	2.00	3.04	3.49	2.97	1.88	1.93	1.70	1.33									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01	0.00	-0.10	-0.16	-0.20	-0.21	0.00	0.00	0.00	-0.63	0.00	0.00	0.00	0.00	0.00									
N.Y.C.		25.19	22.49	20.00	19.38	19.46	21.80	27.61	31.24	28.29	27.95	26.49	27.27	27.89	29.22	30.58	32.37	34.92	42.12	44.58	42.04	33.79	29.68	26.91	24.46									
61761		1.35	1.09	0.92	0.87	0.78	0.90	1.70	2.05	2.15	2.16	1.99	2.06	2.07	2.11	2.09	2.20	2.16	3.19	3.52	2.97	1.97	2.10	1.95	1.58									
		-0.99	0.00	0.00	0.00	0.00	0.00	-0.09	-2.13	-0.19	-0.72	-0.87	-0.69	-0.87	-0.79	-0.62	0.00	0.00	0.00	-0.53	0.00	0.00	0.00	0.00	0.00									
NORTH		22.92	21.53	19.21	18.65	18.84	21.13	26.00	27.29	26.21	25.25	23.82	24.67	25.08	26.48	28.06	30.41	32.89	38.81	39.64	38.80	31.92	27.52	24.81	22.54									
61755		0.07	0.13	0.13	0.15	0.17	0.23	0.18	0.24	0.26	0.18	0.19	0.15	0.13	0.16	0.20	0.24	0.13	-0.12	-0.89	-0.27	0.10	-0.06	-0.15	-0.34									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
NPX		23.49	21.98	19.58	19.01	19.10	21.38	26.70	28.16	27.06	26.00	24.55	24.73	24.70	25.79	27.20	31.20	34.00	40.91	43.29	40.72	33.40	28.76	26.06	23.68									
61845		0.64	0.58	0.50	0.50	0.43	0.48	0.88	1.11	1.12	1.00	0.95	0.98	0.95	1.00	0.95	1.03	1.24	1.98	2.35	1.95	1.27	1.19	1.10	0.80									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.02	0.78	1.20	1.53	1.61	0.00	0.00	0.00	-0.41	0.30	-0.30	0.00	0.00	0.00									

O H 61846	22.83 <u>-0.02</u> 0.00	21.38 <u>-0.02</u> 0.00	18.99 <u>-0.09</u> 0.00	18.38 <u>-0.13</u> 0.00	18.74 <u>0.07</u> 0.00	20.96 <u>0.06</u> 0.00	25.85 <u>0.03</u> 0.00	26.62 <u>-0.43</u> 0.00	25.46 <u>-0.49</u> 0.00	25.05 <u>-0.03</u> 0.00	23.51 <u>-0.12</u> 0.00	24.47 <u>-0.05</u> 0.00	25.03 <u>0.08</u> 0.00	26.14 <u>-0.18</u> 0.00	27.98 <u>0.11</u> 0.00	30.32 <u>0.15</u> 0.00	33.05 <u>0.29</u> 0.00	39.32 <u>0.39</u> 0.00	41.05 <u>0.53</u> 0.00	39.08 <u>0.31</u> 0.30	31.90 <u>-0.22</u> -0.30	27.28 <u>-0.30</u> 0.00	24.79 <u>-0.17</u> 0.00	23.04 <u>0.16</u> 0.00
PJM 61847	23.40 <u>0.55</u> 0.00	21.85 <u>0.45</u> 0.00	19.38 <u>0.30</u> 0.00	18.78 <u>0.28</u> 0.00	19.01 <u>0.34</u> 0.00	21.29 <u>0.40</u> 0.00	26.60 <u>0.77</u> 0.00	27.85 <u>0.81</u> 0.01	26.84 <u>0.91</u> 0.02	26.13 <u>1.05</u> -0.01	24.62 <u>0.99</u> 0.00	25.60 <u>1.03</u> -0.05	26.13 <u>1.10</u> -0.08	27.45 <u>1.03</u> -0.10	29.08 <u>1.14</u> -0.07	31.41 <u>1.24</u> 0.00	34.10 <u>1.34</u> 0.00	40.87 <u>1.95</u> 0.00	41.87 <u>2.27</u> 0.93	40.64 <u>1.88</u> 0.30	33.14 <u>1.02</u> -0.30	28.60 <u>1.02</u> 0.00	25.91 <u>0.95</u> 0.00	23.75 <u>0.87</u> 0.00
WEST 61752	23.38 <u>0.53</u> 0.00	21.89 <u>0.49</u> 0.00	19.38 <u>0.30</u> 0.00	18.77 <u>0.26</u> 0.00	19.17 <u>0.50</u> 0.00	21.48 <u>0.58</u> 0.00	26.54 <u>0.72</u> 0.00	27.46 <u>0.41</u> 0.00	26.29 <u>0.34</u> 0.00	25.90 <u>0.83</u> 0.00	24.36 <u>0.73</u> 0.00	25.33 <u>0.81</u> 0.00	25.92 <u>0.97</u> 0.00	27.11 <u>0.79</u> 0.00	29.01 <u>1.14</u> 0.00	31.44 <u>1.27</u> 0.00	34.30 <u>1.54</u> 0.00	40.88 <u>1.95</u> 0.00	42.63 <u>2.11</u> 0.00	40.91 <u>1.84</u> 0.00	32.68 <u>0.86</u> 0.00	28.19 <u>0.61</u> 0.00	25.56 <u>0.60</u> 0.00	23.68 <u>0.80</u> 0.00