

# Day Ahead Market Zonal LBMP

		--- LBMP \$								--- Marginal Cost of Losses								--- Marginal Cost of Congestion										
Zonal Data																										06/01/2024		
Name		00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00			
PTID		EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT			
CAPITL		21.85	20.46	18.14	17.56	17.97	18.88	19.41	18.82	19.07	18.20	17.79	17.96	18.38	18.75	19.96	20.37	22.94	27.76	31.40	32.18	30.35	27.86	24.97	22.47			
61757		0.82	0.84	0.70	0.69	0.69	0.73	0.67	0.53	0.61	0.56	0.40	0.44	0.46	0.37	0.43	0.59	0.83	1.07	1.32	1.50	1.42	1.33	1.12	0.91			
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.06	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
CENTRL		21.03	19.52	17.39	16.84	17.26	18.23	18.78	18.40	18.48	17.62	17.40	17.50	17.88	18.39	19.56	19.81	22.18	26.85	30.60	31.44	29.42	27.00	24.06	21.71			
61754		0.00	-0.10	-0.05	-0.03	-0.02	0.07	0.04	0.11	0.02	-0.02	0.02	-0.02	-0.04	0.00	0.02	-0.02	-0.11	-0.19	-0.09	0.09	-0.03	0.13	0.21	0.15			
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.34	-0.61	-0.67	-0.52	-0.33	0.00	0.00			
DUNWOD		22.18	20.66	18.31	17.71	18.13	19.08	19.70	19.26	19.52	18.76	18.62	18.79	19.26	19.78	21.03	21.56	24.41	28.83	32.40	33.19	31.27	28.50	25.64	22.94			
61760		1.16	1.04	0.87	0.84	0.85	0.93	0.96	0.97	1.05	1.13	1.23	1.28	1.34	1.40	1.48	1.65	1.87	2.14	2.32	2.52	2.34	1.96	1.79	1.38			
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01	-0.08	-0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
GENESE		20.61	19.11	17.11	16.58	17.00	18.01	18.52	18.22	18.19	17.23	17.09	17.22	17.59	18.17	19.32	19.62	21.87	25.95	29.36	30.12	28.12	26.19	23.70	21.39			
61753		-0.42	-0.51	-0.33	-0.29	-0.28	-0.15	-0.22	-0.07	-0.28	-0.40	-0.30	-0.30	-0.32	-0.22	-0.21	-0.22	-0.42	-0.75	-0.72	-0.55	-0.81	-0.35	-0.14	-0.17			
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
H Q		21.03	19.62	17.44	16.87	17.28	17.99	18.61	18.18	18.34	17.51	17.27	17.40	17.79	18.26	19.38	19.68	22.14	26.56	29.90	30.28	28.55	26.34	23.31	21.26			
61844		0.00	0.00	0.00	0.00	0.00	-0.16	-0.13	-0.11	-0.13	-0.12	-0.12	-0.12	-0.12	-0.13	-0.16	-0.16	-0.15	-0.13	-0.18	-0.40	-0.38	-0.37	-0.36	-0.30			
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.18	0.18	0.00			
HUD VL		21.93	20.46	18.14	17.56	17.97	18.93	19.51	19.00	19.26	18.45	18.26	18.41	18.86	19.40	20.64	21.14	23.91	28.38	31.91	32.70	30.84	28.15	25.28	22.66			
61758		0.90	0.84	0.70	0.69	0.69	0.78	0.77	0.71	0.79	0.81	0.87	0.89	0.95	1.01	1.09	1.25	1.45	1.68	1.84	2.02	1.91	1.62	1.43	1.10			
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01	-0.06	-0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
LONGIL		22.54	20.88	18.54	17.92	18.30	19.48	19.98	19.57	19.85	19.10	19.02	22.49	21.26	23.73	25.80	26.67	28.64	44.51	44.51	35.61	31.83	38.20	26.06	23.33			
61762		1.51	1.26	1.10	1.05	1.02	1.29	1.24	1.28	1.39	1.46	1.63	1.72	1.79	1.86	1.97	2.14	2.43	2.80	2.89	3.07	2.89	2.63	2.22	1.77			
		0.00	0.00	0.00	0.00	0.00	-0.04	0.00	0.00	0.00	0.00	0.00	-3.26	-1.56	-3.49	-4.29	-4.69	-3.92	-15.01	-11.54	-1.87	0.00	-9.04	0.00	0.00			
MHK VL		21.32	19.87	17.69	17.06	17.47	18.62	19.25	18.76	18.91	18.04	17.75	17.89	18.29	18.79	19.97	20.33	22.92	27.60	31.27	32.10	30.22	27.67	24.73	22.27			
61756		0.29	0.25	0.24	0.19	0.19	0.47	0.51	0.47	0.44	0.41	0.37	0.37	0.38	0.40	0.43	0.50	0.62	0.75	0.90	1.10	1.04	0.98	0.88	0.71			
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.16	-0.29	-0.32	-0.25	-0.16	0.00	0.00			
MILLWD		22.04	20.56	18.23	17.63	18.06	19.02	19.62	19.15	19.43	18.64	18.48	18.65	19.09	19.62	20.88	21.40	24.22	28.64	32.18	32.98	31.07	28.36	25.49	22.81			
61759		1.01	0.94	0.79	0.76	0.78	0.87	0.88	0.86	0.96	1.00	1.10	1.14	1.18	1.23	1.33	1.49	1.69	1.95	2.10	2.30	2.14	1.83	1.64	1.25			
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01	-0.08	-0.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
N.Y.C.		22.21	20.66	18.35	17.75	18.14	19.08	19.66	19.22	19.50	18.76	18.65	18.88	19.33	19.91	21.15	21.70	24.55	28.94	32.43	33.22	31.30	28.44	25.68	23.01			
61761		1.18	1.04	0.91	0.88	0.86	0.93	0.92	0.93	1.03	1.13	1.27	1.37	1.41	1.53	1.60	1.79	2.01	2.24	2.35	2.54	2.37	1.91	1.84	1.44			
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01	-0.08	-0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
NORTH		18.44	17.38	15.61	14.61	14.91	18.01	18.80	18.38	18.54	17.69	17.40	17.53	17.93	18.41	19.48	19.83	22.38	26.96	30.26	30.71	28.93	26.43	23.68	21.41			
61755		-2.59	-2.24	-1.83	-2.26	-2.37	-0.15	0.06	0.09	0.07	0.05	0.02	0.02	0.02	0.02	-0.06	0.00	0.09	0.27	0.18	0.03	0.00	-0.11	-0.17	-0.15			
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
NPX		21.68	20.32	18.02	17.48	17.90	18.75	19.32	18.78	19.02	18.16	17.89	18.03	18.43	18.90	20.03	20.01	21.60	27.71	31.16	32.06	30.29	27.88	24.59	22.30			
61845		0.65	0.71	0.57	0.61	0.62	0.60	0.58	0.49	0.55	0.53	0.50	0.51	0.52	0.51	0.55	0.67	0.80	1.01	1.08	1.38	1.36	1.17	0.93	0.73			
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.50	1.49	0.00	0.00	0.00	0.00	-0.18	0.18	0.00			

O H 61846	20.40 <b>-0.63</b> 0.00	18.89 <b>-0.73</b> 0.00	16.92 <b>-0.52</b> 0.00	16.42 <b>-0.45</b> 0.00	16.85 <b>-0.43</b> 0.00	17.90 <b>-0.25</b> 0.00	18.37 <b>-0.37</b> 0.00	18.03 <b>-0.26</b> 0.00	18.02 <b>-0.44</b> 0.00	17.07 <b>-0.56</b> 0.00	17.02 <b>-0.37</b> 0.00	17.15 <b>-0.37</b> 0.00	17.50 <b>-0.41</b> 0.00	18.02 <b>-0.37</b> 0.00	19.15 <b>-0.39</b> 0.00	19.38 <b>-0.46</b> 0.00	21.49 <b>-0.80</b> 0.00	25.36 <b>-1.33</b> 0.00	28.51 <b>-1.57</b> 0.00	29.36 <b>-1.32</b> 0.00	27.31 <b>-1.62</b> 0.00	25.68 <b>-1.04</b> -0.18	23.21 <b>-0.45</b> 0.18	21.11 <b>-0.45</b> 0.00
PJM 61847	21.26 <b>0.23</b> 0.00	19.74 <b>0.12</b> 0.00	17.58 <b>0.14</b> 0.00	17.04 <b>0.17</b> 0.00	17.47 <b>0.19</b> 0.00	18.48 <b>0.33</b> 0.00	19.04 <b>0.30</b> 0.00	18.64 <b>0.35</b> 0.00	18.76 <b>0.29</b> 0.00	17.92 <b>0.28</b> 0.00	17.82 <b>0.43</b> 0.00	17.96 <b>0.44</b> 0.00	18.36 <b>0.45</b> 0.00	18.90 <b>0.51</b> 0.00	20.07 <b>0.53</b> 0.00	20.47 <b>0.59</b> -0.04	22.95 <b>0.53</b> -0.12	27.12 <b>0.43</b> 0.00	30.50 <b>0.42</b> 0.00	31.35 <b>0.67</b> 0.00	29.42 <b>0.49</b> 0.00	27.27 <b>0.56</b> -0.18	24.33 <b>0.67</b> 0.18	21.95 <b>0.39</b> 0.00
WEST 61752	20.73 <b>-0.29</b> 0.00	19.19 <b>-0.43</b> 0.00	17.18 <b>-0.26</b> 0.00	16.69 <b>-0.19</b> 0.00	17.12 <b>-0.16</b> 0.00	18.21 <b>0.05</b> 0.00	18.67 <b>-0.07</b> 0.00	18.38 <b>0.09</b> 0.00	18.36 <b>-0.11</b> 0.00	17.39 <b>-0.25</b> 0.00	17.37 <b>-0.02</b> 0.00	17.48 <b>-0.03</b> 0.00	17.86 <b>-0.05</b> 0.00	18.41 <b>0.02</b> 0.00	19.54 <b>0.00</b> 0.00	19.81 <b>-0.02</b> 0.00	21.96 <b>-0.33</b> 0.00	25.89 <b>-0.80</b> 0.00	29.18 <b>-0.90</b> 0.00	30.00 <b>-0.68</b> 0.00	27.89 <b>-1.04</b> 0.00	26.06 <b>-0.48</b> 0.00	23.89 <b>0.05</b> 0.00	21.48 <b>-0.09</b> 0.00