

## Day Ahead Market Zonal LBMP

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

## Zonal Data

09/25/2024

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	32.11	29.48	26.73	26.00	27.11	29.43	35.65	40.01	39.71	37.12	37.69	36.30	37.00	36.09	36.79	37.13	41.23	45.99	47.48	46.97	42.97	36.71	33.95	32.51
61757	1.24	1.16	1.08	1.05	1.09	1.24	1.47	1.54	1.45	1.25	1.24	1.19	1.12	0.98	1.08	1.22	1.51	1.94	2.17	2.11	1.77	1.45	1.15	1.16
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.10	0.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CENTRL	30.90	28.26	25.65	24.95	26.01	28.31	34.45	38.74	38.48	36.15	36.82	35.49	36.51	35.76	36.42	36.34	40.35	44.75	45.94	45.45	41.69	35.69	33.52	31.89
61754	0.03	-0.06	0.00	0.00	0.00	0.11	0.27	0.27	0.23	0.29	0.36	0.39	0.54	0.56	0.47	0.43	0.63	0.70	0.63	0.58	0.50	0.42	0.72	0.53
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DUNWOD	32.60	29.74	26.89	26.10	27.26	29.57	35.92	40.55	40.24	37.65	38.28	36.86	37.83	37.04	38.08	37.70	41.90	46.61	47.89	47.38	43.42	37.13	34.24	32.80
61760	1.73	1.42	1.23	1.15	1.25	1.38	1.74	2.08	1.99	1.79	1.82	1.75	1.76	1.72	1.83	1.79	2.18	2.55	2.58	2.51	2.22	1.87	1.44	1.44
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.10	-0.11	-0.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GENESE	29.98	27.27	24.78	24.08	25.05	27.32	33.22	36.93	36.76	34.86	35.58	34.33	35.50	34.92	35.31	35.22	39.08	43.35	44.31	43.79	40.37	34.35	32.90	31.23
61753	-0.90	-1.05	-0.87	-0.87	-0.96	-0.87	-0.96	-1.54	-1.49	-1.00	-0.88	-0.77	-0.47	-0.28	-0.65	-0.68	-0.64	-0.71	-1.00	-1.08	-0.82	-0.92	0.10	-0.12
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H Q	26.77	24.56	22.52	22.07	22.94	24.71	31.42	35.21	37.75	35.39	34.94	32.23	34.56	34.00	34.32	34.85	38.90	38.90	39.08	38.94	35.67	30.52	28.44	27.16
61844	-0.46	-0.42	-0.38	-0.37	-0.39	-0.42	-0.51	-0.58	-0.50	-0.47	-0.47	-0.49	-0.50	-0.49	-0.50	-0.50	-0.68	-0.79	-0.86	-0.76	-0.66	-0.57	-0.53	-0.50
	3.64	3.34	2.75	2.51	2.69	3.06	2.25	2.68	0.00	0.00	1.04	2.38	0.91	0.71	1.13	0.56	0.14	4.36	5.36	5.16	4.87	4.18	3.83	3.69
HUD VL	32.29	29.51	26.65	25.90	27.03	29.32	35.58	40.08	39.79	37.22	37.84	36.40	37.37	36.54	37.51	37.24	41.38	45.99	47.35	46.84	42.93	36.71	33.88	32.51
61758	1.42	1.19	1.00	0.95	1.01	1.13	1.40	1.62	1.53	1.36	1.38	1.30	1.33	1.27	1.37	1.33	1.67	1.94	2.04	1.97	1.73	1.45	1.08	1.16
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06	-0.07	-0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LONGIL	35.21	29.96	29.25	27.77	29.02	34.29	38.36	41.74	40.63	40.00	38.71	40.63	38.65	38.93	38.51	38.97	43.71	47.23	48.53	48.00	44.00	39.64	35.41	33.14
61762	1.91	1.59	1.44	1.32	1.40	1.58	2.05	2.50	2.37	2.15	2.26	2.18	2.19	2.15	2.27	2.30	2.70	3.17	3.22	3.14	2.80	2.36	1.74	1.79
	-2.42	-0.06	-2.16	-1.50	-1.61	-4.52	-2.13	-0.77	0.00	-1.99	-3.35	-0.48	-1.58	-0.29	-0.76	-1.30	0.00	0.00	0.00	0.00	0.00	-2.01	-0.87	0.00
MHK VL	30.42	27.88	25.34	24.71	25.74	27.92	34.56	38.84	39.63	37.26	37.39	35.60	36.92	36.26	36.87	36.94	41.09	43.92	45.01	44.54	40.80	34.92	32.51	31.00
61756	0.99	0.88	0.77	0.75	0.78	0.93	1.27	1.42	1.38	1.40	1.35	1.30	1.26	1.30	1.29	1.22	1.43	1.58	1.81	1.70	1.53	1.31	1.21	1.10
	1.44	1.32	1.08	0.99	1.06	1.21	0.89	1.06	0.00	0.00	0.41	0.81	0.31	0.24	0.38	0.19	0.06	1.72	2.11	2.03	1.92	1.65	1.51	1.45
MILLWD	32.48	29.68	26.81	26.05	27.21	29.52	35.82	40.43	40.13	37.51	38.17	36.75	37.72	36.90	37.92	37.60	41.74	46.43	47.80	47.24	43.30	36.99	34.11	32.70
61759	1.60	1.36	1.16	1.10	1.20	1.33	1.64	1.96	1.87	1.65	1.71	1.65	1.66	1.59	1.69	1.69	2.02	2.38	2.49	2.38	2.10	1.73	1.31	1.35
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.09	-0.11	-0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
N.Y.C.	32.89	29.96	27.09	26.30	27.50	29.77	36.17	40.80	41.90	39.13	41.84	43.58	43.63	43.29	41.76	43.36	47.48	46.68	48.01	47.52	43.62	38.42	34.51	33.12
61761	2.01	1.64	1.44	1.35	1.48	1.58	1.98	2.31	2.18	1.97	2.04	1.93	1.98	1.90	2.01	2.01	2.42	2.78	2.90	2.83	2.47	2.08	1.70	1.75
	-0.01	0.00	0.00	0.00	0.00	0.00	-0.01	-0.03	-1.46	-1.30	-3.35	-6.55	-5.68	-6.19	-3.79	-5.44	-5.34	0.14	0.20	0.18	0.05	-1.07	-0.01	-0.01
NORTH	10.12	9.36	10.00	10.63	10.68	10.77	21.00	22.86	37.26	34.85	29.82	21.00	29.90	30.19	28.63	31.72	37.64	18.93	14.62	15.39	13.36	11.33	10.86	10.23
61755	-1.02	-0.88	-0.77	-0.75	-0.78	-0.85	-0.99	-1.08	-0.99	-1.00	-1.02	-1.02	-1.08	-1.09	-1.11	-1.11	-1.31	-1.50	-1.63	-1.53	-1.44	-1.27	-1.18	-1.13
	19.74	18.08	14.89	13.57	14.56	16.58	12.19	14.53	0.00	0.01	5.61	13.09	4.99	3.92	6.21	3.07	0.77	23.62	29.06	27.95	26.39	22.66	20.76	20.00
NPX	31.83	29.20	26.50	25.80	26.90	29.18	35.20	39.70	39.21	36.65	37.22	35.77	35.92	35.00	34.60	36.63	40.71	45.33	46.80	46.21	42.31	36.18	33.49	32.20
61845	0.96	0.88	0.85	0.85	0.89	0.99	1.02	1.23	0.96	0.79	0.77	0.67	0.65	0.60	0.68	0.72	0.99	1.28	1.49	1.34	1.11	0.92	0.69	0.85
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.70	0.80	2.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

O H 61846	29.20 <b>-1.67</b> 0.00	26.40 <b>-1.78</b> 0.14	21.91 <b>-1.54</b> 2.21	21.06 <b>-1.52</b> 2.37	22.19 <b>-1.59</b> 2.24	24.18 <b>-1.52</b> 2.49	27.58 <b>-1.91</b> 4.69	31.85 <b>-3.08</b> 3.54	31.76 <b>-3.02</b> 3.47	32.55 <b>-2.47</b> 0.84	32.71 <b>-2.26</b> 1.48	33.07 <b>-2.04</b> 0.00	34.24 <b>-1.73</b> 0.00	33.69 <b>-1.51</b> 0.00	33.91 <b>-2.05</b> 0.00	33.65 <b>-2.26</b> 0.00	37.53 <b>-2.18</b> 0.00	41.54 <b>-2.51</b> 0.00	42.18 <b>-3.13</b> 0.00	41.72 <b>-3.14</b> 0.00	38.68 <b>-2.51</b> 0.00	32.87 <b>-2.40</b> 0.00	31.95 <b>-0.85</b> 0.00	30.30 <b>-0.91</b> 0.14
PJM 61847	26.04 <b>-0.90</b> 3.94	23.61 <b>-0.99</b> 3.72	23.66 <b>-0.15</b> 1.84	23.56 <b>-0.20</b> 1.19	25.20 <b>-0.18</b> 0.63	28.14 <b>-0.06</b> 0.00	34.15 <b>-0.03</b> 0.00	38.20 <b>-0.27</b> 0.00	38.02 <b>-0.34</b> -0.11	35.75 <b>-0.21</b> -0.10	36.57 <b>-0.15</b> -0.26	35.54 <b>-0.07</b> -0.51	36.53 <b>0.07</b> -0.49	35.91 <b>0.18</b> -0.53	36.38 <b>0.00</b> -0.42	36.26 <b>-0.07</b> -0.42	40.30 <b>0.16</b> -0.42	44.23 <b>0.18</b> 0.00	45.31 <b>0.00</b> 0.00	44.82 <b>-0.04</b> 0.00	41.20 <b>0.00</b> 0.00	35.24 <b>-0.11</b> -0.08	33.00 <b>0.20</b> 0.00	31.57 <b>0.22</b> 0.00
WEST 61752	29.51 <b>-1.36</b> 0.00	26.82 <b>-1.50</b> 0.00	24.35 <b>-1.31</b> 0.00	23.68 <b>-1.27</b> 0.00	24.71 <b>-1.30</b> 0.00	27.01 <b>-1.18</b> 0.00	32.78 <b>-1.40</b> 0.00	36.24 <b>-2.23</b> 0.00	36.15 <b>-2.10</b> 0.00	34.25 <b>-1.61</b> 0.00	35.11 <b>-1.35</b> 0.00	33.95 <b>-1.16</b> 0.00	35.21 <b>-0.76</b> 0.00	34.74 <b>-0.46</b> 0.00	34.95 <b>-1.01</b> 0.00	34.62 <b>-1.29</b> 0.00	38.68 <b>-1.03</b> 0.00	42.73 <b>-1.32</b> 0.00	43.45 <b>-1.86</b> 0.00	43.02 <b>-1.84</b> 0.00	39.72 <b>-1.48</b> 0.00	33.75 <b>-1.52</b> 0.00	32.74 <b>-0.07</b> 0.00	31.17 <b>-0.19</b> 0.00