

# Day Ahead Market Zonal LBMP

		--- LBMP \$										--- Marginal Cost of Losses										--- Marginal Cost of Congestion										10/19/2024		
Zonal Data																																		
Name		00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00									
PTID		EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT									
CAPITL		31.20	27.23	27.15	26.15	27.06	28.66	33.40	39.83	37.13	28.64	25.50	23.49	22.43	22.32	22.64	24.29	28.89	39.83	47.65	41.84	37.95	32.75	29.60	26.77									
61757		0.91	0.79	0.77	0.74	0.79	0.83	1.07	1.31	1.05	0.56	0.53	0.51	0.46	0.46	0.55	0.71	0.87	1.46	2.05	1.61	1.46	1.17	1.00	0.88									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
CENTRL		29.99	26.23	26.17	25.21	26.07	27.75	32.17	38.29	36.01	28.16	24.97	22.82	21.82	21.71	21.89	23.35	27.63	37.99	45.17	39.95	36.09	31.42	28.49	25.76									
61754		-0.30	-0.21	-0.21	-0.20	-0.21	-0.08	-0.16	-0.23	-0.07	0.08	0.00	-0.16	-0.15	-0.15	-0.20	-0.24	-0.39	-0.38	-0.68	-0.28	-0.40	-0.16	-0.11	-0.13									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.26	0.00	0.00	0.00	0.00	0.00									
DUNWOD		31.81	27.63	27.62	26.59	27.49	29.14	33.98	40.49	37.81	29.42	26.34	24.36	23.29	23.17	23.51	25.12	29.84	40.52	48.34	42.52	38.53	33.25	30.18	27.34									
61760		1.51	1.19	1.24	1.17	1.21	1.31	1.65	1.96	1.73	1.35	1.37	1.38	1.32	1.31	1.42	1.53	1.82	2.15	2.74	2.29	2.04	1.67	1.57	1.45									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
GENESE		29.23	25.62	25.54	24.63	25.41	27.22	31.49	37.33	35.39	27.77	24.64	22.36	21.38	21.32	21.47	22.83	26.93	37.06	43.82	39.18	35.10	30.76	27.83	25.22									
61753		-1.06	-0.82	-0.85	-0.79	-0.87	-0.61	-0.84	-1.19	-0.69	-0.31	-0.33	-0.62	-0.59	-0.55	-0.62	-0.76	-1.09	-1.30	-1.78	-1.05	-1.39	-0.82	-0.77	-0.67									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
H Q		30.38	26.55	26.49	25.52	26.38	27.63	32.62	39.71	34.89	28.16	25.05	23.03	21.99	21.86	22.07	23.56	28.02	38.37	45.51	40.14	36.45	31.55	28.57	25.84									
61844		0.09	0.11	0.11	0.10	0.11	0.06	0.03	-0.04	0.04	0.08	0.08	0.05	0.02	0.00	-0.02	-0.02	0.00	0.00	-0.09	-0.08	-0.04	-0.03	-0.03	-0.05									
		0.00	0.00	0.00	0.00	0.00	0.25	-0.25	-1.23	1.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
HUD VL		31.47	27.37	27.36	26.36	27.25	28.89	33.63	40.14	37.45	29.12	25.97	23.95	22.89	22.78	23.13	24.72	29.42	40.05	47.88	42.12	38.17	32.91	29.86	27.06									
61758		1.18	0.92	0.98	0.94	0.97	1.06	1.29	1.62	1.37	1.04	1.00	0.97	0.92	0.92	1.04	1.13	1.40	1.69	2.28	1.89	1.68	1.33	1.26	1.17									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
LONGIL		32.29	27.97	27.80	26.71	27.67	29.55	34.01	40.06	37.33	29.59	26.42	24.59	23.51	23.48	23.84	25.47	30.38	40.63	48.61	42.48	38.42	33.25	30.23	27.76									
61762		2.00	1.53	1.42	1.30	1.39	1.73	1.68	1.54	1.26	1.52	1.45	1.61	1.54	1.62	1.74	1.89	2.35	2.26	3.01	2.25	1.93	1.67	1.63	1.87									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
MHK VL		31.26	27.26	27.17	26.20	27.12	28.75	33.43	39.91	37.38	28.98	25.62	23.49	22.41	22.28	22.47	24.03	28.67	39.52	47.20	41.59	37.69	32.59	29.46	26.64									
61756		0.97	0.82	0.79	0.79	0.84	0.92	1.10	1.38	1.30	0.90	0.65	0.51	0.44	0.41	0.38	0.45	0.65	1.15	1.46	1.37	1.20	1.01	0.86	0.75									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.14	0.00	0.00	0.00	0.00	0.00									
MILLWD		31.72	27.58	27.57	26.53	27.43	29.08	33.88	40.41	37.81	29.40	26.27	24.25	23.18	23.06	23.39	25.00	29.70	40.40	48.20	42.40	38.42	33.16	30.09	27.29									
61759		1.42	1.14	1.19	1.12	1.15	1.25	1.55	1.89	1.73	1.32	1.30	1.26	1.21	1.20	1.30	1.42	1.68	2.03	2.60	2.17	1.93	1.58	1.49	1.40									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
N.Y.C.		32.02	27.82	27.81	26.77	27.67	29.33	34.27	40.75	38.06	29.68	28.28	25.05	27.17	23.48	23.75	28.28	30.07	40.79	48.57	42.72	38.83	33.48	30.38	27.55									
61761		1.73	1.37	1.42	1.35	1.39	1.50	1.94	2.23	1.98	1.60	1.65	1.63	1.58	1.58	1.66	1.79	2.04	2.46	3.01	2.54	2.34	1.89	1.77	1.66									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-1.66	-0.43	-3.62	-0.04	0.00	-2.90	0.00	0.04	0.04	0.04	0.00	0.00	0.00	0.00									
NORTH		30.75	26.89	26.80	25.85	26.72	28.27	32.66	38.60	36.40	28.47	25.32	23.21	22.15	22.00	22.16	23.66	28.19	38.64	45.65	40.22	36.75	31.74	28.66	25.89									
61755		0.46	0.45	0.42	0.43	0.45	0.44	0.32	0.08	0.32	0.39	0.35	0.23	0.17	0.13	0.07	0.07	0.17	0.27	0.05	0.00	0.26	0.16	0.06	0.00									
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
NPX		31.20	27.70	27.20	26.48	27.07	29.45	36.03	41.13	36.49	28.30	25.57	23.65	22.63	22.54	22.89	24.46	29.20	39.86	47.56	41.75	37.91	32.72	29.66	28.00									
61845		0.91	0.79	0.82	0.76	0.79	0.86	1.10	1.38	1.15	0.70	0.60	0.67	0.66	0.68	0.79	0.87	1.18	1.49	1.96	1.53	1.42	1.14	1.06	0.96									
		0.00	-0.47	0.00	-0.31	-0.01	-0.76	-2.60	-1.23	0.75	0.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-1.15									

O H 61846	28.44 <b>-1.85</b> <b>0.00</b>	25.12 <b>-1.32</b> <b>0.00</b>	25.06 <b>-1.32</b> <b>0.00</b>	24.17 <b>-1.24</b> <b>0.00</b>	24.91 <b>-1.37</b> <b>0.00</b>	26.60 <b>-0.97</b> <b>0.26</b>	31.26 <b>-1.33</b> <b>-0.25</b>	37.36 <b>-2.39</b> <b>-1.22</b>	33.44 <b>-1.41</b> <b>1.23</b>	27.65 <b>-0.42</b> <b>0.00</b>	24.67 <b>-0.30</b> <b>0.00</b>	22.36 <b>-0.62</b> <b>0.00</b>	21.35 <b>-0.62</b> <b>0.00</b>	21.27 <b>-0.59</b> <b>0.00</b>	21.36 <b>-0.73</b> <b>0.00</b>	22.66 <b>-0.92</b> <b>0.00</b>	26.45 <b>-1.57</b> <b>0.00</b>	35.99 <b>-2.38</b> <b>0.00</b>	42.13 <b>-3.47</b> <b>0.00</b>	37.97 <b>-2.25</b> <b>0.00</b>	33.90 <b>-2.59</b> <b>0.00</b>	30.06 <b>-1.52</b> <b>0.00</b>	27.37 <b>-1.23</b> <b>0.00</b>	24.93 <b>-0.96</b> <b>0.00</b>
PJM 61847	29.99 <b>-0.30</b> <b>0.00</b>	26.19 <b>-0.18</b> <b>0.06</b>	26.22 <b>-0.16</b> <b>0.00</b>	25.29 <b>-0.13</b> <b>0.00</b>	26.10 <b>-0.18</b> <b>0.00</b>	27.63 <b>0.06</b> <b>0.25</b>	32.62 <b>0.03</b> <b>-0.26</b>	39.52 <b>-0.23</b> <b>-1.23</b>	34.89 <b>0.04</b> <b>1.23</b>	28.50 <b>0.42</b> <b>0.00</b>	25.47 <b>0.50</b> <b>0.00</b>	23.33 <b>0.35</b> <b>0.00</b>	22.28 <b>0.31</b> <b>0.00</b>	22.17 <b>0.31</b> <b>0.00</b>	22.36 <b>0.27</b> <b>0.00</b>	23.80 <b>0.21</b> <b>0.00</b>	28.05 <b>0.03</b> <b>0.00</b>	36.80 <b>-0.31</b> <b>1.26</b>	45.05 <b>-0.50</b> <b>0.05</b>	40.09 <b>-0.08</b> <b>0.05</b>	36.09 <b>-0.40</b> <b>0.00</b>	31.55 <b>-0.03</b> <b>0.00</b>	28.69 <b>0.09</b> <b>0.00</b>	26.07 <b>0.18</b> <b>0.00</b>
WEST 61752	28.96 <b>-1.33</b> <b>0.00</b>	25.62 <b>-0.82</b> <b>0.00</b>	25.54 <b>-0.85</b> <b>0.00</b>	24.66 <b>-0.76</b> <b>0.00</b>	25.39 <b>-0.89</b> <b>0.00</b>	27.44 <b>-0.39</b> <b>0.00</b>	31.62 <b>-0.71</b> <b>0.00</b>	36.72 <b>-1.81</b> <b>0.00</b>	35.32 <b>-0.76</b> <b>0.00</b>	28.28 <b>0.20</b> <b>0.00</b>	25.22 <b>0.25</b> <b>0.00</b>	22.85 <b>-0.14</b> <b>0.00</b>	21.80 <b>-0.18</b> <b>0.00</b>	21.74 <b>-0.13</b> <b>0.00</b>	21.81 <b>-0.29</b> <b>0.00</b>	23.09 <b>-0.50</b> <b>0.00</b>	26.93 <b>-1.09</b> <b>0.00</b>	36.61 <b>-1.76</b> <b>0.00</b>	42.82 <b>-2.78</b> <b>0.00</b>	38.62 <b>-1.61</b> <b>0.00</b>	34.45 <b>-2.04</b> <b>0.00</b>	30.60 <b>-0.98</b> <b>0.00</b>	27.89 <b>-0.71</b> <b>0.00</b>	25.43 <b>-0.47</b> <b>0.00</b>