

# Day Ahead Market Zonal LBMP

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

## Zonal Data

04/25/2025

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	27.43	25.66	24.30	24.48	25.90	28.69	35.56	40.05	32.37	29.28	27.49	27.37	28.13	28.95	30.21	31.88	35.71	40.98	44.77	47.51	44.39	36.67	33.88	29.64
61757	1.28	1.15	1.07	1.03	1.14	1.24	1.69	1.80	1.28	1.13	1.01	1.00	1.16	1.17	1.27	1.20	1.44	1.88	2.13	2.35	2.15	1.78	1.61	1.41
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CENTRL	25.84	24.17	22.90	23.21	24.43	27.20	33.47	38.06	30.94	27.87	26.24	26.13	26.62	27.53	28.57	30.26	33.86	38.56	42.25	44.71	41.85	34.61	32.04	28.11
61754	-0.31	-0.34	-0.33	-0.23	-0.32	-0.25	-0.40	-0.19	-0.15	-0.28	-0.24	-0.24	-0.35	-0.25	-0.38	-0.43	-0.41	-0.55	-0.38	-0.45	-0.38	-0.28	-0.22	-0.11
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DUNWOD	27.80	26.03	24.62	24.76	26.14	28.93	35.94	40.55	33.14	30.09	28.26	28.16	28.89	29.70	31.05	33.14	37.08	42.39	45.96	48.69	45.49	37.65	34.59	30.03
61760	1.65	1.52	1.39	1.31	1.39	1.48	2.07	2.30	2.05	1.94	1.77	1.79	1.92	1.92	2.11	2.46	2.81	3.29	3.33	3.52	3.25	2.76	2.32	1.81
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GENESE	24.61	22.94	21.77	22.28	23.42	26.16	31.84	36.91	30.04	27.02	25.55	25.47	25.82	26.81	27.55	29.18	32.87	37.27	40.80	43.13	40.50	33.46	31.17	27.24
61753	-1.54	-1.57	-1.46	-1.17	-1.34	-1.29	-2.03	-1.34	-1.06	-1.13	-0.93	-0.90	-1.16	-0.97	-1.39	-1.50	-1.41	-1.84	-1.83	-2.03	-1.73	-1.43	-1.10	-0.99
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H Q	25.94	24.34	23.09	23.31	24.66	27.31	33.67	37.91	30.78	27.92	26.27	26.16	26.76	27.56	28.71	30.41	33.93	38.39	42.45	44.62	41.73	34.48	31.88	27.89
61844	-0.21	-0.17	-0.14	-0.14	-0.10	-0.14	-0.20	-0.34	-0.31	-0.23	-0.21	-0.21	-0.22	-0.22	-0.23	-0.28	-0.34	-0.43	-0.47	-0.54	-0.50	-0.42	-0.39	-0.34
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	-0.28	0.00	0.00	0.00	0.00	0.00
HUD VL	27.51	25.76	24.41	24.55	25.92	28.71	35.60	40.13	32.71	29.64	27.83	27.74	28.46	29.20	30.56	32.59	36.47	41.73	45.32	48.10	44.98	37.20	34.27	29.78
61758	1.36	1.25	1.18	1.10	1.16	1.26	1.73	1.87	1.62	1.49	1.35	1.37	1.48	1.42	1.62	1.90	2.20	2.62	2.69	2.93	2.74	2.30	2.00	1.55
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LONGIL	28.29	26.37	24.99	25.16	26.39	29.23	36.72	41.35	33.33	30.32	28.56	28.30	29.14	30.00	31.29	33.40	37.33	44.76	52.97	53.94	52.87	41.97	37.38	30.35
61762	2.14	1.86	1.76	1.71	1.63	1.78	2.85	3.10	2.24	2.17	2.07	1.92	2.08	2.06	2.26	2.58	2.95	3.56	3.79	4.07	3.80	3.32	3.10	2.12
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01	-0.01	-0.01	-0.08	-0.16	-0.08	-0.14	-0.11	-2.09	-6.54	-4.71	-6.84	-3.76	-2.02	-0.01
MHK VL	26.62	24.95	23.65	23.85	25.23	28.03	34.51	39.21	31.78	28.66	26.96	26.84	27.43	28.31	29.49	31.33	35.06	39.89	43.62	46.15	43.08	35.49	32.78	28.62
61756	0.47	0.44	0.42	0.40	0.47	0.58	0.64	0.96	0.68	0.51	0.48	0.48	0.46	0.53	0.55	0.65	0.79	0.78	0.98	0.99	0.84	0.59	0.51	0.39
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MILLWD	27.67	25.91	24.53	24.69	26.04	28.82	35.77	40.36	32.96	29.89	28.10	27.98	28.67	29.45	30.82	32.90	36.84	42.12	45.71	48.42	45.28	37.51	34.49	29.89
61759	1.52	1.40	1.30	1.24	1.29	1.37	1.90	2.10	1.87	1.75	1.62	1.61	1.70	1.67	1.88	2.21	2.57	3.01	3.07	3.25	3.04	2.62	2.22	1.66
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
N.Y.C.	27.95	26.20	24.76	24.90	26.29	29.04	36.14	40.66	33.39	30.37	28.47	28.37	29.13	29.92	31.32	33.42	37.36	42.63	46.00	48.78	45.57	37.79	34.69	30.20
61761	1.80	1.69	1.53	1.45	1.54	1.59	2.27	2.41	2.30	2.22	1.99	2.00	2.16	2.14	2.37	2.73	3.09	3.52	3.37	3.61	3.34	2.89	2.42	1.98
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NORTH	25.78	24.29	23.07	23.33	24.76	27.42	33.74	37.80	30.59	27.90	26.24	26.10	26.76	27.56	28.68	30.35	33.79	38.48	41.87	44.21	41.39	34.09	31.56	27.58
61755	-0.37	-0.22	-0.16	-0.12	0.00	-0.03	-0.13	-0.46	-0.50	-0.25	-0.24	-0.26	-0.22	-0.22	-0.26	-0.34	-0.48	-0.63	-0.77	-0.95	-0.84	-0.80	-0.71	-0.65
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NPX	27.35	25.64	24.25	24.41	25.77	28.55	35.43	39.93	32.43	29.42	27.65	27.50	28.16	28.95	30.21	32.13	36.05	40.97	45.26	47.69	44.60	37.20	34.26	29.55
61845	1.20	1.13	1.02	0.96	1.02	1.10	1.56	1.68	1.34	1.27	1.16	1.13	1.19	1.17	1.27	1.44	1.78	2.15	2.34	2.53	2.36	1.99	1.74	1.33
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	-0.28	0.00	0.00	-0.32	-0.25	0.00

O H 61846	23.77 <u>-2.38</u> 0.00	22.13 <u>-2.38</u> 0.00	21.05 <u>-2.18</u> 0.00	21.60 <u>-1.85</u> 0.00	22.63 <u>-2.13</u> 0.00	25.34 <u>-2.11</u> 0.00	30.62 <u>-3.25</u> 0.00	35.84 <u>-2.41</u> 0.00	29.35 <u>-1.74</u> 0.00	26.35 <u>-1.80</u> 0.00	25.05 <u>-1.43</u> 0.00	24.89 <u>-1.48</u> 0.00	25.06 <u>-1.91</u> 0.00	26.00 <u>-1.78</u> 0.00	26.69 <u>-2.26</u> 0.00	28.20 <u>-2.48</u> 0.00	31.63 <u>-2.64</u> 0.00	35.42 <u>-3.40</u> 0.28	39.59 <u>-3.33</u> -0.28	41.37 <u>-3.79</u> 0.00	38.90 <u>-3.34</u> 0.00	32.31 <u>-2.58</u> 0.00	30.20 <u>-2.07</u> 0.00	26.45 <u>-1.78</u> 0.00
PJM 61847	26.05 <u>-0.10</u> 0.00	24.34 <u>-0.17</u> 0.00	23.14 <u>-0.09</u> 0.00	23.40 <u>-0.05</u> 0.00	24.61 <u>-0.15</u> 0.00	27.40 <u>-0.05</u> 0.00	33.67 <u>-0.20</u> 0.00	38.41 <u>0.15</u> 0.00	31.47 <u>0.37</u> 0.00	28.40 <u>0.25</u> 0.00	26.80 <u>0.32</u> 0.00	26.63 <u>0.26</u> 0.00	27.11 <u>0.14</u> 0.00	27.95 <u>0.17</u> 0.00	29.03 <u>0.09</u> 0.00	30.87 <u>0.19</u> 0.00	34.58 <u>0.31</u> 0.00	39.14 <u>0.31</u> 0.28	43.30 <u>0.38</u> -0.28	45.52 <u>0.36</u> 0.00	42.61 <u>0.38</u> 0.00	35.28 <u>0.38</u> 0.00	32.59 <u>0.32</u> 0.00	28.45 <u>0.22</u> 0.00
WEST 61752	24.24 <u>-1.91</u> 0.00	22.55 <u>-1.96</u> 0.00	21.44 <u>-1.79</u> 0.00	21.97 <u>-1.48</u> 0.00	23.00 <u>-1.76</u> 0.00	25.78 <u>-1.68</u> 0.00	31.26 <u>-2.61</u> 0.00	36.46 <u>-1.80</u> 0.00	29.88 <u>-1.21</u> 0.00	26.71 <u>-1.43</u> 0.00	25.48 <u>-1.01</u> 0.00	25.26 <u>-1.11</u> 0.00	25.38 <u>-1.59</u> 0.00	26.37 <u>-1.42</u> 0.00	27.03 <u>-1.91</u> 0.00	28.60 <u>-2.09</u> 0.00	32.05 <u>-2.23</u> 0.00	36.25 <u>-2.85</u> 0.00	39.86 <u>-2.77</u> 0.00	42.00 <u>-3.16</u> 0.00	39.41 <u>-2.83</u> 0.00	32.73 <u>-2.16</u> 0.00	30.49 <u>-1.77</u> 0.00	26.70 <u>-1.52</u> 0.00