

# Day Ahead Market Zonal LBMP

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

## Zonal Data

05/23/2025

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	28.38	25.69	23.50	21.91	24.94	28.93	34.69	40.04	40.56	37.83	37.03	35.30	34.52	33.56	33.03	33.15	34.91	40.15	41.93	44.67	46.10	40.68	34.88	31.82
61757	0.91	0.85	0.79	0.72	0.75	0.68	0.85	1.01	0.87	0.70	0.76	0.69	0.61	0.66	0.65	0.62	0.62	0.79	0.86	0.92	0.95	0.80	0.68	0.68
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CENTRL	27.20	24.52	22.43	20.97	23.80	27.61	33.07	38.01	38.70	36.05	35.15	33.53	32.76	31.66	31.15	31.40	33.13	38.10	39.96	42.70	44.25	39.08	33.41	30.39
61754	-0.27	-0.32	-0.27	-0.21	-0.39	-0.65	-0.78	-1.01	-0.99	-1.08	-1.12	-1.07	-1.15	-1.25	-1.23	-1.14	-1.17	-1.26	-1.11	-1.05	-0.90	-0.80	-0.79	-0.75
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DUNWOD	28.96	26.26	24.00	22.27	25.38	29.44	35.43	41.09	41.71	39.28	38.26	36.58	35.88	34.88	34.39	34.56	36.42	41.61	43.28	46.12	47.54	41.71	35.80	32.60
61760	1.48	1.42	1.29	1.08	1.19	1.19	1.59	2.07	2.02	2.15	1.99	1.97	1.97	1.97	2.01	2.02	2.13	2.24	2.22	2.36	2.39	1.84	1.61	1.46
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GENESE	26.46	23.75	21.66	20.38	22.98	26.62	31.74	36.26	37.26	34.60	33.66	32.39	31.53	30.40	29.86	30.22	31.82	36.65	38.52	41.08	42.75	37.72	32.07	29.14
61753	-1.02	-1.09	-1.04	-0.81	-1.21	-1.64	-2.10	-2.77	-2.42	-2.53	-2.61	-2.22	-2.37	-2.50	-2.53	-2.31	-2.47	-2.72	-2.55	-2.67	-2.39	-2.15	-2.12	-1.99
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H Q	27.28	24.64	22.48	20.99	18.60	33.79	33.88	39.10	39.81	37.24	36.42	34.71	34.05	33.04	32.48	32.64	33.89	40.06	41.23	43.89	45.28	40.08	34.36	31.23
61844	-0.19	-0.20	-0.23	-0.19	-0.14	0.09	0.03	0.08	0.12	0.11	0.15	0.10	0.14	0.13	0.10	0.10	0.14	0.16	0.16	0.13	0.14	0.20	0.17	0.09
	0.00	0.00	0.00	0.00	5.45	-5.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.54	-0.54	0.00	0.00	0.00	0.00	0.00	0.00
HUD VL	28.76	26.06	23.82	22.14	25.23	29.27	35.20	40.74	41.35	38.84	37.83	36.13	35.40	34.42	33.94	34.10	35.94	41.14	42.75	45.63	47.04	41.31	35.49	32.35
61758	1.29	1.22	1.11	0.95	1.04	1.02	1.36	1.72	1.67	1.71	1.56	1.52	1.49	1.51	1.55	1.56	1.65	1.77	1.68	1.88	1.90	1.43	1.30	1.21
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LONGIL	42.08	38.19	36.13	34.56	36.22	40.59	52.88	51.94	52.83	51.76	51.47	50.64	50.26	47.14	45.00	45.52	46.12	51.13	62.00	70.88	65.00	50.26	45.38	42.34
61762	2.14	2.04	1.91	1.67	1.84	1.84	2.33	2.81	2.78	2.79	2.50	2.49	2.47	2.47	2.40	2.44	2.54	2.87	2.79	3.06	3.07	2.51	2.19	2.02
	-12.47	-11.31	-11.52	-11.71	-10.19	-10.50	-16.71	-10.10	-10.37	-11.85	-12.70	-13.54	-13.88	-11.77	-10.22	-10.54	-9.29	-8.90	-18.14	-24.06	-16.78	-7.87	-8.99	-9.18
MHK VL	27.97	25.29	23.16	21.65	24.80	28.91	34.65	39.88	40.56	37.94	37.03	35.16	34.45	33.43	32.87	33.09	34.94	40.11	41.97	44.63	46.19	40.75	34.94	31.73
61756	0.50	0.45	0.45	0.47	0.61	0.65	0.81	0.86	0.87	0.82	0.76	0.55	0.54	0.52	0.49	0.55	0.65	0.75	0.90	0.87	1.04	0.88	0.75	0.59
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MILLWD	28.87	26.13	23.89	22.20	25.30	29.39	35.33	40.94	41.59	39.09	38.05	36.37	35.67	34.65	34.19	34.36	36.21	41.41	43.08	45.94	47.32	41.55	35.69	32.54
61759	1.40	1.29	1.18	1.02	1.11	1.13	1.49	1.91	1.90	1.97	1.78	1.76	1.76	1.74	1.81	1.82	1.92	2.05	2.01	2.19	2.17	1.67	1.50	1.40
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
N.Y.C.	29.18	26.43	24.16	22.44	25.55	29.58	35.55	41.24	41.86	39.46	38.39	36.74	36.07	35.07	34.61	34.74	36.69	41.92	43.53	46.43	47.77	41.90	36.10	32.85
61761	1.70	1.59	1.45	1.25	1.35	1.33	1.73	2.22	2.18	2.34	2.14	2.15	2.17	2.17	2.23	2.21	2.40	2.56	2.46	2.67	2.62	2.03	1.91	1.71
	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.01	0.01	0.02	0.02	0.02	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00
NORTH	27.42	24.77	22.62	21.16	24.21	28.68	34.18	39.53	40.24	37.65	36.82	35.06	34.49	33.43	32.83	32.90	34.87	39.99	41.68	44.28	45.83	40.68	34.91	31.63
61755	-0.05	-0.07	-0.09	-0.02	0.02	0.42	0.34	0.51	0.56	0.52	0.54	0.45	0.58	0.52	0.45	0.36	0.58	0.63	0.62	0.53	0.68	0.80	0.72	0.50
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NPX	31.70	27.50	26.70	25.10	26.20	29.50	37.00	39.66	40.04	37.22	36.50	34.78	34.08	33.23	32.72	32.77	34.00	40.45	41.60	44.32	45.60	40.19	34.40	31.54
61845	0.91	0.89	0.86	0.78	0.82	0.68	0.88	0.78	0.51	0.26	0.47	0.42	0.41	0.49	0.45	0.36	0.24	0.55	0.53	0.57	0.45	0.44	0.31	0.47
	-3.32	-1.77	-3.13	-3.13	-1.19	-0.57	-2.28	0.15	0.16	0.17	0.24	0.24	0.24	0.17	0.11	0.13	0.54	-0.54	0.00	0.00	0.00	0.13	0.10	0.06

O H 61846	25.94 <b>-1.54</b> 0.00	23.20 <b>-1.64</b> 0.00	21.21 <b>-1.50</b> 0.00	20.00 <b>-1.19</b> 0.00	22.43 <b>-1.76</b> 0.00	25.91 <b>-2.34</b> 0.00	30.56 <b>-3.28</b> 0.00	34.62 <b>-4.41</b> 0.00	35.60 <b>-4.09</b> 0.00	32.89 <b>-4.23</b> 0.00	32.03 <b>-4.24</b> 0.00	30.80 <b>-3.81</b> 0.00	29.98 <b>-3.93</b> 0.00	28.86 <b>-4.05</b> 0.00	28.27 <b>-4.11</b> 0.00	28.49 <b>-4.04</b> 0.01	29.61 <b>-4.15</b> 0.54	35.45 <b>-4.45</b> -0.54	36.75 <b>-4.31</b> 0.00	39.16 <b>-4.59</b> 0.00	40.77 <b>-4.38</b> 0.00	36.05 <b>-3.83</b> 0.00	30.77 <b>-3.42</b> 0.00	28.21 <b>-2.93</b> 0.00
PJM 61847	27.64 <b>0.17</b> 0.00	24.94 <b>0.10</b> 0.00	22.80 <b>0.09</b> 0.00	21.31 <b>0.13</b> 0.00	24.14 <b>-0.05</b> 0.00	27.95 <b>-0.31</b> 0.00	33.44 <b>-0.40</b> 0.00	38.40 <b>-0.63</b> 0.00	39.01 <b>-0.67</b> 0.00	36.53 <b>-0.60</b> 0.00	35.58 <b>-0.69</b> 0.00	34.05 <b>-0.56</b> 0.00	33.30 <b>-0.61</b> 0.00	32.25 <b>-0.66</b> 0.00	31.73 <b>-0.65</b> 0.00	31.88 <b>-0.65</b> 0.00	33.14 <b>-0.62</b> 0.54	39.19 <b>-0.71</b> -0.54	40.41 <b>-0.66</b> 0.00	43.14 <b>-0.61</b> 0.00	44.70 <b>-0.45</b> 0.00	39.36 <b>-0.52</b> 0.00	33.68 <b>-0.51</b> 0.00	30.70 <b>-0.44</b> 0.00
WEST 61752	26.37 <b>-1.10</b> 0.00	23.62 <b>-1.22</b> 0.00	21.55 <b>-1.16</b> 0.00	20.36 <b>-0.83</b> 0.00	22.81 <b>-1.38</b> 0.00	26.36 <b>-1.89</b> 0.00	31.13 <b>-2.71</b> 0.00	35.40 <b>-3.63</b> 0.00	36.31 <b>-3.37</b> 0.00	33.49 <b>-3.64</b> 0.00	32.64 <b>-3.63</b> 0.00	31.32 <b>-3.29</b> 0.00	30.42 <b>-3.49</b> 0.00	29.32 <b>-3.59</b> 0.00	28.69 <b>-3.69</b> 0.00	28.89 <b>-3.64</b> 0.01	30.62 <b>-3.67</b> 0.00	35.43 <b>-3.94</b> 0.00	37.37 <b>-3.70</b> 0.00	39.82 <b>-3.94</b> 0.00	41.49 <b>-3.66</b> 0.00	36.77 <b>-3.11</b> 0.00	31.35 <b>-2.84</b> 0.00	28.64 <b>-2.49</b> 0.00