

--- Marginal Cost of Congestion

Date: 12/06/1999

Name Ptid	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
CAPITL 61757	14.59	13.48	12.30	11.65	12.81	20.25	30.09	31.13	24.01	26.51	19.18	24.47	16.29	16.01	14.82	16.06	28.46	39.62	25.61	28.24	25.63	23.00	19.54	12.64
	0.50	0.49	0.43	0.40	0.49	0.85	1.31	1.16	0.71	0.83	0.61	0.73	0.50	0.53	0.46	0.49	0.78	1.09	0.64	0.78	0.70	0.59	0.53	0.50
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.91	0.00
CENTRL 61754	13.78	12.76	11.68	11.08	12.13	19.02	28.12	29.28	22.73	25.03	18.10	23.15	15.41	15.09	14.04	15.24	27.11	37.87	24.58	27.00	24.47	21.96	17.77	11.89
	-0.31	-0.23	-0.19	-0.17	-0.19	-0.39	-0.66	-0.69	-0.57	-0.64	-0.46	-0.60	-0.38	-0.39	-0.33	-0.34	-0.57	-0.66	-0.38	-0.47	-0.46	-0.46	-0.42	-0.24
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.09	0.00
DUNWOD 61760	14.92	13.69	12.46	11.78	12.89	20.39	30.39	32.10	25.46	28.05	20.36	26.10	17.34	17.00	15.79	17.15	30.53	42.24	27.34	30.06	27.25	24.52	20.52	13.00
	0.83	0.70	0.59	0.53	0.57	0.99	1.62	2.13	2.16	2.38	1.79	2.36	1.55	1.51	1.43	1.58	2.85	3.71	2.38	2.59	2.32	2.10	1.70	0.86
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.71	0.00
GENESE 61753	13.66	12.61	11.59	11.05	12.13	19.04	28.29	29.20	22.35	24.67	17.86	22.81	15.19	14.89	13.82	14.96	26.57	37.26	24.17	26.52	23.99	21.47	17.26	11.71
	-0.43	-0.38	-0.28	-0.20	-0.19	-0.36	-0.48	-0.77	-0.95	-1.00	-0.71	-0.93	-0.60	-0.59	-0.55	-0.61	-1.12	-1.27	-0.80	-0.95	-0.95	-0.95	-0.92	-0.42
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08	0.00
H Q 61844	14.00	12.90	11.79	11.18	12.26	19.28	28.60	29.71	22.97	25.32	18.29	23.38	15.57	15.28	14.15	15.30	27.11	37.73	24.43	26.87	24.41	21.99	17.75	12.01
	-0.09	-0.09	-0.09	-0.07	-0.07	-0.13	-0.18	-0.27	-0.33	-0.36	-0.27	-0.36	-0.23	-0.21	-0.21	-0.28	-0.57	-0.80	-0.54	-0.59	-0.52	-0.43	-0.35	-0.13
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
HUD VL 61758	14.71	13.54	12.34	11.67	12.77	20.15	29.94	31.57	24.92	27.44	19.89	25.49	16.93	16.60	15.43	16.75	29.83	41.34	26.79	29.45	26.72	24.03	20.13	12.82
	0.63	0.55	0.46	0.42	0.45	0.74	1.17	1.59	1.62	1.76	1.32	1.74	1.14	1.12	1.06	1.18	2.15	2.81	1.83	1.98	1.78	1.61	1.31	0.68
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.71	

61752

[illegible]