

Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

Zonal Data

10/10/2004

Name PTID CAPITL	00:00 EDT	01:00 EDT	02:00 EDT	03:00 EDT	04:00 EDT	05:00 EDT	06:00 EDT	07:00 EDT	08:00 EDT	09:00 EDT	10:00 EDT	11:00 EDT	12:00 EDT	13:00 EDT	14:00 EDT	15:00 EDT	16:00 EDT	17:00 EDT	18:00 EDT	19:00 EDT	20:00 EDT	21:00 EDT	22:00 EDT	23:00 EDT
61757	1.94 0.00 N	1.98 0.00 N	3.01 0.00 N	2.48 0.00 N	2.69 0.00 N	3.22 0.00 N	2.56 0.00 N	2.96 0.00 N	2.98 0.00 N	2.42 0.00 N	3.39 0.00 N	2.49 0.00 N	3.84 0.00 N	2.58 0.00 N	1.85 0.00 N	1.72 0.00 N	1.60 0.00 N	1.67 0.00 N	2.19 0.00 N	1.86 0.00 N	1.70 0.00 N	2.65 0.00 N	3.12 0.00 N	2.38 0.00 N
CENTRL 61754	25.74 -0.34 0.00 N	25.82 -0.33 0.00 N	36.94 -0.60 0.00 N	31.19 -0.53 0.00 N	36.49 -0.58 0.00 N	44.38 -0.70 0.00 N	34.20 -0.46 0.00 N	45.61 -0.55 0.00 N	50.43 -0.62 0.00 N	46.49 -0.52 0.00 N	53.32 -0.69 0.00 N	46.01 -0.41 0.00 N	72.10 -0.78 0.00 N	55.17 -0.53 0.00 N	50.28 -0.33 0.00 N	36.52 -0.18 0.00 N	29.97 -0.17 0.00 N	28.66 -0.15 0.00 N	33.39 -0.19 0.00 N	29.40 -0.06 0.00 N	25.68 -0.09 0.00 N	39.13 -0.31 0.00 N	40.38 -0.52 0.00 N	30.28 -0.37 0.00 N
DUNWOD 61760	26.98 0.90 0.00 N	26.99 0.84 0.00 N	38.57 1.03 0.00 N	32.51 0.78 0.00 N	37.97 0.90 0.00 N	46.23 1.15 0.00 N	35.55 0.89 0.00 N	47.68 1.53 0.00 N	53.31 2.27 0.00 N	49.55 2.54 0.00 N	56.93 2.92 0.00 N	49.12 2.71 0.00 N	76.94 4.06 0.00 N	58.44 2.74 0.00 N	53.36 2.75 0.00 N	38.57 1.88 0.00 N	31.63 1.48 0.00 N	30.25 1.44 0.00 N	35.32 1.75 0.00 N	30.90 1.45 0.00 N	27.02 1.25 0.00 N	41.48 2.04 0.00 N	42.63 1.74 0.00 N	31.68 1.03 0.00 N
GENESE 61753	25.83 -0.25 0.00 N	25.84 -0.31 0.00 N	37.06 -0.48 0.00 N	31.29 -0.44 0.00 N	36.51 -0.56 0.00 N	44.34 -0.74 0.00 N	34.21 -0.45 0.00 N	45.36 -0.79 0.00 N	49.59 -1.46 0.00 N	45.42 -1.59 0.00 N	52.31 -1.70 0.00 N	44.89 -1.53 0.00 N	70.20 -2.68 0.00 N	53.83 -1.86 0.00 N	48.80 -1.80 0.00 N	35.71 -0.98 0.00 N	29.37 -0.77 0.00 N	28.07 -0.74 0.00 N	32.84 -0.74 0.00 N	29.00 -0.46 0.00 N	25.36 -0.41 0.00 N	38.48 -0.96 0.00 N	40.11 -0.79 0.00 N	30.25 -0.39 0.00 N
H Q 61844	5.20 -0.16 21.04 N	25.80 -0.36 0.00 N	37.05 -0.49 0.00 N	31.31 -0.41 0.00 N	36.62 -0.44 0.00 N	44.56 -0.52 0.00 N	16.01 -0.13 10.16 N	45.72 -0.43 0.00 N	50.30 -0.75 0.00 N	49.99 -1.13 0.04 N	53.07 -0.94 0.00 N	22.36 -0.88 25.73 N	71.26 -1.62 0.00 N	120.54 -1.60 -55.51 N	49.36 -1.25 0.00 N	35.75 -0.94 0.00 N	29.46 -0.68 0.00 N	28.15 -0.67 0.00 N	32.83 -0.74 0.00 N	28.87 -0.59 0.00 N	25.30 -0.47 0.00 N	44.04 -0.62 -11.83 N	40.40 -0.49 0.00 N	30.36 -0.28 0.00 N
HUD VL 61758	26.58 0.50 0.00 N	26.64 0.49 0.00 N	38.12 0.58 0.00 N	32.15 0.42 0.00 N	37.56 0.49 0.00 N	45.71 0.63 0.00 N	35.12 0.46 0.00 N	46.99 0.84 0.00 N	52.51 1.46 0.00 N	48.74 1.73 0.00 N	55.99 1.98 0.00 N	48.33 1.92 0.00 N	75.85 2.97 0.00 N	57.75 2.05 0.00 N	52.66 2.06 0.00 N	38.04 1.35 0.00 N	31.20 1.06 0.00 N	29.87 1.05 0.00 N	34.85 1.27 0.00 N	30.51 1.05 0.00 N	26.70 0.93 0.00 N	40.95 1.51 0.00 N	42.04 1.14 0.00 N	31.24 0.60 0.00 N
LONGIL 61762	63.15 1.22 -35.85 N	58.16 1.23 -30.78 N	55.73 1.59 -16.60 N	50.54 1.27 -17.55 N	61.06 1.43 -22.55 N	58.15 1.74 -11.33 N	57.92 1.30 -21.95 N	58.15 2.08 -9.92 N	56.72 2.77 -2.90 N	57.12 2.87 -7.25 N	64.22 3.21 -7.00 N	61.90 2.81 -12.68 N	76.82 3.93 0.00 N	59.47 2.77 -1.00 N	63.70 2.84 -10.26 N	54.26 1.89 -15.67 N	54.41 1.50 -22.77 N	54.88 1.46 -24.60 N	80.39 1.82 -45.00 N	65.87 1.45 -34.96 N	55.49 1.27 -28.44 N	58.49 2.09 -16.96 N	54.30 1.91 -11.50 N	58.88 1.32 -26.91 N
MHK VL 61756	26.46 0.38 0.00 N	26.53 0.37 0.00 N	38.07 0.53 0.00 N	32.17 0.44 0.00 N	37.56 0.49 0.00 N	45.69 0.61 0.00 N	35.14 0.48 0.00 N	46.81 0.65 0.00 N	51.56 0.51 0.00 N	47.36 0.36 0.00 N	54.58 0.57 0.00 N	46.77 0.35 0.00 N	73.34 0.46 0.00 N	55.98 0.29 0.00 N	50.81 0.21 0.00 N	36.98 0.29 0.00 N	30.32 0.18 0.00 N	29.01 0.19 0.00 N	33.87 0.29 0.00 N	29.68 0.22 0.00 N	25.97 0.20 0.00 N	39.75 0.31 0.00 N	41.40 0.50 0.00 N	31.11 0.46 0.00 N
MILLWD 61759	26.65 0.57 0.00 N	26.64 0.49 0.00 N	38.08 0.54 0.00 N	32.09 0.37 0.00 N	37.49 0.42 0.00 N	45.65 0.57 0.00 N	35.10 0.44 0.00 N	47.08 0.93 0.00 N	52.63 1.58 0.00 N	48.89 1.89 0.00 N	56.16 2.15 0.00 N	48.47 2.06 0.00 N	75.95 3.07 0.00 N	57.72 2.02 0.00 N	52.69 2.09 0.00 N	38.08 1.38 0.00 N	31.21 1.06 0.00 N	29.84 1.02 0.00 N	34.82 1.25 0.00 N	30.47 1.01 0.00 N	26.64 0.87 0.00 N	40.90 1.46 0.00 N	42.05 1.15 0.00 N	31.25 0.61 0.00 N
N.Y.C. 61761	29.36 1.28 -2.01 N	32.36 1.17 -5.04 N	41.40 1.50 -2.36 N	36.53 1.16 -3.64 N	38.90 1.30 -0.54 N	46.94 1.64 -0.22 N	38.21 1.28 -2.27 N	52.32 2.10 -4.06 N	55.02 2.93 -1.05 N	53.51 3.22 -3.28 N	58.74 3.67 -1.06 N	54.94 3.37 -5.16 N	77.76 4.88 0.00 N	59.63 3.20 -0.73 N	55.78 3.28 -1.89 N	48.54 2.35 -9.50 N	45.20 1.90 -13.16 N	44.79 1.83 -14.15 N	48.66 2.28 -12.80 N	56.56 1.91 -25.20 N	53.65 1.65 -26.23 N	50.79 2.66 -8.68 N	53.42 2.36 -10.16 N	35.09 1.45 -3.00 N

NORTH 61755	25.86 <u>-0.22</u> 0.00 N	25.90 <u>-0.25</u> 0.00 N	37.18 <u>-0.36</u> 0.00 N	31.42 <u>-0.31</u> 0.00 N	36.74 <u>-0.33</u> 0.00 N	44.72 <u>-0.36</u> 0.00 N	34.44 <u>-0.23</u> 0.00 N	45.91 <u>-0.25</u> 0.00 N	50.37 <u>-0.68</u> 0.00 N	46.22 <u>-0.79</u> 0.00 N	53.18 <u>-0.83</u> 0.00 N	44.95 <u>-1.47</u> 0.00 N	71.04 <u>-1.84</u> 0.00 N	54.53 <u>-1.17</u> 0.00 N	48.97 <u>-1.64</u> 0.00 N	35.51 <u>-1.18</u> 0.00 N	29.24 <u>-0.90</u> 0.00 N	27.95 <u>-0.87</u> 0.00 N	32.63 <u>-0.95</u> 0.00 N	28.68 <u>-0.78</u> 0.00 N	25.21 <u>-0.56</u> 0.00 N	38.63 <u>-0.81</u> 0.00 N	40.54 <u>-0.35</u> 0.00 N	30.50 <u>-0.14</u> 0.00 N
NPX 61845	6.15 <u>0.79</u> 21.04 N	26.99 <u>0.83</u> 0.00 N	38.82 <u>1.27</u> 0.00 N	32.73 <u>1.01</u> 0.00 N	38.08 <u>1.01</u> 0.00 N	46.30 <u>1.22</u> 0.00 N	17.01 <u>0.87</u> 10.16 N	47.17 <u>1.01</u> 0.00 N	52.16 <u>1.11</u> 0.00 N	53.37 <u>2.25</u> 0.04 N	55.54 <u>1.53</u> 0.00 N	25.44 <u>2.20</u> 25.73 N	74.59 <u>1.71</u> 0.00 N	125.00 <u>2.86</u> -55.51 N	51.23 <u>0.62</u> 0.00 N	37.34 <u>0.65</u> 0.00 N	30.80 <u>0.66</u> 0.00 N	29.54 <u>0.72</u> 0.00 N	34.49 <u>0.91</u> 0.00 N	30.17 <u>0.71</u> 0.00 N	26.43 <u>0.66</u> 0.00 N	46.14 <u>1.48</u> -11.83 N	42.21 <u>1.32</u> 0.00 N	31.58 <u>0.94</u> 0.00 N
O H 61846	3.96 <u>-1.40</u> 21.04 N	24.74 <u>-1.42</u> 0.00 N	35.42 <u>-2.13</u> 0.00 N	30.13 <u>-1.60</u> 0.00 N	35.30 <u>-1.76</u> 0.00 N	42.90 <u>-2.17</u> 0.00 N	14.19 <u>-1.95</u> 10.16 N	43.83 <u>-2.32</u> 0.00 N	48.37 <u>-2.68</u> 0.00 N	47.54 <u>-3.58</u> 0.04 N	50.49 <u>-3.52</u> 0.00 N	19.32 <u>-3.92</u> 25.73 N	68.70 <u>-4.18</u> 0.00 N	118.48 <u>-3.66</u> -55.51 N	48.78 <u>-1.82</u> 0.00 N	35.20 <u>-1.49</u> 0.00 N	28.72 <u>-1.42</u> 0.00 N	27.23 <u>-1.59</u> 0.00 N	31.53 <u>-2.05</u> 0.00 N	27.82 <u>-1.64</u> 0.00 N	24.26 <u>-1.51</u> 0.00 N	42.00 <u>-2.66</u> -11.83 N	38.11 <u>-2.79</u> 0.00 N	28.72 <u>-1.93</u> 0.00 N
PJM 61847	3.72 <u>-1.64</u> 21.04 N	24.71 <u>-1.45</u> 0.00 N	35.40 <u>-2.14</u> 0.00 N	29.98 <u>-1.74</u> 0.00 N	35.16 <u>-1.91</u> 0.00 N	42.84 <u>-2.24</u> 0.00 N	13.67 <u>-2.47</u> 10.16 N	44.10 <u>-2.06</u> 0.00 N	49.06 <u>-1.99</u> 0.00 N	50.56 <u>-0.56</u> 0.04 N	51.55 <u>-2.46</u> 0.00 N	20.01 <u>-3.23</u> 25.73 N	70.06 <u>-2.82</u> 0.00 N	122.54 <u>0.40</u> -55.51 N	49.13 <u>-1.47</u> 0.00 N	35.39 <u>-1.30</u> 0.00 N	28.84 <u>-1.30</u> 0.00 N	27.45 <u>-1.37</u> 0.00 N	31.81 <u>-1.77</u> 0.00 N	27.89 <u>-1.57</u> 0.00 N	24.32 <u>-1.45</u> 0.00 N	43.22 <u>-1.44</u> -11.83 N	38.50 <u>-2.40</u> 0.00 N	28.86 <u>-1.79</u> 0.00 N
WEST 61752	24.58 <u>-1.50</u> 0.00 N	24.60 <u>-1.55</u> 0.00 N	35.21 <u>-2.33</u> 0.00 N	29.95 <u>-1.78</u> 0.00 N	35.15 <u>-1.92</u> 0.00 N	42.74 <u>-2.34</u> 0.00 N	32.82 <u>-1.84</u> 0.00 N	43.71 <u>-2.44</u> 0.00 N	48.11 <u>-2.94</u> 0.00 N	44.23 <u>-2.78</u> 0.00 N	50.06 <u>-3.95</u> 0.00 N	43.51 <u>-2.90</u> 0.00 N	68.27 <u>-4.61</u> 0.00 N	52.85 <u>-2.85</u> 0.00 N	48.50 <u>-2.10</u> 0.00 N	34.96 <u>-1.73</u> 0.00 N	28.51 <u>-1.64</u> 0.00 N	27.03 <u>-1.78</u> 0.00 N	31.29 <u>-2.29</u> 0.00 N	27.70 <u>-1.75</u> 0.00 N	24.18 <u>-1.59</u> 0.00 N	36.73 <u>-2.71</u> 0.00 N	37.96 <u>-2.94</u> 0.00 N	28.59 <u>-2.05</u> 0.00 N