

# Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

### --- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

## Zonal Data

10/20/2005

[illegible]

NORTH 61755	13.79 <b>-0.98</b> 0.00 N	43.70 <b>-3.82</b> 0.04 N	-15.33 <b>0.47</b> 9.37 N	23.92 <b>-1.24</b> 0.91 N	22.31 <b>-1.28</b> 0.00 N	44.64 <b>-2.86</b> 0.00 N	111.22 <b>-6.18</b> 0.00 N	119.81 <b>-4.13</b> 0.00 N	81.20 <b>-7.31</b> 0.00 N	83.25 <b>-6.16</b> 0.00 N	84.70 <b>-6.55</b> 0.00 N	83.39 <b>-6.65</b> 0.00 N	81.96 <b>-7.45</b> 0.00 N	79.39 <b>-6.98</b> 0.00 N	80.55 <b>-7.47</b> 0.00 N	74.80 <b>-6.93</b> 0.00 N	79.84 <b>-7.04</b> 0.00 N	79.00 <b>-7.21</b> 0.00 N	82.51 <b>-7.11</b> 0.00 N	89.34 <b>-7.18</b> 0.00 N	83.08 <b>-5.60</b> 0.00 N	55.70 <b>-3.56</b> 0.00 N	46.46 <b>-2.50</b> 0.00 N	42.89 <b>-2.47</b> 0.00 N
NPX 61845	15.47 <b>0.69</b> 0.00 N	65.00 <b>1.29</b> <b>-40.67</b> N	38.00 <b>1.56</b> <b>-9.60</b> N	47.15 <b>1.27</b> <b>-19.80</b> N	24.69 <b>1.09</b> 0.00 N	49.91 <b>2.41</b> 0.00 N	122.79 <b>5.39</b> 0.00 N	129.28 <b>5.33</b> 0.00 N	82.79 <b>4.49</b> <b>14.79</b> N	93.38 <b>3.97</b> 0.00 N	95.48 <b>4.22</b> 0.00 N	94.09 <b>4.05</b> 0.00 N	93.66 <b>4.26</b> 0.00 N	90.05 <b>3.68</b> 0.00 N	92.20 <b>4.17</b> 0.00 N	85.69 <b>3.96</b> 0.00 N	90.93 <b>4.05</b> 0.00 N	90.61 <b>4.40</b> 0.00 N	93.93 <b>4.31</b> 0.00 N	100.41 <b>3.89</b> 0.00 N	110.00 <b>3.95</b> <b>-15.41</b> N	61.83 <b>2.57</b> 0.00 N	51.07 <b>2.11</b> 0.00 N	47.44 <b>2.09</b> 0.00 N
O H 61846	13.75 <b>-1.03</b> 0.00 N	35.00 <b>-1.88</b> <b>-13.83</b> N	18.35 <b>0.42</b> <b>-24.37</b> N	26.94 <b>-1.51</b> <b>-2.38</b> N	22.18 <b>-1.41</b> 0.00 N	43.67 <b>-3.83</b> 0.00 N	107.13 <b>-10.27</b> 0.00 N	112.54 <b>-11.41</b> 0.00 N	67.87 <b>-10.43</b> <b>14.79</b> N	81.81 <b>-7.60</b> 0.00 N	82.65 <b>-8.60</b> 0.00 N	81.25 <b>-8.79</b> 0.00 N	80.61 <b>-8.80</b> 0.00 N	78.75 <b>-7.62</b> 0.00 N	79.68 <b>-8.34</b> 0.00 N	73.82 <b>-7.92</b> 0.00 N	79.24 <b>-7.65</b> 0.00 N	78.00 <b>-8.21</b> 0.00 N	80.76 <b>-8.86</b> 0.00 N	88.41 <b>-8.11</b> 0.00 N	99.26 <b>-6.80</b> <b>-15.41</b> N	55.06 <b>-4.20</b> 0.00 N	46.52 <b>-2.44</b> 0.00 N	42.44 <b>-2.91</b> 0.00 N
PJM 61847	12.99 <b>-1.78</b> 0.00 N	36.06 <b>-3.12</b> <b>-16.14</b> N	33.85 <b>0.60</b> <b>-39.68</b> N	27.07 <b>-2.88</b> <b>-3.87</b> N	21.06 <b>-2.54</b> 0.00 N	25.00 <b>-3.73</b> <b>7.51</b> N	75.00 <b>-6.12</b> <b>-2.82</b> N	110.12 <b>-13.82</b> 0.00 N	65.01 <b>-13.29</b> <b>14.79</b> N	79.27 <b>-10.14</b> 0.00 N	80.72 <b>-10.54</b> 0.00 N	79.32 <b>-10.72</b> 0.00 N	78.76 <b>-10.65</b> 0.00 N	76.40 <b>-9.97</b> 0.00 N	78.34 <b>-9.68</b> 0.00 N	72.95 <b>-8.78</b> 0.00 N	78.17 <b>-8.72</b> 0.00 N	77.13 <b>-9.09</b> 0.00 N	81.72 <b>-7.90</b> 0.00 N	85.00 <b>-5.30</b> <b>-3.85</b> N	100.00 <b>-9.88</b> <b>-19.23</b> N	53.06 <b>-6.20</b> 0.00 N	43.96 <b>-5.00</b> 0.00 N	40.93 <b>-4.42</b> 0.00 N
WEST 61752	13.79 <b>-0.99</b> 0.00 N	44.45 <b>-3.22</b> <b>-0.11</b> N	21.44 <b>0.37</b> <b>-27.49</b> N	27.29 <b>-1.47</b> <b>-2.69</b> N	22.25 <b>-1.34</b> 0.00 N	43.91 <b>-3.60</b> 0.00 N	108.60 <b>-8.80</b> 0.00 N	113.87 <b>-10.07</b> 0.00 N	80.94 <b>-7.57</b> 0.00 N	82.64 <b>-6.77</b> 0.00 N	83.62 <b>-7.64</b> 0.00 N	82.15 <b>-7.89</b> 0.00 N	81.53 <b>-7.88</b> 0.00 N	79.54 <b>-6.83</b> 0.00 N	80.65 <b>-7.37</b> 0.00 N	74.76 <b>-6.98</b> 0.00 N	80.27 <b>-6.62</b> 0.00 N	78.98 <b>-7.23</b> 0.00 N	82.21 <b>-7.41</b> 0.00 N	89.80 <b>-6.72</b> 0.00 N	82.89 <b>-5.78</b> 0.00 N	55.48 <b>-3.78</b> 0.00 N	46.65 <b>-2.31</b> 0.00 N	42.70 <b>-2.66</b> 0.00 N