

Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

Zonal Data

08/18/2007

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	39.40	36.64	44.51	47.50	33.42	33.50	45.02	43.81	35.26	37.27	45.33	45.20	42.09	47.11	47.83	45.91	45.74	45.42	39.90	31.82	48.79	45.34	43.92	43.63
61757	1.31	1.53	1.92	2.03	1.35	1.34	1.85	1.90	1.42	1.39	1.67	1.77	1.70	2.00	1.98	1.82	1.89	1.85	1.57	1.39	2.43	2.19	2.30	2.26
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.01
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
CENTRL	36.93	33.81	40.91	43.79	31.01	31.13	41.81	40.64	32.86	34.92	42.60	42.36	39.50	44.19	44.79	43.07	42.73	42.17	37.19	29.46	44.79	41.75	39.91	39.55
61754	-1.16	-1.27	-1.65	-1.68	-1.06	-1.03	-1.36	-1.28	-0.98	-0.96	-1.06	-1.07	-0.88	-0.92	-1.06	-1.02	-1.13	-1.40	-1.14	-0.97	-1.56	-1.41	-1.70	-1.81
	0.00	0.02	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.01	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
DUNWOD	40.03	36.72	44.29	47.00	33.09	33.09	44.37	43.29	35.18	37.19	45.52	45.30	42.27	47.50	48.41	46.68	46.61	46.02	40.36	32.04	48.73	45.12	43.48	43.09
61760	1.94	1.61	1.69	1.54	1.02	0.93	1.20	1.37	1.34	1.31	1.87	1.87	1.89	2.39	2.56	2.60	2.75	2.45	2.03	1.61	2.38	1.96	1.87	1.72
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.01	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
GENESE	35.57	31.36	37.36	42.11	29.88	29.95	40.15	38.91	31.68	33.69	41.02	40.72	37.90	42.39	42.88	41.36	41.03	40.46	35.74	28.33	42.90	40.29	35.19	37.60
61753	-2.52	-2.60	-3.36	-3.36	-2.19	-2.21	-3.02	-3.00	-2.16	-2.19	-2.63	-2.71	-2.49	-2.72	-2.98	-2.72	-2.83	-3.10	-2.59	-2.10	-3.45	-2.87	-3.23	-3.31
	0.00	1.15	1.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.25	0.48	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
H Q	38.25	35.29	42.84	45.77	32.28	32.40	43.49	42.19	34.04	36.13	43.87	43.60	40.44	45.02	45.81	44.02	43.74	43.62	38.43	39.72	46.47	43.33	41.88	41.66
61844	0.16	0.18	0.24	0.31	0.21	0.24	0.32	0.27	0.20	0.25	0.21	0.17	0.06	-0.09	-0.04	-0.06	-0.12	0.06	0.10	0.07	0.12	0.17	0.22	0.28
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.94	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
HUD VL	39.94	36.60	44.17	46.92	33.06	33.09	44.37	43.27	35.13	37.16	45.47	45.25	42.22	47.42	48.32	46.58	46.51	45.95	40.30	31.99	48.64	45.04	43.39	42.99
61758	1.85	1.49	1.57	1.45	0.99	0.94	1.20	1.35	1.29	1.28	1.82	1.83	1.84	2.31	2.47	2.50	2.66	2.38	1.97	1.55	2.29	1.88	1.77	1.62
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.01	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
LONGIL	40.71	37.21	44.69	47.37	33.36	33.31	44.61	43.38	35.45	37.55	46.09	45.73	42.50	47.75	48.64	46.96	46.93	46.27	40.49	32.15	49.08	45.27	43.94	43.52
61762	2.62	2.11	2.09	1.90	1.29	1.15	1.43	1.47	1.61	1.67	2.44	2.31	2.12	2.64	2.79	2.87	3.07	2.71	2.16	1.72	2.73	2.11	2.33	2.15
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.01	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
MHK VL	38.61	35.54	43.06	45.98	32.45	32.56	43.75	42.58	34.48	36.63	44.63	44.36	41.25	46.07	46.78	44.98	44.71	44.36	39.10	31.00	47.25	43.99	42.26	41.87
61756	0.52	0.42	0.47	0.51	0.38	0.41	0.58	0.66	0.64	0.75	0.98	0.93	0.87	0.96	0.93	0.89	0.86	0.79	0.77	0.57	0.90	0.84	0.63	0.50
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.01	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
MILLWD	39.93	36.62	44.18	46.92	33.03	33.04	44.31	43.22	35.13	37.15	45.47	45.25	42.23	47.46	48.37	46.63	46.56	45.99	40.33	32.01	48.68	45.08	43.44	43.03
61759	1.83	1.50	1.59	1.45	0.96	0.88	1.14	1.31	1.29	1.27	1.81	1.82	1.85	2.35	2.51	2.54	2.71	2.42	2.00	1.57	2.32	1.92	1.82	1.66
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.01	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
N.Y.C.	40.18	36.80	44.37	47.08	33.13	33.12	44.43	43.34	35.25	37.23	45.60	45.36	42.34	47.61	48.54	46.81	46.73	46.13	40.47	32.12	48.82	45.20	43.57	43.18
61761	2.08	1.69	1.78	1.61	1.07	0.96	1.25	1.43	1.41	1.36	1.94	1.93	1.96	2.51	2.69	2.73	2.87	2.56	2.14	1.68	2.46	2.04	1.96	1.82
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.01	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N

NORTH 61755	38.30 <u>0.21</u> 0.00 N	35.45 <u>0.33</u> 0.00 N	42.97 <u>0.38</u> 0.00 N	45.94 <u>0.47</u> 0.00 N	32.37 <u>0.30</u> 0.00 N	32.51 <u>0.36</u> 0.00 N	43.68 <u>0.51</u> 0.00 N	42.39 <u>0.47</u> 0.00 N	34.24 <u>0.40</u> 0.00 N	36.42 <u>0.54</u> 0.00 N	44.18 <u>0.53</u> 0.00 N	43.95 <u>0.52</u> 0.00 N	40.72 <u>0.34</u> 0.00 N	45.32 <u>0.21</u> 0.00 N	46.07 <u>0.22</u> 0.00 N	44.20 <u>0.11</u> 0.00 N	43.85 <u>-0.01</u> 0.00 N	43.73 <u>0.16</u> 0.00 N	38.55 <u>0.23</u> 0.00 N	30.63 <u>0.20</u> 0.00 N	46.70 <u>0.34</u> 0.00 N	43.60 <u>0.44</u> 0.00 N	42.11 <u>0.45</u> 0.00 N	41.88 <u>0.50</u> 0.00 N
NPX 61845	39.34 <u>1.24</u> 0.00 N	36.46 <u>1.35</u> 0.00 N	44.32 <u>1.73</u> 0.00 N	47.27 <u>1.81</u> 0.00 N	33.24 <u>1.17</u> 0.00 N	33.28 <u>1.12</u> 0.00 N	44.67 <u>1.50</u> 0.00 N	43.46 <u>1.54</u> 0.00 N	34.98 <u>1.14</u> 0.00 N	36.85 <u>0.97</u> 0.00 N	44.85 <u>1.19</u> 0.00 N	44.80 <u>1.37</u> 0.00 N	41.80 <u>1.42</u> 0.00 N	46.93 <u>1.81</u> 0.00 N	47.69 <u>1.83</u> 0.00 N	45.75 <u>1.66</u> 0.00 N	45.64 <u>1.78</u> 0.00 N	45.21 <u>1.64</u> 0.00 N	39.56 <u>1.23</u> 0.00 N	40.92 <u>1.27</u> -2.94 N	48.14 <u>1.78</u> 0.00 N	44.71 <u>1.55</u> 0.00 N	43.43 <u>1.81</u> 0.04 N	43.24 <u>1.87</u> 0.01 N
O H 61846	33.97 <u>-4.12</u> 0.00 N	29.71 <u>-4.20</u> 0.00 N	35.45 <u>-5.19</u> 0.00 N	40.42 <u>-5.05</u> 0.00 N	28.69 <u>-3.38</u> 0.00 N	28.70 <u>-3.46</u> 0.00 N	38.52 <u>-4.66</u> 0.00 N	33.99 <u>-4.78</u> 0.00 N	30.08 <u>-3.76</u> 0.00 N	31.91 <u>-3.97</u> 0.00 N	38.81 <u>-4.84</u> 0.00 N	38.43 <u>-5.00</u> 0.00 N	35.70 <u>-4.69</u> 0.00 N	40.00 <u>-5.11</u> 0.00 N	40.40 <u>-5.45</u> 0.00 N	39.08 <u>-5.01</u> 0.00 N	38.70 <u>-5.16</u> 0.00 N	37.92 <u>-5.65</u> 0.00 N	33.57 <u>-4.76</u> 0.00 N	35.01 <u>-4.64</u> -2.94 N	40.09 <u>-6.26</u> 0.00 N	37.89 <u>-5.27</u> 0.00 N	32.68 <u>-5.65</u> 0.00 N	35.36 <u>-5.53</u> 0.49 N
PJM 61847	34.45 <u>-3.64</u> 0.00 N	30.39 <u>-4.44</u> 0.00 N	36.97 <u>-5.17</u> 0.00 N	39.88 <u>-5.58</u> 0.00 N	28.33 <u>-3.74</u> 0.00 N	28.50 <u>-3.65</u> 0.00 N	38.59 <u>-4.58</u> 0.00 N	37.72 <u>-4.20</u> 0.00 N	30.01 <u>-3.83</u> 0.00 N	31.92 <u>-3.96</u> 0.00 N	39.32 <u>-4.33</u> 0.00 N	39.14 <u>-4.29</u> 0.00 N	60.13 <u>-0.17</u> -5.27 N	41.67 <u>-3.45</u> 0.00 N	42.28 <u>-3.58</u> 0.00 N	41.01 <u>-3.07</u> 0.00 N	50.00 <u>0.52</u> -1.27 N	39.32 <u>-4.25</u> 0.00 N	34.92 <u>-3.42</u> 0.00 N	39.59 <u>-0.06</u> -2.94 N	41.42 <u>-4.94</u> 0.00 N	38.58 <u>-4.58</u> 0.00 N	35.79 <u>-5.24</u> 0.64 N	35.92 <u>-5.36</u> 0.09 N
WEST 61752	34.19 <u>-3.90</u> 0.00 N	29.92 <u>-4.05</u> 0.00 N	35.70 <u>-5.05</u> 0.00 N	40.56 <u>-4.91</u> 0.00 N	28.78 <u>-3.29</u> 0.00 N	28.83 <u>-3.33</u> 0.00 N	38.81 <u>-4.36</u> 0.00 N	37.44 <u>-4.47</u> 0.00 N	30.33 <u>-3.51</u> 0.00 N	32.23 <u>-3.65</u> 0.00 N	39.34 <u>-4.31</u> 0.00 N	38.98 <u>-4.44</u> 0.00 N	36.36 <u>-4.02</u> 0.00 N	40.79 <u>-4.32</u> 0.00 N	41.27 <u>-4.58</u> 0.00 N	39.93 <u>-4.16</u> 0.00 N	39.45 <u>-4.40</u> 0.00 N	38.55 <u>-5.01</u> 0.00 N	34.14 <u>-4.19</u> 0.00 N	26.98 <u>-3.45</u> 0.00 N	40.73 <u>-5.62</u> 0.00 N	38.40 <u>-4.76</u> 0.00 N	33.29 <u>-5.27</u> 0.00 N	35.68 <u>-5.24</u> 0.45 N