

Time Weighted/Integrated Real Time LBMP- Generator

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

Generator Data

07/03/2011

Name PTID	00:00 EDT	01:00 EDT	02:00 EDT	03:00 EDT	04:00 EDT	05:00 EDT	06:00 EDT	07:00 EDT	08:00 EDT	09:00 EDT	10:00 EDT	11:00 EDT	12:00 EDT	13:00 EDT	14:00 EDT	15:00 EDT	16:00 EDT	17:00 EDT	18:00 EDT	19:00 EDT	20:00 EDT	21:00 EDT	22:00 EDT	23:00 EDT
59TH STREET_GT_1 24138	36.84 2.72 0.00 N	31.09 2.32 0.00 N	18.96 1.35 0.00 N	17.53 1.16 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	8.98 0.64 0.00 N	20.72 1.60 0.00 N	6.81 0.59 0.00 N	14.77 1.17 0.00 N	28.54 2.37 0.00 N	33.49 2.79 0.00 N	30.23 2.57 0.00 N	21.97 1.88 0.00 N	28.41 2.36 0.00 N	30.15 2.63 0.00 N	22.46 1.98 0.00 N	8.46 0.75 0.00 N	5.87 0.52 0.00 N	7.61 0.67 0.00 N	12.85 1.20 0.00 N	7.78 0.69 -0.63 N	9.19 0.79 -0.84 N	-2.42 -0.23 0.00 N
74TH STREET_GT_1 24260	36.89 2.77 0.00 N	31.13 2.36 0.00 N	18.98 1.37 0.00 N	17.55 1.18 0.00 N	7.06 0.49 0.00 N	4.56 0.30 0.00 N	8.98 0.65 0.00 N	20.74 1.62 0.00 N	6.83 0.60 0.00 N	14.79 1.19 0.00 N	28.58 2.41 0.00 N	33.52 2.82 0.00 N	30.27 2.60 0.00 N	21.99 1.90 0.00 N	28.44 2.38 0.00 N	30.18 2.66 0.00 N	22.47 1.99 0.00 N	8.47 0.76 0.00 N	5.87 0.52 0.00 N	7.62 0.68 0.00 N	12.86 1.21 0.00 N	7.79 0.70 -0.63 N	9.19 0.80 -0.84 N	-2.43 -0.24 0.00 N
74TH STREET_GT_2 24261	36.89 2.77 0.00 N	31.13 2.36 0.00 N	18.98 1.37 0.00 N	17.55 1.18 0.00 N	7.06 0.49 0.00 N	4.56 0.30 0.00 N	8.98 0.65 0.00 N	20.74 1.62 0.00 N	6.83 0.60 0.00 N	14.79 1.19 0.00 N	28.58 2.41 0.00 N	33.52 2.82 0.00 N	30.27 2.60 0.00 N	21.99 1.90 0.00 N	28.44 2.38 0.00 N	30.18 2.66 0.00 N	22.47 1.99 0.00 N	8.47 0.76 0.00 N	5.87 0.52 0.00 N	7.62 0.68 0.00 N	12.86 1.21 0.00 N	7.79 0.70 -0.63 N	9.19 0.80 -0.84 N	-2.43 -0.24 0.00 N
ADK HUDSON___FALLS 24011	34.63 0.51 0.00 N	29.38 0.61 0.00 N	17.97 0.36 0.00 N	16.64 0.27 0.00 N	6.69 0.13 0.00 N	4.33 0.07 0.00 N	8.50 0.16 0.00 N	19.63 0.51 0.00 N	6.48 0.25 0.00 N	14.22 0.61 0.00 N	27.29 1.12 0.00 N	32.01 1.31 0.00 N	28.80 1.14 0.00 N	20.88 0.79 0.00 N	26.90 0.84 0.00 N	28.17 0.65 0.00 N	20.87 0.39 0.00 N	7.90 0.18 0.00 N	5.48 0.13 0.00 N	7.08 0.14 0.00 N	11.95 0.30 0.00 N	6.73 0.22 -0.05 N	7.91 0.30 -0.06 N	-2.30 -0.10 0.00 N
ADK RESOURCE___RCVRY 23798	35.34 1.22 0.00 N	30.10 1.34 0.00 N	18.42 0.81 0.00 N	17.02 0.65 0.00 N	6.85 0.29 0.00 N	4.44 0.18 0.00 N	8.74 0.41 0.00 N	20.19 1.07 0.00 N	6.60 0.37 0.00 N	14.44 0.84 0.00 N	27.68 1.51 0.00 N	32.51 1.80 0.00 N	29.15 1.49 0.00 N	21.10 1.01 0.00 N	27.37 1.31 0.00 N	28.59 1.07 0.00 N	21.15 0.67 0.00 N	8.01 0.30 0.00 N	5.56 0.21 0.00 N	7.20 0.25 0.00 N	12.17 0.51 0.00 N	6.89 0.35 -0.08 N	8.15 0.48 -0.11 N	-2.34 -0.15 0.00 N
ADK S GLENS___FALLS 24028	34.63 0.51 0.00 N	29.38 0.61 0.00 N	17.97 0.36 0.00 N	16.64 0.27 0.00 N	6.69 0.13 0.00 N	4.33 0.07 0.00 N	8.50 0.16 0.00 N	19.63 0.51 0.00 N	6.48 0.25 0.00 N	14.22 0.61 0.00 N	27.29 1.12 0.00 N	32.01 1.31 0.00 N	28.80 1.14 0.00 N	20.88 0.79 0.00 N	26.90 0.84 0.00 N	28.17 0.65 0.00 N	20.87 0.39 0.00 N	7.90 0.18 0.00 N	5.48 0.13 0.00 N	7.08 0.14 0.00 N	11.95 0.30 0.00 N	6.73 0.22 -0.05 N	7.91 0.30 -0.06 N	-2.30 -0.10 0.00 N
ADK_NYS___DAM 23527	35.43 1.31 0.00 N	30.06 1.29 0.00 N	18.43 0.82 0.00 N	17.08 0.71 0.00 N	6.88 0.31 0.00 N	4.45 0.19 0.00 N	8.73 0.40 0.00 N	20.05 0.93 0.00 N	6.55 0.32 0.00 N	14.29 0.68 0.00 N	27.38 1.21 0.00 N	32.04 1.34 0.00 N	28.87 1.22 0.00 N	20.92 0.83 0.00 N	27.14 1.08 0.00 N	28.48 0.96 0.00 N	21.14 0.66 0.00 N	8.01 0.29 0.00 N	5.56 0.21 0.00 N	7.19 0.25 0.00 N	12.13 0.48 0.00 N	6.82 0.31 -0.05 N	8.03 0.42 -0.07 N	-2.32 -0.13 0.00 N
AIR_PRODUCTS___DRP 24190	34.98 0.86 0.00 N	29.67 0.90 0.00 N	18.22 0.61 0.00 N	16.92 0.55 0.00 N	6.81 0.25 0.00 N	4.40 0.14 0.00 N	8.59 0.25 0.00 N	19.55 0.43 0.00 N	6.38 0.15 0.00 N	13.91 0.31 0.00 N	26.66 0.49 0.00 N	31.02 0.31 0.00 N	28.11 0.46 0.00 N	20.51 0.42 0.00 N	26.57 0.51 0.00 N	28.03 0.51 0.00 N	20.84 0.36 0.00 N	7.87 0.15 0.00 N	5.46 0.11 0.00 N	7.06 0.11 0.00 N	11.89 0.24 0.00 N	6.63 0.17 0.00 N	7.78 0.23 0.00 N	-2.26 -0.07 0.00 N
ALBANY___1 23571	34.98 0.86 0.00 N	29.67 0.90 0.00 N	18.22 0.61 0.00 N	16.92 0.55 0.00 N	6.81 0.25 0.00 N	4.40 0.14 0.00 N	8.59 0.25 0.00 N	19.55 0.43 0.00 N	6.38 0.15 0.00 N	13.91 0.31 0.00 N	26.66 0.49 0.00 N	31.02 0.31 0.00 N	28.11 0.46 0.00 N	20.51 0.42 0.00 N	26.57 0.51 0.00 N	28.03 0.51 0.00 N	20.84 0.36 0.00 N	7.87 0.15 0.00 N	5.46 0.11 0.00 N	7.06 0.11 0.00 N	11.89 0.24 0.00 N	6.63 0.17 0.00 N	7.78 0.23 0.00 N	-2.26 -0.07 0.00 N
ALBANY___2 23572	34.98 0.86 0.00 N	29.67 0.90 0.00 N	18.22 0.61 0.00 N	16.92 0.55 0.00 N	6.81 0.25 0.00 N	4.40 0.14 0.00 N	8.59 0.25 0.00 N	19.55 0.43 0.00 N	6.38 0.15 0.00 N	13.91 0.31 0.00 N	26.66 0.49 0.00 N	31.02 0.31 0.00 N	28.11 0.46 0.00 N	20.51 0.42 0.00 N	26.57 0.51 0.00 N	28.03 0.51 0.00 N	20.84 0.36 0.00 N	7.87 0.15 0.00 N	5.46 0.11 0.00 N	7.06 0.11 0.00 N	11.89 0.24 0.00 N	6.63 0.17 0.00 N	7.78 0.23 0.00 N	-2.26 -0.07 0.00 N
ALBANY___3	34.98	29.67	18.22	16.92	6.81	4.40	8.59	19.55	6.38	13.91	26.66	31.02	28.11	20.51	26.57	28.03	20.84	7.87	5.46	7.06	11.89	6.63	7.78	-2.26

23573		0.86 0.00 N	0.90 0.00 N	0.61 0.00 N	0.55 0.00 N	0.25 0.00 N	0.14 0.00 N	0.25 0.00 N	0.43 0.00 N	0.15 0.00 N	0.31 0.00 N	0.49 0.00 N	0.31 0.00 N	0.46 0.00 N	0.42 0.00 N	0.51 0.00 N	0.51 0.00 N	0.36 0.00 N	0.15 0.00 N	0.11 0.00 N	0.11 0.00 N	0.24 0.00 N	0.17 0.00 N	0.23 0.00 N	-0.07 0.00 N
ALBANY____4 23574		34.98 0.86 N	29.67 0.90 N	18.22 0.61 N	16.92 0.55 N	6.81 0.25 N	4.40 0.14 N	8.59 0.25 N	19.55 0.43 N	6.38 0.15 N	13.91 0.31 N	26.66 0.49 N	31.02 0.31 N	28.11 0.46 N	20.51 0.42 N	26.57 0.51 N	28.03 0.51 N	20.84 0.36 N	7.87 0.15 N	5.46 0.11 N	7.06 0.11 N	11.89 0.24 N	6.63 0.17 N	7.78 0.23 N	-2.26 -0.07 N
ALBANY____LFGE 323615		35.22 1.10 N	29.89 1.12 N	18.33 0.73 N	17.03 0.66 N	6.86 0.29 N	4.43 0.17 N	8.66 0.32 N	19.74 0.62 N	6.45 0.22 N	14.06 0.46 N	26.97 0.80 N	31.44 0.74 N	28.42 0.77 N	20.74 0.65 N	26.89 0.83 N	28.36 0.85 N	21.06 0.58 N	7.95 0.24 N	5.51 0.16 N	7.14 0.19 N	12.03 0.38 N	6.70 0.24 N	7.86 0.31 N	-2.29 -0.10 N
ALCOA_RYNLDS____DRP 24188		33.69 -0.43 N	28.41 -0.37 N	17.39 -0.22 N	16.18 -0.19 N	6.48 -0.09 N	4.20 -0.06 N	8.16 -0.18 N	18.84 -0.28 N	6.12 -0.11 N	13.42 -0.19 N	25.45 -0.72 N	29.78 -0.92 N	26.70 -0.97 N	19.35 -0.74 N	25.13 -0.93 N	26.55 -0.97 N	19.82 -0.66 N	7.38 -0.33 N	5.10 -0.25 N	6.66 -0.28 N	11.16 -0.49 N	6.19 -0.27 N	7.26 -0.29 N	-2.13 0.06 N
ALLEGHENY____COGEN 23514		34.13 0.01 N	28.76 -0.01 N	17.48 -0.13 N	16.26 -0.11 N	6.45 -0.12 N	4.27 0.01 N	8.40 0.07 N	19.07 -0.06 N	6.32 0.09 N	13.98 0.37 N	27.30 1.14 N	32.62 1.92 N	29.08 1.43 N	21.66 1.57 N	27.95 1.89 N	29.59 2.06 N	21.58 1.10 N	8.17 0.45 N	5.71 0.36 N	7.42 0.48 N	12.42 0.77 N	6.79 0.33 N	7.86 0.31 N	-2.25 -0.06 N
ALTONA_WT_PWR 323606		33.71 -0.41 N	28.60 -0.17 N	17.54 -0.07 N	16.29 -0.08 N	6.56 0.00 N	4.21 -0.06 N	8.12 -0.21 N	18.99 -0.13 N	6.16 -0.07 N	13.48 -0.13 N	25.82 -0.34 N	30.27 -0.43 N	27.22 -0.44 N	19.68 -0.40 N	25.59 -0.46 N	26.92 -0.60 N	20.03 -0.45 N	7.53 -0.18 N	5.23 -0.12 N	6.80 -0.14 N	11.39 -0.26 N	6.31 -0.15 N	7.37 -0.18 N	-2.16 0.02 N
AMERICAN_REF_FUEL 24010		31.84 -2.28 N	26.69 -2.08 N	16.28 -1.33 N	15.17 -1.20 N	5.99 -0.58 N	4.03 -0.23 N	7.91 -0.43 N	17.66 -1.47 N	5.83 -0.40 N	12.86 -0.74 N	25.05 -1.11 N	30.04 -0.67 N	27.23 -0.43 N	20.14 0.05 N	25.90 -0.16 N	27.27 -0.25 N	20.08 -0.40 N	7.63 -0.08 N	5.37 0.01 N	6.97 0.02 N	11.50 -0.15 N	6.28 -0.17 N	7.30 -0.25 N	-2.08 0.11 N
ARTHUR_KILL_GT_1 23520		46.55 2.70 -9.72 N	31.07 2.29 0.00 N	18.91 1.31 0.00 N	17.49 1.12 0.00 N	7.03 0.47 0.00 N	4.54 0.28 0.00 N	8.96 0.62 0.00 N	20.70 1.58 0.00 N	6.81 0.58 0.00 N	14.76 1.15 0.00 N	28.52 2.36 0.00 N	33.40 2.69 0.00 N	30.14 2.48 0.00 N	21.86 1.77 0.00 N	28.28 2.22 0.00 N	30.05 2.53 0.00 N	22.39 1.91 0.00 N	8.43 0.72 0.00 N	5.84 0.49 0.00 N	7.56 0.62 0.00 N	12.77 1.12 0.00 N	7.74 0.65 -0.63 N	9.14 0.75 -0.84 N	-2.42 -0.23 0.00 N
ARTHUR_KILL_2 23512		46.55 2.70 -9.72 N	31.07 2.29 0.00 N	18.91 1.31 0.00 N	17.49 1.12 0.00 N	7.03 0.47 0.00 N	4.54 0.28 0.00 N	8.96 0.62 0.00 N	20.70 1.58 0.00 N	6.81 0.58 0.00 N	14.76 1.15 0.00 N	28.52 2.36 0.00 N	33.40 2.69 0.00 N	30.14 2.48 0.00 N	21.86 1.77 0.00 N	28.28 2.22 0.00 N	30.05 2.53 0.00 N	22.39 1.91 0.00 N	8.43 0.72 0.00 N	5.84 0.49 0.00 N	7.56 0.62 0.00 N	12.77 1.12 0.00 N	7.74 0.65 -0.63 N	9.14 0.75 -0.84 N	-2.42 -0.23 0.00 N
ARTHUR_KILL_3 23513		46.45 2.60 -9.72 N	31.00 2.22 0.00 N	18.89 1.28 0.00 N	17.47 1.09 0.00 N	7.01 0.45 0.00 N	4.54 0.27 0.00 N	8.95 0.61 0.00 N	20.66 1.54 0.00 N	6.80 0.57 0.00 N	14.73 1.13 0.00 N	28.45 2.28 0.00 N	33.38 2.68 0.00 N	30.14 2.48 0.00 N	21.90 1.81 0.00 N	28.34 2.28 0.00 N	30.08 2.56 0.00 N	22.40 1.92 0.00 N	8.44 0.73 0.00 N	5.85 0.50 0.00 N	7.59 0.65 0.00 N	12.81 1.16 0.00 N	7.76 0.67 -0.63 N	9.16 0.77 -0.84 N	-2.41 -0.22 0.00 N
ASHOKAN____ 23654		36.90 2.78 0.00 N	31.22 2.45 0.00 N	19.09 1.48 0.00 N	17.71 1.33 0.00 N	7.12 0.56 0.00 N	4.61 0.35 0.00 N	9.06 0.72 0.00 N	20.87 1.75 0.00 N	6.84 0.61 0.00 N	14.93 1.32 0.00 N	28.81 2.64 0.00 N	33.80 3.10 0.00 N	30.26 2.60 0.00 N	22.07 1.98 0.00 N	28.56 2.50 0.00 N	30.17 2.65 0.00 N	22.39 1.91 0.00 N	8.45 0.73 0.00 N	5.87 0.52 0.00 N	7.64 0.70 0.00 N	12.90 1.25 0.00 N	7.29 0.71 -0.12 N	8.52 0.81 -0.16 N	-2.43 -0.24 0.00 N
ASTORIA_EAST_ENERGY_CC1 323581		36.87 2.75 0.00 N	31.08 2.31 0.00 N	18.95 1.34 0.00 N	17.51 1.14 0.00 N	7.03 0.47 0.00 N	4.55 0.29 0.00 N	8.96 0.62 0.00 N	20.71 1.59 0.00 N	6.82 0.59 0.00 N	14.75 1.14 0.00 N	28.53 2.36 0.00 N	33.45 2.75 0.00 N	30.20 2.54 0.00 N	21.94 1.85 0.00 N	28.37 2.31 0.00 N	30.11 2.58 0.00 N	22.43 1.96 0.00 N	8.45 0.73 0.00 N	5.84 0.49 0.00 N	7.59 0.64 0.00 N	12.80 1.15 0.00 N	7.76 0.67 -0.63 N	9.16 0.77 -0.84 N	-2.43 -0.24 0.00 N
ASTORIA_EAST_ENERGY_CC2 323582		36.87 2.75 0.00 N	31.08 2.31 0.00 N	18.95 1.34 0.00 N	17.51 1.14 0.00 N	7.03 0.47 0.00 N	4.55 0.29 0.00 N	8.96 0.62 0.00 N	20.71 1.59 0.00 N	6.82 0.59 0.00 N	14.75 1.14 0.00 N	28.53 2.36 0.00 N	33.45 2.75 0.00 N	30.20 2.54 0.00 N	21.94 1.85 0.00 N	28.37 2.31 0.00 N	30.11 2.58 0.00 N	22.43 1.96 0.00 N	8.45 0.73 0.00 N	5.84 0.49 0.00 N	7.59 0.64 0.00 N	12.80 1.15 0.00 N	7.76 0.67 -0.63 N	9.16 0.77 -0.84 N	-2.43 -0.24 0.00 N
ASTORIA_GT2_1 24094		36.88 2.75 0.00 N	31.09 2.32 0.00 N	18.96 1.35 0.00 N	17.52 1.15 0.00 N	7.04 0.47 0.00 N	4.55 0.29 0.00 N	8.96 0.63 0.00 N	20.72 1.60 0.00 N	6.82 0.59 0.00 N	14.76 1.15 0.00 N	28.54 2.37 0.00 N	33.45 2.75 0.00 N	30.21 2.55 0.00 N	21.94 1.85 0.00 N	28.38 2.32 0.00 N	30.11 2.59 0.00 N	22.44 1.96 0.00 N	8.45 0.74 0.00 N	5.84 0.49 0.00 N	7.59 0.64 0.00 N	12.81 1.16 0.00 N	7.76 0.67 -0.63 N	9.17 0.77 -0.84 N	-2.43 -0.24 0.00 N

	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
ASTORIA_GT_12 24226	36.95	31.18	19.00	17.56	7.05	4.56	8.98	20.76	6.83	14.80	28.59	33.50	30.24	21.96	28.41	30.13	22.44	8.46	5.87	7.61	12.85	7.78	9.19	-2.43	
	2.82	2.41	1.40	1.19	0.49	0.30	0.65	1.64	0.61	1.20	2.42	2.80	2.58	1.87	2.35	2.61	1.96	0.74	0.51	0.67	1.21	0.70	0.80	-0.24	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.63	-0.84	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
ASTORIA_GT_13 24227	36.95	31.18	19.00	17.56	7.05	4.56	8.98	20.76	6.83	14.80	28.59	33.50	30.24	21.96	28.41	30.13	22.44	8.46	5.87	7.61	12.85	7.78	9.19	-2.43	
	2.82	2.41	1.40	1.19	0.49	0.30	0.65	1.64	0.61	1.20	2.42	2.80	2.58	1.87	2.35	2.61	1.96	0.74	0.51	0.67	1.21	0.70	0.80	-0.24	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.63	-0.84	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
ASTORIA_GT_5 24106	36.88	31.09	18.96	17.52	7.04	4.55	8.96	20.72	6.82	14.76	28.54	33.45	30.21	21.94	28.38	30.11	22.44	8.45	5.84	7.59	12.81	7.76	9.17	-2.43	
	2.75	2.32	1.35	1.15	0.47	0.29	0.63	1.60	0.59	1.15	2.37	2.75	2.55	1.85	2.32	2.59	1.96	0.74	0.49	0.64	1.16	0.67	0.77	-0.24	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.63	-0.84	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
ASTORIA_GT_7 24107	36.88	31.09	18.96	17.52	7.04	4.55	8.96	20.72	6.82	14.76	28.54	33.45	30.21	21.94	28.38	30.11	22.44	8.45	5.84	7.59	12.81	7.76	9.17	-2.43	
	2.75	2.32	1.35	1.15	0.47	0.29	0.63	1.60	0.59	1.15	2.37	2.75	2.55	1.85	2.32	2.59	1.96	0.74	0.49	0.64	1.16	0.67	0.77	-0.24	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.63	-0.84	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
ASTORIA_GT_8 24108	36.88	31.09	18.96	17.52	7.04	4.55	8.96	20.72	6.82	14.76	28.54	33.45	30.21	21.94	28.38	30.11	22.44	8.45	5.84	7.59	12.81	7.76	9.17	-2.43	
	2.75	2.32	1.35	1.15	0.47	0.29	0.63	1.60	0.59	1.15	2.37	2.75	2.55	1.85	2.32	2.59	1.96	0.74	0.49	0.64	1.16	0.67	0.77	-0.24	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.63	-0.84	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
ASTORIA___2 24149	36.88	31.09	18.96	17.52	7.04	4.55	8.96	20.72	6.82	14.76	28.54	33.45	30.21	21.94	28.38	30.11	22.44	8.45	5.84	7.59	12.81	7.76	9.17	-2.43	
	2.75	2.32	1.35	1.15	0.47	0.29	0.63	1.60	0.59	1.15	2.37	2.75	2.55	1.85	2.32	2.59	1.96	0.74	0.49	0.64	1.16	0.67	0.77	-0.24	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.63	-0.84	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
ASTORIA___3 23516	36.95	31.18	19.00	17.56	7.05	4.56	8.98	20.76	6.83	14.80	28.59	33.50	30.24	21.96	28.41	30.13	22.44	8.46	5.87	7.61	12.85	7.78	9.19	-2.43	
	2.82	2.41	1.40	1.19	0.49	0.30	0.65	1.64	0.61	1.20	2.42	2.80	2.58	1.87	2.35	2.61	1.96	0.74	0.51	0.67	1.21	0.70	0.80	-0.24	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.63	-0.84	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
ASTORIA___4 23517	36.88	31.09	18.96	17.52	7.04	4.55	8.96	20.72	6.82	14.76	28.54	33.45	30.21	21.94	28.38	30.11	22.44	8.45	5.84	7.59	12.81	7.76	9.17	-2.43	
	2.75	2.32	1.35	1.15	0.47	0.29	0.63	1.60	0.59	1.15	2.37	2.75	2.55	1.85	2.32	2.59	1.96	0.74	0.49	0.64	1.16	0.67	0.77	-0.24	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.63	-0.84	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
ASTORIA___5 23518	36.88	31.09	18.96	17.52	7.04	4.55	8.96	20.72	6.82	14.76	28.54	33.45	30.21	21.94	28.38	30.11	22.44	8.45	5.84	7.59	12.81	7.76	9.17	-2.43	
	2.75	2.32	1.35	1.15	0.47	0.29	0.63	1.60	0.59	1.15	2.37	2.75	2.55	1.85	2.32	2.59	1.96	0.74	0.49	0.64	1.16	0.67	0.77	-0.24	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.63	-0.84	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
AST_ENERGY_2_CC3 323677	36.78	31.05	18.93	17.50	7.03	4.55	8.96	20.69	6.80	14.75	28.48	33.42	30.16	21.92	28.34	30.07	22.39	8.44	5.85	7.60	12.83	7.77	9.17	-2.42	
	2.66	2.28	1.32	1.13	0.47	0.29	0.62	1.57	0.57	1.14	2.31	2.72	2.50	1.83	2.28	2.55	1.91	0.72	0.50	0.65	1.18	0.68	0.78	-0.23	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.63	-0.84	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
AST_ENERGY_2_CC4 323678	36.78	31.05	18.93	17.50	7.03	4.55	8.96	20.69	6.80	14.75	28.48	33.42	30.16	21.92	28.34	30.07	22.39	8.44	5.85	7.60	12.83	7.77	9.17	-2.42	
	2.66	2.28	1.32	1.13	0.47	0.29	0.62	1.57	0.57	1.14	2.31	2.72	2.50	1.83	2.28	2.55	1.91	0.72	0.50	0.65	1.18	0.68	0.78	-0.23	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.63	-0.84	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
ATHENS_STG_1 23668	35.36	29.89	18.30	16.98	6.83	4.42	8.66	19.89	6.51	14.16	27.28	31.95	28.84	20.96	27.15	28.70	21.36	8.06	5.59	7.25	12.21	6.51	7.57	-2.31	
	1.24	1.11	0.69	0.61	0.27	0.15	0.32	0.77	0.29	0.55	1.11	1.25	1.18	0.87	1.09	1.18	0.89	0.34	0.24	0.31	0.56	0.34	0.39	-0.12	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.37	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
ATHENS_STG_2 23670	35.36	29.89	18.30	16.98	6.83	4.42	8.66	19.89	6.51	14.16	27.28	31.95	28.84	20.96	27.15	28.70	21.36	8.06	5.59	7.25	12.21	6.51	7.57	-2.31	
	1.24	1.11	0.69	0.61	0.27	0.15	0.32	0.77	0.29	0.55	1.11	1.25	1.18	0.87	1.09	1.18	0.89	0.34	0.24	0.31	0.56	0.34	0.39	-0.12	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.37	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
ATHENS_STG_3	35.36	29.89	18.30	16.98	6.83	4.42	8.66	19.89	6.51	14.16	27.28	31.95	28.84	20.96	27.15	28.70	21.36	8.06	5.59	7.25	12.21	6.51	7.57	-2.31	

BARRETT___2 23546	37.24 3.12 0.00 N	31.37 2.60 0.00 N	19.19 1.57 0.00 N	17.74 1.37 0.00 N	7.13 0.57 0.00 N	4.61 0.34 0.00 N	9.08 0.74 0.00 N	21.01 1.89 0.00 N	6.90 0.68 0.00 N	14.84 1.23 0.00 N	28.82 2.65 0.00 N	33.64 2.93 0.00 N	30.41 2.75 0.00 N	22.09 2.00 0.00 N	28.57 2.52 0.00 N	30.32 2.79 0.00 N	22.54 2.06 0.00 N	8.43 0.72 0.00 N	5.81 0.46 0.00 N	7.52 0.58 0.00 N	12.72 1.07 0.00 N	7.74 0.65 -0.63 N	9.15 0.76 -0.84 N	-2.46 -0.27 0.00 N
BEACON___LESR 323632	35.45 1.33 0.00 N	30.05 1.28 0.00 N	18.41 0.80 0.00 N	17.06 0.69 0.00 N	6.88 0.32 0.00 N	4.44 0.18 0.00 N	8.70 0.36 0.00 N	19.88 0.76 0.00 N	6.47 0.24 0.00 N	14.16 0.55 0.00 N	27.25 1.08 0.00 N	31.73 1.03 0.00 N	28.61 0.96 0.00 N	20.85 0.76 0.00 N	27.05 0.99 0.00 N	28.50 0.98 0.00 N	21.17 0.69 0.00 N	7.99 0.28 0.00 N	5.54 0.19 0.00 N	7.17 0.23 0.00 N	12.12 0.47 0.00 N	6.76 0.30 0.00 N	7.91 0.36 0.00 N	-2.31 -0.11 0.00 N
BEAVER RIVER___HYD 24048	34.28 0.16 0.00 N	28.80 0.03 0.00 N	17.60 -0.01 0.00 N	16.35 -0.02 0.00 N	6.55 -0.01 0.00 N	4.26 0.00 0.00 N	8.25 -0.09 0.00 N	18.97 -0.15 0.00 N	6.23 0.00 0.00 N	13.73 0.13 0.00 N	26.36 0.19 0.00 N	31.09 0.39 0.00 N	27.91 0.25 0.00 N	20.33 0.24 0.00 N	26.35 0.29 0.00 N	27.89 0.37 0.00 N	20.72 0.24 0.00 N	7.77 0.06 0.00 N	5.38 0.03 0.00 N	7.01 0.06 0.00 N	11.78 0.13 0.00 N	6.57 0.11 0.00 N	7.68 0.13 0.00 N	-2.27 -0.08 0.00 N
BEEBEE_GT_13 23619	34.28 0.16 0.00 N	28.75 -0.02 0.00 N	17.53 -0.08 0.00 N	16.26 -0.11 0.00 N	6.45 -0.11 0.00 N	4.26 0.00 0.00 N	8.33 0.00 0.00 N	18.88 -0.24 0.00 N	6.22 -0.01 0.00 N	13.74 0.13 0.00 N	27.05 0.88 0.00 N	32.49 1.78 0.00 N	29.50 1.84 0.00 N	21.60 1.51 0.00 N	27.89 1.83 0.00 N	29.52 2.00 0.00 N	21.82 1.34 0.00 N	8.26 0.55 0.00 N	5.75 0.40 0.00 N	7.42 0.47 0.00 N	12.40 0.75 0.00 N	6.79 0.33 0.00 N	7.87 0.32 0.00 N	-2.26 0.00 0.00 N
BETHLEHEM___GRP 23843	34.98 0.86 0.00 N	29.67 0.90 0.00 N	18.22 0.61 0.00 N	16.92 0.55 0.00 N	6.81 0.25 0.00 N	4.40 0.14 0.00 N	8.59 0.25 0.00 N	19.55 0.43 0.00 N	6.38 0.15 0.00 N	13.91 0.31 0.00 N	26.66 0.49 0.00 N	31.02 0.31 0.00 N	28.11 0.46 0.00 N	20.51 0.42 0.00 N	26.57 0.51 0.00 N	28.03 0.51 0.00 N	20.84 0.36 0.00 N	7.87 0.15 0.00 N	5.46 0.11 0.00 N	7.06 0.11 0.00 N	11.89 0.24 0.00 N	6.63 0.17 0.00 N	7.78 0.23 0.00 N	-2.26 -0.07 0.00 N
BETHLEHEM___GS1 323560	34.98 0.86 0.00 N	29.67 0.90 0.00 N	18.22 0.61 0.00 N	16.92 0.55 0.00 N	6.81 0.25 0.00 N	4.40 0.14 0.00 N	8.59 0.25 0.00 N	19.55 0.43 0.00 N	6.38 0.15 0.00 N	13.91 0.31 0.00 N	26.66 0.49 0.00 N	31.02 0.31 0.00 N	28.11 0.46 0.00 N	20.51 0.42 0.00 N	26.57 0.51 0.00 N	28.03 0.51 0.00 N	20.84 0.36 0.00 N	7.87 0.15 0.00 N	5.46 0.11 0.00 N	7.06 0.11 0.00 N	11.89 0.24 0.00 N	6.63 0.17 0.00 N	7.78 0.23 0.00 N	-2.26 -0.07 0.00 N
BETHLEHEM___GS2 323561	34.98 0.86 0.00 N	29.67 0.90 0.00 N	18.22 0.61 0.00 N	16.92 0.55 0.00 N	6.81 0.25 0.00 N	4.40 0.14 0.00 N	8.59 0.25 0.00 N	19.55 0.43 0.00 N	6.38 0.15 0.00 N	13.91 0.31 0.00 N	26.66 0.49 0.00 N	31.02 0.31 0.00 N	28.11 0.46 0.00 N	20.51 0.42 0.00 N	26.57 0.51 0.00 N	28.03 0.51 0.00 N	20.84 0.36 0.00 N	7.87 0.15 0.00 N	5.46 0.11 0.00 N	7.06 0.11 0.00 N	11.89 0.24 0.00 N	6.63 0.17 0.00 N	7.78 0.23 0.00 N	-2.26 -0.07 0.00 N
BETHLEHEM___GS3 323562	34.98 0.86 0.00 N	29.67 0.90 0.00 N	18.22 0.61 0.00 N	16.92 0.55 0.00 N	6.81 0.25 0.00 N	4.40 0.14 0.00 N	8.59 0.25 0.00 N	19.55 0.43 0.00 N	6.38 0.15 0.00 N	13.91 0.31 0.00 N	26.66 0.49 0.00 N	31.02 0.31 0.00 N	28.11 0.46 0.00 N	20.51 0.42 0.00 N	26.57 0.51 0.00 N	28.03 0.51 0.00 N	20.84 0.36 0.00 N	7.87 0.15 0.00 N	5.46 0.11 0.00 N	7.06 0.11 0.00 N	11.89 0.24 0.00 N	6.63 0.17 0.00 N	7.78 0.23 0.00 N	-2.26 -0.07 0.00 N
BETHLEHEM___STEEL 23779	32.03 -2.09 0.00 N	26.87 -1.90 0.00 N	16.38 -1.23 0.00 N	15.28 -1.10 0.00 N	6.03 -0.53 0.00 N	4.05 -0.21 0.00 N	7.97 -0.37 0.00 N	17.85 -1.27 0.00 N	5.89 -0.33 0.00 N	12.99 -0.62 0.00 N	25.33 -0.83 0.00 N	30.32 -0.38 0.00 N	27.44 -0.21 0.00 N	20.26 0.17 0.00 N	26.10 0.04 0.00 N	27.61 0.09 0.00 N	20.36 -0.12 0.00 N	7.73 0.01 0.00 N	5.43 0.08 0.00 N	7.04 0.10 0.00 N	11.65 0.00 0.00 N	6.36 -0.10 0.00 N	7.37 -0.18 0.00 N	-2.09 0.10 0.00 N
BETHPAGE_CC_5 323564	37.31 3.19 0.00 N	31.39 2.62 0.00 N	19.18 1.57 0.00 N	17.74 1.37 0.00 N	7.12 0.56 0.00 N	4.61 0.35 0.00 N	9.09 0.75 0.00 N	21.03 1.91 0.00 N	6.89 0.66 0.00 N	14.89 1.28 0.00 N	28.91 2.74 0.00 N	33.77 3.07 0.00 N	30.49 2.83 0.00 N	22.18 2.09 0.00 N	28.68 2.62 0.00 N	30.42 2.91 0.00 N	22.59 2.11 0.00 N	8.45 0.74 0.00 N	5.81 0.47 0.00 N	7.53 0.59 0.00 N	12.75 1.10 0.00 N	7.77 0.68 -0.63 N	9.19 0.80 -0.84 N	-2.48 -0.29 0.00 N
BINGHAMTON___COGEN 23790	34.21 0.09 0.00 N	28.84 0.06 0.00 N	17.64 0.03 0.00 N	16.41 0.04 0.00 N	6.56 -0.01 0.00 N	4.28 0.02 0.00 N	8.44 0.11 0.00 N	19.36 0.23 0.00 N	6.34 0.11 0.00 N	13.84 0.23 0.00 N	26.79 0.62 0.00 N	31.58 0.88 0.00 N	28.42 0.77 0.00 N	20.71 0.62 0.00 N	26.89 0.83 0.00 N	28.60 1.08 0.00 N	21.26 0.78 0.00 N	8.01 0.30 0.00 N	5.59 0.24 0.00 N	7.23 0.28 0.00 N	12.12 0.47 0.00 N	6.69 0.21 -0.02 N	7.78 0.20 -0.03 N	-2.22 -0.03 0.00 N
BLACK RIVER___HYD 24047	34.61 0.49 0.00 N	29.09 0.32 0.00 N	17.75 0.15 0.00 N	16.49 0.11 0.00 N	6.60 0.03 0.00 N	4.31 0.05 0.00 N	8.37 0.04 0.00 N	19.23 0.10 0.00 N	6.33 0.10 0.00 N	13.98 0.38 0.00 N	26.94 0.77 0.00 N	31.86 1.16 0.00 N	28.60 0.94 0.00 N	20.92 0.83 0.00 N	27.12 1.06 0.00 N	28.72 1.20 0.00 N	21.28 0.81 0.00 N	7.99 0.27 0.00 N	5.52 0.17 0.00 N	7.21 0.26 0.00 N	12.15 0.50 0.00 N	6.81 0.35 0.00 N	7.91 0.36 0.00 N	-2.35 -0.16 0.00 N
BLISS_WT_PWR 323608	32.75 -1.37 0.00 N	27.29 -1.48 0.00 N	16.48 -1.13 0.00 N	15.47 -0.90 0.00 N	6.18 -0.39 0.00 N	4.07 -0.19 0.00 N	8.06 -0.27 0.00 N	18.04 -1.08 0.00 N	6.06 -0.17 0.00 N	13.28 -0.32 0.00 N	26.21 0.04 0.00 N	31.47 0.77 0.00 N	28.28 0.62 0.00 N	20.91 0.82 0.00 N	26.93 0.87 0.00 N	28.56 1.04 0.00 N	20.98 0.50 0.00 N	7.93 0.22 0.00 N	5.57 0.22 0.00 N	7.29 0.35 0.00 N	12.15 0.49 0.00 N	6.61 0.15 0.00 N	7.60 0.05 0.00 N	-2.13 0.06 0.00 N
BLUE_CIRC_CHEM_DRP 24182	35.03 0.91 0.00 N	29.65 0.88 0.00 N	18.18 0.57 0.00 N	16.89 0.52 0.00 N	6.80 0.24 0.00 N	4.39 0.13 0.00 N	8.57 0.23 0.00 N	19.62 0.50 0.00 N	6.41 0.18 0.00 N	13.94 0.33 0.00 N	26.79 0.62 0.00 N	31.31 0.60 0.00 N	28.27 0.61 0.00 N	20.58 0.49 0.00 N	26.68 0.62 0.00 N	28.17 0.65 0.00 N	20.95 0.47 0.00 N	7.90 0.19 0.00 N	5.48 0.13 0.00 N	7.10 0.16 0.00 N	11.97 0.32 0.00 N	6.66 0.20 0.00 N	7.80 0.25 0.00 N	-2.26 -0.07 0.00 N

	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
BOC_GAS_DRP 24189	34.98 0.86 0.00 N	29.58 0.81 0.00 N	18.14 0.53 0.00 N	16.85 0.48 0.00 N	6.78 0.22 0.00 N	4.38 0.12 0.00 N	8.57 0.23 0.00 N	19.62 0.50 0.00 N	6.41 0.18 0.00 N	13.94 0.33 0.00 N	26.78 0.61 0.00 N	31.29 0.59 0.00 N	28.30 0.64 0.00 N	20.59 0.50 0.00 N	26.68 0.63 0.00 N	28.18 0.66 0.00 N	20.97 0.49 0.00 N	7.91 0.20 0.00 N	5.49 0.14 0.00 N	7.11 0.17 0.00 N	11.96 0.31 0.00 N	6.62 0.20 0.00 N	7.75 0.25 0.00 N	-2.27 -0.08 0.00 N	
BORALEX_4TH_BRANCH 23824	35.43 1.31 0.00 N	30.06 1.29 0.00 N	18.43 0.82 0.00 N	17.08 0.71 0.00 N	6.88 0.31 0.00 N	4.45 0.19 0.00 N	8.73 0.40 0.00 N	20.05 0.93 0.00 N	6.55 0.32 0.00 N	14.29 0.68 0.00 N	27.38 1.21 0.00 N	32.04 1.34 0.00 N	28.87 1.22 0.00 N	20.92 0.83 0.00 N	27.14 1.08 0.00 N	28.48 0.96 0.00 N	21.14 0.66 0.00 N	8.01 0.29 0.00 N	5.56 0.21 0.00 N	7.19 0.25 0.00 N	12.13 0.48 0.00 N	6.82 0.31 -0.05 N	8.03 0.42 -0.07 N	-2.32 -0.13 0.00 N	
BOWLINE___1 23526	36.45 2.33 0.00 N	30.77 2.00 0.00 N	18.77 1.16 0.00 N	17.37 1.00 0.00 N	6.98 0.42 0.00 N	4.52 0.26 0.00 N	8.90 0.57 0.00 N	20.54 1.42 0.00 N	6.75 0.52 0.00 N	14.63 1.03 0.00 N	28.23 2.07 0.00 N	33.13 2.42 0.00 N	29.90 2.24 0.00 N	21.72 1.63 0.00 N	28.10 2.04 0.00 N	29.85 2.33 0.00 N	22.27 1.79 0.00 N	8.39 0.68 0.00 N	5.83 0.48 0.00 N	7.56 0.62 0.00 N	12.76 1.11 0.00 N	7.69 0.64 -0.60 N	9.07 0.73 -0.80 N	-2.41 -0.22 0.00 N	
BOWLINE___2 23595	36.45 2.33 0.00 N	30.77 2.00 0.00 N	18.77 1.16 0.00 N	17.37 1.00 0.00 N	6.98 0.42 0.00 N	4.52 0.26 0.00 N	8.90 0.56 0.00 N	20.54 1.42 0.00 N	6.75 0.52 0.00 N	14.63 1.03 0.00 N	28.23 2.07 0.00 N	33.13 2.42 0.00 N	29.90 2.24 0.00 N	21.72 1.63 0.00 N	28.10 2.04 0.00 N	29.85 2.33 0.00 N	22.27 1.79 0.00 N	8.39 0.68 0.00 N	5.83 0.48 0.00 N	7.56 0.62 0.00 N	12.76 1.11 0.00 N	7.69 0.64 -0.60 N	9.07 0.72 -0.80 N	-2.41 -0.22 0.00 N	
BROOKHAVEN___DRP 24191	36.83 2.71 0.00 N	30.95 2.18 0.00 N	18.94 1.33 0.00 N	17.50 1.13 0.00 N	7.03 0.47 0.00 N	4.55 0.29 0.00 N	8.98 0.64 0.00 N	20.80 1.68 0.00 N	6.82 0.59 0.00 N	14.84 1.23 0.00 N	29.01 2.85 0.00 N	33.97 3.27 0.00 N	30.71 3.05 0.00 N	22.34 2.25 0.00 N	28.90 2.84 0.00 N	30.64 3.12 0.00 N	22.72 2.24 0.00 N	8.48 0.76 0.00 N	5.80 0.44 0.00 N	7.50 0.55 0.00 N	12.71 1.06 0.00 N	7.74 0.66 -0.63 N	9.12 0.72 -0.84 N	-2.46 -0.28 0.00 N	
BROOKLYN_NAVY_YARD 23515	36.81 2.68 0.00 N	31.05 2.28 0.00 N	18.94 1.33 0.00 N	17.50 1.13 0.00 N	7.03 0.47 0.00 N	4.55 0.29 0.00 N	8.96 0.62 0.00 N	20.68 1.56 0.00 N	6.80 0.57 0.00 N	14.75 1.15 0.00 N	28.46 2.29 0.00 N	33.41 2.70 0.00 N	30.16 2.50 0.00 N	21.92 1.83 0.00 N	28.35 2.29 0.00 N	30.08 2.56 0.00 N	22.41 1.93 0.00 N	8.44 0.73 0.00 N	5.85 0.50 0.00 N	7.59 0.64 0.00 N	12.80 1.15 0.00 N	7.76 0.67 -0.63 N	9.17 0.77 -0.84 N	-2.42 -0.23 0.00 N	
BROOKLYN___ARMY_DRP 323595	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N	
BROOME___LFGE 323600	34.21 0.09 0.00 N	28.84 0.06 0.00 N	17.64 0.03 0.00 N	16.41 0.04 0.00 N	6.56 -0.01 0.00 N	4.28 0.02 0.00 N	8.44 0.11 0.00 N	19.36 0.23 0.00 N	6.34 0.11 0.00 N	13.84 0.23 0.00 N	26.79 0.62 0.00 N	31.58 0.88 0.00 N	28.42 0.77 0.00 N	20.71 0.62 0.00 N	26.89 0.83 0.00 N	28.60 1.08 0.00 N	21.26 0.78 0.00 N	8.01 0.30 0.00 N	5.59 0.24 0.00 N	7.23 0.28 0.00 N	12.12 0.47 0.00 N	6.69 0.21 -0.02 N	7.78 0.20 -0.03 N	-2.22 -0.03 0.00 N	
BURROWS___LYONSDAL 23803	34.33 0.21 0.00 N	28.89 0.11 0.00 N	17.65 0.05 0.00 N	16.40 0.03 0.00 N	6.57 0.01 0.00 N	4.27 0.01 0.00 N	8.33 0.00 0.00 N	19.13 0.02 0.00 N	6.27 0.05 0.00 N	13.80 0.19 0.00 N	26.56 0.40 0.00 N	31.29 0.59 0.00 N	28.10 0.45 0.00 N	20.49 0.39 0.00 N	26.55 0.49 0.00 N	28.08 0.56 0.00 N	20.84 0.37 0.00 N	7.84 0.13 0.00 N	5.44 0.09 0.00 N	7.07 0.13 0.00 N	11.88 0.23 0.00 N	6.59 0.14 0.00 N	7.69 0.14 0.00 N	-2.25 -0.06 0.00 N	
CAITHNESS_CC_1 323624	36.82 2.70 0.00 N	30.95 2.18 0.00 N	18.94 1.33 0.00 N	17.50 1.13 0.00 N	7.03 0.47 0.00 N	4.55 0.29 0.00 N	8.98 0.65 0.00 N	20.80 1.68 0.00 N	6.82 0.59 0.00 N	14.81 1.21 0.00 N	28.96 2.79 0.00 N	33.90 3.19 0.00 N	30.65 2.99 0.00 N	22.30 2.21 0.00 N	28.83 2.77 0.00 N	30.57 3.05 0.00 N	22.68 2.20 0.00 N	8.46 0.75 0.00 N	5.79 0.44 0.00 N	7.49 0.54 0.00 N	12.69 1.04 0.00 N	7.73 0.64 -0.63 N	9.11 0.72 -0.84 N	-2.46 -0.27 0.00 N	
CALPINE BETH_PAGE_GT4 24209	37.44 3.32 0.00 N	31.49 2.72 0.00 N	19.25 1.64 0.00 N	17.79 1.42 0.00 N	7.15 0.59 0.00 N	4.62 0.36 0.00 N	9.12 0.78 0.00 N	21.10 1.98 0.00 N	6.92 0.69 0.00 N	14.95 1.34 0.00 N	28.99 2.82 0.00 N	33.83 3.13 0.00 N	30.55 2.89 0.00 N	22.23 2.14 0.00 N	28.75 2.70 0.00 N	30.50 2.98 0.00 N	22.64 2.16 0.00 N	8.47 0.76 0.00 N	5.83 0.48 0.00 N	7.55 0.61 0.00 N	12.78 1.13 0.00 N	7.79 0.70 -0.63 N	9.23 0.84 -0.84 N	-2.49 -0.30 0.00 N	
CALPINE_BETH_PAGE_GT_4 323586	37.44 3.32 0.00 N	31.49 2.72 0.00 N	19.25 1.64 0.00 N	17.79 1.42 0.00 N	7.15 0.59 0.00 N	4.62 0.36 0.00 N	9.12 0.78 0.00 N	21.10 1.98 0.00 N	6.92 0.69 0.00 N	14.95 1.34 0.00 N	28.99 2.82 0.00 N	33.83 3.13 0.00 N	30.55 2.89 0.00 N	22.23 2.14 0.00 N	28.75 2.70 0.00 N	30.50 2.98 0.00 N	22.64 2.16 0.00 N	8.47 0.76 0.00 N	5.83 0.48 0.00 N	7.55 0.61 0.00 N	12.78 1.13 0.00 N	7.79 0.70 -0.63 N	9.23 0.84 -0.84 N	-2.49 -0.30 0.00 N	
CALPINE_BP_GT1 23823	37.44 3.32 0.00 N	31.49 2.72 0.00 N	19.25 1.64 0.00 N	17.79 1.42 0.00 N	7.15 0.59 0.00 N	4.62 0.36 0.00 N	9.12 0.78 0.00 N	21.10 1.98 0.00 N	6.92 0.69 0.00 N	14.95 1.34 0.00 N	28.99 2.82 0.00 N	33.83 3.13 0.00 N	30.55 2.89 0.00 N	22.23 2.14 0.00 N	28.75 2.70 0.00 N	30.50 2.98 0.00 N	22.64 2.16 0.00 N	8.47 0.76 0.00 N	5.83 0.48 0.00 N	7.55 0.61 0.00 N	12.78 1.13 0.00 N	7.79 0.70 -0.63 N	9.23 0.84 -0.84 N	-2.49 -0.30 0.00 N	
CALSPAN___DRP	32.03	26.87	16.38	15.28	6.03	4.05	7.97	17.85	5.89	12.99	25.33	30.32	27.44	20.26	26.10	27.61	20.36	7.73	5.43	7.04	11.65	6.36	7.37	-2.09	

24200	-2.09 0.00 N	-1.90 0.00 N	-1.23 0.00 N	-1.10 0.00 N	-0.53 0.00 N	-0.21 0.00 N	-0.37 0.00 N	-1.27 0.00 N	-0.33 0.00 N	-0.62 0.00 N	-0.83 0.00 N	-0.38 0.00 N	-0.21 0.00 N	0.17 0.00 N	0.04 0.00 N	0.09 0.00 N	-0.12 0.00 N	0.01 0.00 N	0.08 0.00 N	0.10 0.00 N	0.00 0.00 N	-0.10 0.00 N	-0.18 0.00 N	0.10 0.00 N
CANDIGU_WT_PWR 323617	33.34 -0.78 0.00 N	28.04 -0.73 0.00 N	17.08 -0.53 0.00 N	15.94 -0.43 0.00 N	6.33 -0.23 0.00 N	4.19 -0.07 0.00 N	8.28 -0.05 0.00 N	18.80 -0.32 0.00 N	6.20 -0.03 0.00 N	13.60 0.00 0.00 N	26.46 0.29 0.00 N	31.43 0.73 0.00 N	28.32 0.66 0.00 N	20.72 0.63 0.00 N	26.83 0.77 0.00 N	28.53 1.01 0.00 N	21.14 0.66 0.00 N	7.99 0.27 0.00 N	5.60 0.25 0.00 N	7.25 0.31 0.00 N	12.11 0.45 0.00 N	6.62 0.16 0.00 N	7.66 0.11 0.00 N	-2.17 0.02 0.00 N
CARR STREET_E_SYR 24060	33.92 -0.20 0.00 N	28.57 -0.20 0.00 N	17.47 -0.14 0.00 N	16.24 -0.13 0.00 N	6.50 -0.07 0.00 N	4.24 -0.03 0.00 N	8.30 -0.04 0.00 N	18.96 -0.16 0.00 N	6.21 -0.02 0.00 N	13.58 -0.02 0.00 N	26.26 0.09 0.00 N	30.98 0.27 0.00 N	27.91 0.25 0.00 N	20.37 0.28 0.00 N	26.42 0.36 0.00 N	27.96 0.44 0.00 N	20.75 0.27 0.00 N	7.83 0.11 0.00 N	5.44 0.09 0.00 N	7.05 0.11 0.00 N	11.82 0.17 0.00 N	6.52 0.06 0.00 N	7.60 0.05 0.00 N	-2.20 -0.01 0.00 N
CARTHAGE___PAPER 23857	34.50 0.38 0.00 N	28.99 0.22 0.00 N	17.70 0.09 0.00 N	16.44 0.07 0.00 N	6.58 0.02 0.00 N	4.29 0.03 0.00 N	8.32 -0.01 0.00 N	19.14 0.02 0.00 N	6.29 0.06 0.00 N	13.89 0.28 0.00 N	26.71 0.55 0.00 N	31.56 0.85 0.00 N	28.34 0.68 0.00 N	20.69 0.60 0.00 N	26.81 0.75 0.00 N	28.39 0.87 0.00 N	21.07 0.59 0.00 N	7.90 0.19 0.00 N	5.46 0.11 0.00 N	7.13 0.19 0.00 N	12.01 0.36 0.00 N	6.72 0.26 0.00 N	7.82 0.27 0.00 N	-2.32 -0.13 0.00 N
CE_DUNWOOD___DRP 24194	36.62 2.50 0.00 N	30.91 2.14 0.00 N	18.85 1.24 0.00 N	17.44 1.07 0.00 N	7.01 0.44 0.00 N	4.53 0.27 0.00 N	8.93 0.59 0.00 N	20.60 1.48 0.00 N	6.77 0.54 0.00 N	14.68 1.08 0.00 N	28.34 2.18 0.00 N	33.25 2.55 0.00 N	30.02 2.36 0.00 N	21.81 1.72 0.00 N	28.22 2.16 0.00 N	29.93 2.41 0.00 N	22.30 1.82 0.00 N	8.41 0.69 0.00 N	5.83 0.48 0.00 N	7.57 0.62 0.00 N	12.77 1.12 0.00 N	7.73 0.65 0.00 N	9.13 0.74 0.00 N	-2.41 -0.22 0.00 N
CE_MILLWOOD___DRP 24193	36.52 2.40 0.00 N	30.82 2.05 0.00 N	18.80 1.19 0.00 N	17.39 1.03 0.00 N	6.99 0.43 0.00 N	4.52 0.26 0.00 N	8.91 0.57 0.00 N	20.55 1.43 0.00 N	6.75 0.53 0.00 N	14.65 1.04 0.00 N	28.27 2.11 0.00 N	33.16 2.46 0.00 N	29.93 2.27 0.00 N	21.75 1.66 0.00 N	28.14 2.09 0.00 N	29.86 2.34 0.00 N	22.25 1.77 0.00 N	8.39 0.67 0.00 N	5.82 0.47 0.00 N	7.55 0.60 0.00 N	12.74 1.09 0.00 N	7.72 0.63 0.00 N	9.11 0.72 0.00 N	-2.40 -0.22 0.00 N
CE_NYC2_DRP 24202	36.96 2.83 0.00 N	31.19 2.42 0.00 N	19.01 1.40 0.00 N	17.56 1.19 0.00 N	7.05 0.49 0.00 N	4.56 0.30 0.00 N	8.99 0.66 0.00 N	20.77 1.65 0.00 N	6.83 0.61 0.00 N	14.81 1.20 0.00 N	28.61 2.44 0.00 N	33.52 2.81 0.00 N	30.26 2.60 0.00 N	21.97 1.88 0.00 N	28.42 2.36 0.00 N	30.14 2.62 0.00 N	22.45 1.97 0.00 N	8.46 0.75 0.00 N	5.87 0.52 0.00 N	7.62 0.68 0.00 N	12.86 1.21 0.00 N	7.79 0.70 0.00 N	9.19 0.80 0.00 N	-2.44 -0.25 0.00 N
CE_NYC_DRP 24195	36.85 2.73 0.00 N	31.11 2.33 0.00 N	18.97 1.36 0.00 N	17.53 1.16 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	8.98 0.64 0.00 N	20.72 1.60 0.00 N	6.82 0.59 0.00 N	14.78 1.17 0.00 N	28.54 2.38 0.00 N	33.50 2.80 0.00 N	30.24 2.58 0.00 N	21.97 1.88 0.00 N	28.42 2.36 0.00 N	30.15 2.63 0.00 N	22.46 1.98 0.00 N	8.46 0.75 0.00 N	5.87 0.52 0.00 N	7.61 0.67 0.00 N	12.85 1.21 0.00 N	7.79 0.70 0.00 N	9.19 0.80 0.00 N	-2.42 -0.23 0.00 N
CHAFFEE___LFGE 323603	32.71 -1.42 0.00 N	27.43 -1.34 0.00 N	16.69 -0.92 0.00 N	15.56 -0.81 0.00 N	6.15 -0.42 0.00 N	4.12 -0.14 0.00 N	8.12 -0.21 0.00 N	18.25 -0.87 0.00 N	6.04 -0.18 0.00 N	13.33 -0.28 0.00 N	26.06 -0.11 0.00 N	31.21 0.50 0.00 N	28.14 0.48 0.00 N	20.80 0.71 0.00 N	26.82 0.77 0.00 N	28.44 0.92 0.00 N	20.93 0.45 0.00 N	7.93 0.22 0.00 N	5.57 0.22 0.00 N	7.22 0.28 0.00 N	11.98 0.33 0.00 N	6.54 0.08 0.00 N	7.56 0.01 0.00 N	-2.14 0.05 0.00 N
CHATEAUG_WT_PWR 323614	33.52 -0.60 0.00 N	28.42 -0.35 0.00 N	17.42 -0.19 0.00 N	16.22 -0.15 0.00 N	6.54 -0.03 0.00 N	4.18 -0.08 0.00 N	8.08 -0.25 0.00 N	18.92 -0.20 0.00 N	6.14 -0.08 0.00 N	13.43 -0.17 0.00 N	25.70 -0.47 0.00 N	30.11 -0.59 0.00 N	27.07 -0.59 0.00 N	19.59 -0.50 0.00 N	25.45 -0.61 0.00 N	26.79 -0.73 0.00 N	19.94 -0.54 0.00 N	7.49 -0.23 0.00 N	5.20 -0.15 0.00 N	6.76 -0.19 0.00 N	11.32 -0.33 0.00 N	6.27 -0.18 0.00 N	7.33 -0.23 0.00 N	-2.15 0.04 0.00 N
CHAT_HIGH_FALL_HYD 323578	33.37 -0.75 0.00 N	28.25 -0.52 0.00 N	17.34 -0.27 0.00 N	16.13 -0.24 0.00 N	6.50 -0.06 0.00 N	4.17 -0.09 0.00 N	8.07 -0.27 0.00 N	18.84 -0.28 0.00 N	6.11 -0.12 0.00 N	13.35 -0.26 0.00 N	25.54 -0.63 0.00 N	29.94 -0.76 0.00 N	26.92 -0.74 0.00 N	19.46 -0.63 0.00 N	25.30 -0.76 0.00 N	26.61 -0.91 0.00 N	19.81 -0.67 0.00 N	7.43 -0.29 0.00 N	5.15 -0.20 0.00 N	6.70 -0.25 0.00 N	11.23 -0.42 0.00 N	6.22 -0.24 0.00 N	7.27 -0.28 0.00 N	-2.13 0.06 0.00 N
CHAUTAUQUA___LFGE 323629	31.68 -2.44 0.00 N	26.65 -2.12 0.00 N	16.26 -1.35 0.00 N	15.18 -1.19 0.00 N	5.99 -0.57 0.00 N	4.01 -0.25 0.00 N	7.96 -0.38 0.00 N	18.00 -1.12 0.00 N	5.94 -0.28 0.00 N	13.01 -0.60 0.00 N	25.38 -0.79 0.00 N	30.25 -0.45 0.00 N	27.23 -0.43 0.00 N	20.02 -0.07 0.00 N	25.92 -0.14 0.00 N	27.71 0.19 0.00 N	20.49 0.01 0.00 N	7.75 0.04 0.00 N	5.45 0.10 0.00 N	7.03 0.09 0.00 N	11.69 0.04 0.00 N	6.36 -0.10 0.00 N	7.35 -0.20 0.00 N	-2.06 0.12 0.00 N
CH_MIDHUDSON___DRP 24192	36.42 2.30 0.00 N	30.76 1.99 0.00 N	18.78 1.17 0.00 N	17.38 1.00 0.00 N	6.98 0.42 0.00 N	4.52 0.26 0.00 N	8.88 0.54 0.00 N	20.46 1.34 0.00 N	6.72 0.49 0.00 N	14.59 0.98 0.00 N	28.14 1.98 0.00 N	32.97 2.27 0.00 N	29.76 2.10 0.00 N	21.62 1.53 0.00 N	27.99 1.94 0.00 N	29.63 2.11 0.00 N	22.11 1.63 0.00 N	8.34 0.63 0.00 N	5.79 0.44 0.00 N	7.51 0.56 0.00 N	12.66 1.01 0.00 N	7.47 0.59 0.00 N	8.79 0.68 0.00 N	-2.39 -0.20 0.00 N
CH_MISC_IPPS 23765	36.63 2.51 0.00 N	30.97 2.20 0.00 N	18.89 1.28 0.00 N	17.48 1.11 0.00 N	7.02 0.46 0.00 N	4.54 0.28 0.00 N	8.91 0.58 0.00 N	20.50 1.38 0.00 N	6.73 0.50 0.00 N	14.60 1.00 0.00 N	28.11 1.95 0.00 N	32.83 2.13 0.00 N	29.64 1.98 0.00 N	21.63 1.54 0.00 N	28.01 1.95 0.00 N	29.57 2.05 0.00 N	22.12 1.64 0.00 N	8.36 0.64 0.00 N	5.80 0.45 0.00 N	7.52 0.58 0.00 N	12.69 1.04 0.00 N	7.53 0.61 0.00 N	8.86 0.70 0.00 N	-2.39 -0.20 0.00 N

CH_RES_BVR_FALLS 23983	33.60 -0.52 0.00 N	28.29 -0.48 0.00 N	17.32 -0.29 0.00 N	16.23 -0.14 0.00 N	6.46 -0.10 0.00 N	4.22 -0.04 0.00 N	8.27 -0.06 0.00 N	18.97 -0.15 0.00 N	6.18 -0.05 0.00 N	13.51 -0.10 0.00 N	25.92 -0.25 0.00 N	30.37 -0.33 0.00 N	27.36 -0.30 0.00 N	19.85 -0.24 0.00 N	25.76 -0.30 0.00 N	27.20 -0.32 0.00 N	20.22 -0.26 0.00 N	7.59 -0.12 0.00 N	5.26 -0.09 0.00 N	6.83 -0.12 0.00 N	11.43 -0.22 0.00 N	6.33 -0.13 0.00 N	7.39 -0.16 0.00 N	-2.15 0.04 0.00 N
CH_RES_NIAGARA 23895	31.81 -2.31 0.00 N	26.67 -2.10 0.00 N	16.27 -1.34 0.00 N	15.16 -1.21 0.00 N	5.98 -0.58 0.00 N	4.03 -0.23 0.00 N	7.90 -0.43 0.00 N	17.63 -1.49 0.00 N	5.82 -0.41 0.00 N	12.84 -0.76 0.00 N	25.00 -1.16 0.00 N	29.98 -0.72 0.00 N	27.18 -0.48 0.00 N	20.11 0.03 0.00 N	25.86 -0.21 0.00 N	27.20 -0.32 0.00 N	20.02 -0.46 0.00 N	7.61 -0.10 0.00 N	5.35 0.00 0.00 N	6.95 0.01 0.00 N	11.48 -0.17 0.00 N	6.27 -0.18 0.00 N	7.29 -0.26 0.00 N	-2.07 0.12 0.00 N
CH_RES_SYRACUSE 23985	33.99 -0.13 0.00 N	28.65 -0.12 0.00 N	17.52 -0.09 0.00 N	16.28 -0.09 0.00 N	6.51 -0.05 0.00 N	4.25 -0.01 0.00 N	8.32 -0.02 0.00 N	19.02 -0.10 0.00 N	6.22 0.00 0.00 N	13.62 0.02 0.00 N	26.32 0.16 0.00 N	31.04 0.34 0.00 N	27.92 0.26 0.00 N	20.42 0.32 0.00 N	26.47 0.41 0.00 N	28.00 0.48 0.00 N	20.75 0.27 0.00 N	7.83 0.11 0.00 N	5.44 0.09 0.00 N	7.05 0.11 0.00 N	11.84 0.19 0.00 N	6.53 0.07 0.00 N	7.61 0.06 0.00 N	-2.20 -0.01 0.00 N
CLINTON_WT_PWR 323605	33.52 -0.60 0.00 N	28.42 -0.35 0.00 N	17.42 -0.19 0.00 N	16.22 -0.15 0.00 N	6.54 -0.03 0.00 N	4.18 -0.08 0.00 N	8.08 -0.25 0.00 N	18.92 -0.20 0.00 N	6.14 -0.08 0.00 N	13.43 -0.17 0.00 N	25.70 -0.47 0.00 N	30.11 -0.59 0.00 N	27.07 -0.59 0.00 N	19.59 -0.50 0.00 N	25.45 -0.61 0.00 N	26.79 -0.73 0.00 N	19.94 -0.54 0.00 N	7.49 -0.23 0.00 N	5.20 -0.15 0.00 N	6.76 -0.19 0.00 N	11.32 -0.33 0.00 N	6.27 -0.18 0.00 N	7.33 -0.23 0.00 N	-2.15 0.04 0.00 N
CLINTON___LFGE 323618	33.85 -0.27 0.00 N	28.72 -0.05 0.00 N	17.61 0.00 0.00 N	16.36 -0.01 0.00 N	6.59 0.03 0.00 N	4.22 -0.04 0.00 N	8.14 -0.20 0.00 N	19.05 -0.07 0.00 N	6.19 -0.04 0.00 N	13.54 -0.07 0.00 N	25.95 -0.22 0.00 N	30.43 -0.28 0.00 N	27.36 -0.30 0.00 N	19.80 -0.28 0.00 N	25.76 -0.30 0.00 N	27.09 -0.43 0.00 N	20.13 -0.34 0.00 N	7.57 -0.14 0.00 N	5.26 -0.09 0.00 N	6.85 -0.10 0.00 N	11.47 -0.18 0.00 N	6.35 -0.11 0.00 N	7.41 -0.14 0.00 N	-2.18 0.01 0.00 N
COLONIE_LFGE___ 323577	35.30 1.18 0.00 N	29.94 1.17 0.00 N	18.35 0.74 0.00 N	17.02 0.65 0.00 N	6.85 0.29 0.00 N	4.43 0.17 0.00 N	8.67 0.33 0.00 N	19.85 0.73 0.00 N	6.49 0.26 0.00 N	14.20 0.59 0.00 N	27.22 1.05 0.00 N	31.82 1.12 0.00 N	28.73 1.07 0.00 N	20.87 0.78 0.00 N	27.04 0.98 0.00 N	28.45 0.93 0.00 N	21.13 0.65 0.00 N	8.00 0.29 0.00 N	5.55 0.20 0.00 N	7.18 0.23 0.00 N	12.09 0.44 0.00 N	6.76 0.28 -0.02 N	7.95 0.37 -0.03 N	-2.31 -0.12 0.00 N
CORNELL____ 23752	34.23 0.11 0.00 N	28.87 0.09 0.00 N	17.65 0.05 0.00 N	16.41 0.04 0.00 N	6.55 -0.01 0.00 N	4.28 0.02 0.00 N	8.41 0.07 0.00 N	19.26 0.13 0.00 N	6.32 0.09 0.00 N	13.84 0.24 0.00 N	26.78 0.62 0.00 N	31.61 0.91 0.00 N	28.45 0.79 0.00 N	20.83 0.74 0.00 N	27.00 0.94 0.00 N	28.59 1.07 0.00 N	21.20 0.72 0.00 N	7.99 0.28 0.00 N	5.56 0.21 0.00 N	7.20 0.26 0.00 N	12.07 0.42 0.00 N	6.65 0.19 0.00 N	7.73 0.18 0.00 N	-2.24 -0.05 0.00 N
COXSACKIE___GT 23611	36.59 2.47 0.00 N	30.92 2.15 0.00 N	18.90 1.29 0.00 N	17.53 1.16 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	8.95 0.61 0.00 N	20.58 1.45 0.00 N	6.74 0.51 0.00 N	14.68 1.08 0.00 N	28.30 2.14 0.00 N	33.15 2.44 0.00 N	29.75 2.09 0.00 N	21.71 1.61 0.00 N	28.14 2.08 0.00 N	29.72 2.20 0.00 N	22.07 1.59 0.00 N	8.33 0.62 0.00 N	5.79 0.44 0.00 N	7.52 0.57 0.00 N	12.67 1.02 0.00 N	7.17 0.59 -0.12 N	8.40 0.69 -0.17 N	-2.39 -0.20 0.00 N
CRESCENT___HYD 24018	35.30 1.18 0.00 N	29.94 1.17 0.00 N	18.35 0.74 0.00 N	17.02 0.65 0.00 N	6.85 0.29 0.00 N	4.43 0.17 0.00 N	8.67 0.33 0.00 N	19.85 0.73 0.00 N	6.49 0.26 0.00 N	14.20 0.59 0.00 N	27.22 1.05 0.00 N	31.82 1.12 0.00 N	28.73 1.07 0.00 N	20.87 0.78 0.00 N	27.04 0.98 0.00 N	28.45 0.93 0.00 N	21.13 0.65 0.00 N	8.00 0.29 0.00 N	5.55 0.20 0.00 N	7.18 0.23 0.00 N	12.09 0.44 -0.02 N	6.76 0.28 -0.02 N	7.95 0.37 -0.03 N	-2.31 -0.12 0.00 N
CRUCIBLE_METL_DRP 24180	33.99 -0.13 0.00 N	28.65 -0.12 0.00 N	17.52 -0.09 0.00 N	16.28 -0.09 0.00 N	6.51 -0.05 0.00 N	4.25 -0.01 0.00 N	8.32 -0.02 0.00 N	19.02 -0.10 0.00 N	6.22 0.00 0.00 N	13.62 0.02 0.00 N	26.32 0.16 0.00 N	31.04 0.34 0.00 N	27.92 0.26 0.00 N	20.42 0.32 0.00 N	26.47 0.41 0.00 N	28.00 0.48 0.00 N	20.75 0.27 0.00 N	7.83 0.11 0.00 N	5.44 0.09 0.00 N	7.05 0.11 0.00 N	11.84 0.19 0.00 N	6.53 0.07 0.00 N	7.61 0.06 0.00 N	-2.20 -0.01 0.00 N
DANC___LFGE 323619	34.61 0.49 0.00 N	29.09 0.32 0.00 N	17.75 0.15 0.00 N	16.49 0.11 0.00 N	6.60 0.03 0.00 N	4.31 0.05 0.00 N	8.37 0.04 0.00 N	19.23 0.10 0.00 N	6.33 0.10 0.00 N	13.98 0.38 0.00 N	26.94 0.77 0.00 N	31.86 1.16 0.00 N	28.60 0.94 0.00 N	20.92 0.83 0.00 N	27.12 1.06 0.00 N	28.72 1.20 0.00 N	21.28 0.81 0.00 N	7.99 0.27 0.00 N	5.52 0.17 0.00 N	7.21 0.26 0.00 N	12.15 0.50 0.00 N	6.81 0.35 0.00 N	7.91 0.36 0.00 N	-2.35 -0.16 0.00 N
DANSKAMMER___1 23586	36.63 2.51 0.00 N	30.97 2.20 0.00 N	18.89 1.28 0.00 N	17.48 1.11 0.00 N	7.02 0.46 0.00 N	4.54 0.28 0.00 N	8.91 0.58 0.00 N	20.50 1.38 0.00 N	6.73 0.50 0.00 N	14.60 1.00 0.00 N	28.11 1.95 0.00 N	32.83 2.13 0.00 N	29.64 1.98 0.00 N	21.63 1.54 0.00 N	28.01 1.95 0.00 N	29.57 2.05 0.00 N	22.12 1.64 0.00 N	8.36 0.64 0.00 N	5.80 0.45 0.00 N	7.52 0.58 0.00 N	12.69 1.04 0.00 N	7.53 0.61 -0.46 N	8.86 0.70 -0.62 N	-2.39 -0.20 0.00 N
DANSKAMMER___2 23589	36.63 2.51 0.00 N	30.97 2.20 0.00 N	18.89 1.28 0.00 N	17.48 1.11 0.00 N	7.02 0.46 0.00 N	4.54 0.28 0.00 N	8.91 0.58 0.00 N	20.50 1.38 0.00 N	6.73 0.50 0.00 N	14.60 1.00 0.00 N	28.11 1.95 0.00 N	32.83 2.13 0.00 N	29.64 1.98 0.00 N	21.63 1.54 0.00 N	28.01 1.95 0.00 N	29.57 2.05 0.00 N	22.12 1.64 0.00 N	8.36 0.64 0.00 N	5.80 0.45 0.00 N	7.52 0.58 0.00 N	12.69 1.04 0.00 N	7.53 0.61 -0.46 N	8.86 0.70 -0.62 N	-2.39 -0.20 0.00 N
DANSKAMMER___3 23590	36.63 2.51 0.00 N	30.97 2.20 0.00 N	18.89 1.28 0.00 N	17.48 1.11 0.00 N	7.02 0.46 0.00 N	4.54 0.28 0.00 N	8.91 0.58 0.00 N	20.50 1.38 0.00 N	6.73 0.50 0.00 N	14.60 1.00 0.00 N	28.11 1.95 0.00 N	32.83 2.13 0.00 N	29.64 1.98 0.00 N	21.63 1.54 0.00 N	28.01 1.95 0.00 N	29.57 2.05 0.00 N	22.12 1.64 0.00 N	8.36 0.64 0.00 N	5.80 0.45 0.00 N	7.52 0.58 0.00 N	12.69 1.04 0.00 N	7.53 0.61 -0.46 N	8.86 0.70 -0.62 N	-2.39 -0.20 0.00 N

	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
DANSKAMMER___4 23591	36.63 2.51 0.00 N	30.97 2.20 0.00 N	18.89 1.28 0.00 N	17.48 1.11 0.00 N	7.02 0.46 0.00 N	4.54 0.28 0.00 N	8.91 0.58 0.00 N	20.50 1.38 0.00 N	6.73 0.50 0.00 N	14.60 1.00 0.00 N	28.11 1.95 0.00 N	32.83 2.13 0.00 N	29.64 1.98 0.00 N	21.63 1.54 0.00 N	28.01 1.95 0.00 N	29.57 2.05 0.00 N	22.12 1.64 0.00 N	8.36 0.64 0.00 N	5.80 0.45 0.00 N	7.52 0.58 0.00 N	12.69 1.04 0.00 N	7.53 0.61 0.00 N	8.86 0.70 -0.46 N	-2.39 -0.20 0.00 N	
DANSKAMMER___DIESEL 23592	36.63 2.51 0.00 N	30.97 2.20 0.00 N	18.89 1.28 0.00 N	17.48 1.11 0.00 N	7.02 0.46 0.00 N	4.54 0.28 0.00 N	8.91 0.58 0.00 N	20.50 1.38 0.00 N	6.73 0.50 0.00 N	14.60 1.00 0.00 N	28.11 1.95 0.00 N	32.83 2.13 0.00 N	29.64 1.98 0.00 N	21.63 1.54 0.00 N	28.01 1.95 0.00 N	29.57 2.05 0.00 N	22.12 1.64 0.00 N	8.36 0.64 0.00 N	5.80 0.45 0.00 N	7.52 0.58 0.00 N	12.69 1.04 0.00 N	7.53 0.61 -0.46 N	8.86 0.70 -0.62 N	-2.39 -0.20 0.00 N	
DASHVILLE___HYD 23610	35.97 1.85 0.00 N	30.39 1.62 0.00 N	18.54 0.93 0.00 N	17.15 0.78 0.00 N	6.89 0.33 0.00 N	4.45 0.19 0.00 N	8.74 0.40 0.00 N	20.13 1.01 0.00 N	6.62 0.40 0.00 N	14.39 0.78 0.00 N	27.78 1.61 0.00 N	32.60 1.90 0.00 N	29.33 1.67 0.00 N	21.32 1.23 0.00 N	27.58 1.52 0.00 N	29.17 1.65 0.00 N	21.75 1.27 0.00 N	8.21 0.50 0.00 N	5.69 0.34 0.00 N	7.39 0.44 0.00 N	12.47 0.81 0.00 N	7.15 0.48 -0.21 N	8.38 0.55 -0.28 N	-2.36 -0.17 0.00 N	
DELAWARE___LFGE 323621	35.08 0.96 0.00 N	29.59 0.82 0.00 N	18.11 0.50 0.00 N	16.84 0.47 0.00 N	6.76 0.20 0.00 N	4.38 0.12 0.00 N	8.60 0.27 0.00 N	19.77 0.65 0.00 N	6.48 0.25 0.00 N	14.12 0.52 0.00 N	27.28 1.11 0.00 N	32.06 1.36 0.00 N	28.87 1.22 0.00 N	21.01 0.92 0.00 N	27.23 1.17 0.00 N	28.85 1.33 0.00 N	21.46 0.98 0.00 N	8.09 0.37 0.00 N	5.62 0.27 0.00 N	7.29 0.34 0.00 N	12.24 0.59 0.00 N	6.81 0.32 -0.03 N	7.94 0.35 -0.04 N	-2.29 -0.10 0.00 N	
DOGLEVILLE___HYD 23807	35.17 1.05 0.00 N	29.83 1.06 0.00 N	18.27 0.66 0.00 N	16.96 0.58 0.00 N	6.79 0.23 0.00 N	4.41 0.15 0.00 N	8.65 0.32 0.00 N	19.81 0.69 0.00 N	6.47 0.25 0.00 N	14.14 0.54 0.00 N	27.31 1.14 0.00 N	32.01 1.31 0.00 N	28.71 1.06 0.00 N	20.98 0.89 0.00 N	27.20 1.14 0.00 N	28.68 1.16 0.00 N	21.18 0.71 0.00 N	8.00 0.29 0.00 N	5.56 0.20 0.00 N	7.19 0.25 0.00 N	12.12 0.47 0.00 N	6.75 0.30 0.00 N	7.91 0.36 0.00 N	-2.30 -0.11 0.00 N	
DUNKIRK___1 23563	31.51 -2.61 0.00 N	26.49 -2.28 0.00 N	16.17 -1.44 0.00 N	15.11 -1.26 0.00 N	5.96 -0.60 0.00 N	3.99 -0.27 0.00 N	7.92 -0.42 0.00 N	17.91 -1.21 0.00 N	5.91 -0.32 0.00 N	12.93 -0.67 0.00 N	25.22 -0.95 0.00 N	30.06 -0.65 0.00 N	27.08 -0.58 0.00 N	19.89 -0.20 0.00 N	25.75 -0.31 0.00 N	27.52 0.00 0.00 N	20.38 -0.10 0.00 N	7.71 -0.01 0.00 N	5.42 0.07 0.00 N	7.00 0.05 0.00 N	11.62 -0.03 0.00 N	6.32 -0.13 0.00 N	7.30 -0.25 0.00 N	-2.05 0.14 0.00 N	
DUNKIRK___2 23564	31.51 -2.61 0.00 N	26.49 -2.28 0.00 N	16.17 -1.44 0.00 N	15.11 -1.26 0.00 N	5.96 -0.60 0.00 N	3.99 -0.27 0.00 N	7.92 -0.42 0.00 N	17.91 -1.21 0.00 N	5.91 -0.32 0.00 N	12.93 -0.67 0.00 N	25.22 -0.95 0.00 N	30.06 -0.65 0.00 N	27.08 -0.58 0.00 N	19.89 -0.20 0.00 N	25.75 -0.31 0.00 N	27.52 0.00 0.00 N	20.38 -0.10 0.00 N	7.71 -0.01 0.00 N	5.42 0.07 0.00 N	7.00 0.05 0.00 N	11.62 -0.03 0.00 N	6.32 -0.13 0.00 N	7.30 -0.25 0.00 N	-2.05 0.14 0.00 N	
DUNKIRK___3 23565	31.69 -2.43 0.00 N	26.65 -2.13 0.00 N	16.27 -1.34 0.00 N	15.19 -1.18 0.00 N	6.00 -0.56 0.00 N	4.01 -0.25 0.00 N	7.96 -0.37 0.00 N	17.98 -1.14 0.00 N	5.93 -0.30 0.00 N	12.98 -0.63 0.00 N	25.30 -0.87 0.00 N	30.16 -0.54 0.00 N	27.18 -0.48 0.00 N	19.97 -0.12 0.00 N	25.84 -0.22 0.00 N	27.58 0.06 0.00 N	20.41 -0.07 0.00 N	7.72 0.01 0.00 N	5.43 0.08 0.00 N	7.01 0.07 0.00 N	11.65 0.00 0.00 N	6.34 -0.12 0.00 N	7.33 -0.22 0.00 N	-2.06 0.13 0.00 N	
DUNKIRK___4 23566	31.69 -2.43 0.00 N	26.65 -2.13 0.00 N	16.27 -1.34 0.00 N	15.19 -1.18 0.00 N	6.00 -0.56 0.00 N	4.01 -0.25 0.00 N	7.96 -0.37 0.00 N	17.98 -1.14 0.00 N	5.93 -0.30 0.00 N	12.98 -0.63 0.00 N	25.30 -0.87 0.00 N	30.16 -0.54 0.00 N	27.18 -0.48 0.00 N	19.97 -0.12 0.00 N	25.84 -0.22 0.00 N	27.58 0.06 0.00 N	20.41 -0.07 0.00 N	7.72 0.01 0.00 N	5.43 0.08 0.00 N	7.01 0.07 0.00 N	11.65 0.00 0.00 N	6.34 -0.12 0.00 N	7.33 -0.22 0.00 N	-2.06 0.13 0.00 N	
EAST HAMPTON___GT 23717	40.33 6.21 0.00 N	33.58 4.80 0.00 N	20.39 2.78 0.00 N	18.79 2.42 0.00 N	7.54 0.98 0.00 N	4.87 0.61 0.00 N	9.63 1.29 0.00 N	22.40 3.28 0.00 N	7.43 1.20 0.00 N	16.51 2.91 0.00 N	32.43 6.26 0.00 N	38.38 7.68 0.00 N	34.75 7.09 0.00 N	25.24 5.15 0.00 N	32.64 6.58 0.00 N	34.64 7.12 0.00 N	25.69 5.21 0.00 N	9.57 1.86 0.00 N	6.55 1.20 0.00 N	8.44 1.50 0.00 N	14.30 2.65 0.00 N	8.62 1.53 -0.63 N	10.10 1.70 -0.84 N	-2.79 -0.59 0.00 N	
EAST RIVER___6 23660	36.85 2.73 0.00 N	31.11 2.33 0.00 N	18.96 1.35 0.00 N	17.53 1.16 0.00 N	7.04 0.48 0.00 N	4.56 0.30 0.00 N	8.98 0.64 0.00 N	20.73 1.61 0.00 N	6.82 0.59 0.00 N	14.77 1.17 0.00 N	28.55 2.38 0.00 N	33.51 2.80 0.00 N	30.24 2.58 0.00 N	21.97 1.88 0.00 N	28.41 2.35 0.00 N	30.14 2.62 0.00 N	22.45 1.97 0.00 N	8.46 0.75 0.00 N	5.87 0.51 0.00 N	7.61 0.67 0.00 N	12.85 1.20 0.00 N	7.78 0.70 -0.63 N	9.19 0.79 -0.84 N	-2.42 -0.23 0.00 N	
EAST RIVER___7 23524	36.85 2.73 0.00 N	31.11 2.33 0.00 N	18.96 1.35 0.00 N	17.53 1.16 0.00 N	7.04 0.48 0.00 N	4.56 0.30 0.00 N	8.98 0.64 0.00 N	20.73 1.61 0.00 N	6.82 0.59 0.00 N	14.77 1.17 0.00 N	28.55 2.38 0.00 N	33.51 2.80 0.00 N	30.24 2.58 0.00 N	21.97 1.88 0.00 N	28.41 2.35 0.00 N	30.14 2.62 0.00 N	22.45 1.97 0.00 N	8.46 0.75 0.00 N	5.87 0.51 0.00 N	7.61 0.67 0.00 N	12.85 1.20 0.00 N	7.78 0.70 -0.63 N	9.19 0.79 -0.84 N	-2.42 -0.23 0.00 N	
EAST_HAMPTON___DIESEL 23722	40.33 6.21 0.00 N	33.58 4.80 0.00 N	20.39 2.78 0.00 N	18.79 2.42 0.00 N	7.54 0.98 0.00 N	4.87 0.61 0.00 N	9.63 1.29 0.00 N	22.40 3.28 0.00 N	7.43 1.20 0.00 N	16.51 2.91 0.00 N	32.43 6.26 0.00 N	38.38 7.68 0.00 N	34.75 7.09 0.00 N	25.24 5.15 0.00 N	32.64 6.58 0.00 N	34.64 7.12 0.00 N	25.69 5.21 0.00 N	9.57 1.86 0.00 N	6.55 1.20 0.00 N	8.44 1.50 0.00 N	14.30 2.65 0.00 N	8.62 1.53 -0.63 N	10.10 1.70 -0.84 N	-2.79 -0.59 0.00 N	
EAST_RIVER___1	36.85	31.11	18.97	17.53	7.05	4.56	8.98	20.72	6.82	14.78	28.54	33.50	30.24	21.97	28.42	30.15	22.46	8.46	5.87	7.61	12.85	7.79	9.19	-2.42	

323558	2.73 0.00 N	2.33 0.00 N	1.36 0.00 N	1.16 0.00 N	0.48 0.00 N	0.30 0.00 N	0.64 0.00 N	1.60 0.00 N	0.59 0.00 N	1.17 0.00 N	2.38 0.00 N	2.80 0.00 N	2.58 0.00 N	1.88 0.00 N	2.36 0.00 N	2.63 0.00 N	1.98 0.00 N	0.75 0.00 N	0.52 0.00 N	0.67 0.00 N	1.21 0.00 N	0.70 -0.63 N	0.80 -0.84 N	-0.23 0.00 N
EAST_RIVER___2 323559	36.85 2.73 0.00 N	31.11 2.33 0.00 N	18.96 1.35 0.00 N	17.53 1.16 0.00 N	7.04 0.48 0.00 N	4.56 0.30 0.00 N	8.98 0.64 0.00 N	20.73 1.61 0.00 N	6.82 0.59 0.00 N	14.77 1.17 0.00 N	28.55 2.38 0.00 N	33.51 2.80 0.00 N	30.24 2.58 0.00 N	21.97 1.88 0.00 N	28.41 2.35 0.00 N	30.14 2.62 0.00 N	22.45 1.97 0.00 N	8.46 0.75 0.00 N	5.87 0.51 0.00 N	7.61 0.67 0.00 N	12.85 1.20 0.00 N	7.78 0.70 -0.63 N	9.19 0.79 -0.84 N	-2.42 -0.23 0.00 N
EAST___DELAWARE_HYD 23607	35.03 0.91 0.00 N	29.50 0.73 0.00 N	17.99 0.38 0.00 N	16.66 0.29 0.00 N	6.69 0.13 0.00 N	4.33 0.07 0.00 N	8.51 0.17 0.00 N	19.61 0.48 0.00 N	6.43 0.20 0.00 N	14.02 0.41 0.00 N	27.89 1.73 0.00 N	33.04 2.34 0.00 N	29.70 2.04 0.00 N	21.59 1.50 0.00 N	27.94 1.88 0.00 N	29.60 2.09 0.00 N	22.00 1.52 0.00 N	8.29 0.58 0.00 N	5.76 0.41 0.00 N	7.48 0.54 0.00 N	12.61 0.96 0.00 N	7.32 0.55 -0.32 N	8.59 0.62 -0.42 N	-2.38 -0.19 0.00 N
ELEC_TRO_TEK 24086	37.07 2.95 0.00 N	31.23 2.45 0.00 N	19.08 1.47 0.00 N	17.64 1.27 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.04 0.70 0.00 N	20.88 1.76 0.00 N	6.86 0.63 0.00 N	14.83 1.23 0.00 N	28.78 2.62 0.00 N	33.69 2.99 0.00 N	30.42 2.76 0.00 N	22.09 2.00 0.00 N	28.59 2.53 0.00 N	30.33 2.81 0.00 N	22.55 2.07 0.00 N	8.46 0.74 0.00 N	5.83 0.48 0.00 N	7.56 0.61 0.00 N	12.77 1.12 0.00 N	7.76 0.68 -0.63 N	9.16 0.77 -0.84 N	-2.46 -0.27 0.00 N
ELLENBURG_WT_PWR 323604	33.52 -0.60 0.00 N	28.42 -0.35 0.00 N	17.42 -0.19 0.00 N	16.22 -0.15 0.00 N	6.54 -0.03 0.00 N	4.18 -0.08 0.00 N	8.08 -0.25 0.00 N	18.92 -0.20 0.00 N	6.14 -0.08 0.00 N	13.43 -0.17 0.00 N	25.70 -0.47 0.00 N	30.11 -0.59 0.00 N	27.07 -0.59 0.00 N	19.59 -0.50 0.00 N	25.45 -0.61 0.00 N	26.79 -0.73 0.00 N	19.94 -0.54 0.00 N	7.49 -0.23 0.00 N	5.20 -0.15 0.00 N	6.76 -0.19 0.00 N	11.32 -0.33 0.00 N	6.27 -0.18 0.00 N	7.33 -0.23 0.00 N	-2.15 0.04 0.00 N
EMPIRE_CC_1 323656	34.86 0.73 0.00 N	29.53 0.76 0.00 N	18.11 0.50 0.00 N	16.86 0.49 0.00 N	6.78 0.22 0.00 N	4.39 0.13 0.00 N	8.59 0.26 0.00 N	19.63 0.50 0.00 N	6.40 0.17 0.00 N	13.97 0.36 0.00 N	26.80 0.64 0.00 N	31.35 0.64 0.00 N	28.30 0.64 0.00 N	20.55 0.45 0.00 N	26.65 0.59 0.00 N	28.06 0.54 0.00 N	20.87 0.39 0.00 N	7.89 0.17 0.00 N	5.47 0.11 0.00 N	7.07 0.13 0.00 N	11.90 0.25 0.00 N	6.63 0.17 0.00 N	7.80 0.25 0.00 N	-2.29 -0.10 0.00 N
EMPIRE_CC_2 323658	34.86 0.73 0.00 N	29.53 0.76 0.00 N	18.11 0.50 0.00 N	16.86 0.49 0.00 N	6.78 0.22 0.00 N	4.39 0.13 0.00 N	8.59 0.26 0.00 N	19.63 0.50 0.00 N	6.40 0.17 0.00 N	13.97 0.36 0.00 N	26.80 0.64 0.00 N	31.35 0.64 0.00 N	28.30 0.64 0.00 N	20.55 0.45 0.00 N	26.65 0.59 0.00 N	28.06 0.54 0.00 N	20.87 0.39 0.00 N	7.89 0.17 0.00 N	5.47 0.11 0.00 N	7.07 0.13 0.00 N	11.90 0.25 0.00 N	6.63 0.17 0.00 N	7.80 0.25 0.00 N	-2.29 -0.10 0.00 N
E_CANADA_CAP_HY 24051	35.04 0.92 0.00 N	29.52 0.75 0.00 N	18.01 0.41 0.00 N	16.80 0.43 0.00 N	6.74 0.17 0.00 N	4.37 0.11 0.00 N	8.56 0.22 0.00 N	19.74 0.62 0.00 N	6.47 0.24 0.00 N	14.25 0.65 0.00 N	27.48 1.31 0.00 N	32.41 1.71 0.00 N	29.07 1.41 0.00 N	21.26 1.17 0.00 N	27.53 1.47 0.00 N	29.07 1.55 0.00 N	21.58 1.10 0.00 N	8.12 0.41 0.00 N	5.63 0.27 0.00 N	7.30 0.35 0.00 N	12.24 0.59 0.00 N	6.75 0.29 0.00 N	7.87 0.32 0.00 N	-2.30 -0.11 0.00 N
E_CANADA_MHWK_HY 24050	35.17 1.05 0.00 N	29.83 1.06 0.00 N	18.27 0.66 0.00 N	16.96 0.58 0.00 N	6.79 0.23 0.00 N	4.41 0.15 0.00 N	8.65 0.32 0.00 N	19.81 0.69 0.00 N	6.47 0.25 0.00 N	14.14 0.54 0.00 N	27.31 1.14 0.00 N	32.01 1.31 0.00 N	28.71 1.06 0.00 N	20.98 0.89 0.00 N	27.20 1.14 0.00 N	28.68 1.16 0.00 N	21.18 0.71 0.00 N	8.00 0.29 0.00 N	5.56 0.20 0.00 N	7.19 0.25 0.00 N	12.12 0.47 0.00 N	6.75 0.30 0.00 N	7.91 0.36 0.00 N	-2.30 -0.11 0.00 N
E_FISHKILL___LBMP 23776	36.33 2.21 0.00 N	30.68 1.91 0.00 N	18.73 1.12 0.00 N	17.33 0.96 0.00 N	6.96 0.40 0.00 N	4.51 0.24 0.00 N	8.87 0.53 0.00 N	20.44 1.32 0.00 N	6.71 0.49 0.00 N	14.57 0.96 0.00 N	28.10 1.93 0.00 N	32.95 2.25 0.00 N	29.73 2.07 0.00 N	21.60 1.51 0.00 N	27.97 1.91 0.00 N	29.63 2.11 0.00 N	22.07 1.59 0.00 N	8.32 0.61 0.00 N	5.77 0.42 0.00 N	7.49 0.55 0.00 N	12.64 0.99 0.00 N	7.68 0.58 -0.65 N	9.08 0.66 -0.87 N	-2.39 -0.20 0.00 N
FAR ROCKAWAY___4 23548	37.76 3.64 0.00 N	31.85 3.08 0.00 N	19.44 1.83 0.00 N	17.97 1.60 0.00 N	7.23 0.66 0.00 N	4.64 0.38 0.00 N	9.16 0.82 0.00 N	21.21 2.09 0.00 N	6.97 0.75 0.00 N	15.01 1.41 0.00 N	29.10 2.93 0.00 N	33.60 2.90 0.00 N	30.39 2.73 0.00 N	22.11 2.02 0.00 N	28.59 2.53 0.00 N	30.34 2.82 0.00 N	22.54 2.06 0.00 N	8.43 0.71 0.00 N	5.80 0.45 0.00 N	7.51 0.57 0.00 N	12.71 1.06 0.00 N	7.74 0.65 -0.63 N	9.14 0.75 -0.84 N	-2.45 -0.27 0.00 N
FARRAGUT___LBMP 323566	36.82 2.70 0.00 N	31.08 2.31 0.00 N	18.95 1.34 0.00 N	17.52 1.15 0.00 N	7.04 0.48 0.00 N	4.55 0.29 0.00 N	8.97 0.63 0.00 N	20.70 1.58 0.00 N	6.81 0.59 0.00 N	14.77 1.16 0.00 N	28.52 2.35 0.00 N	33.47 2.76 0.00 N	30.22 2.56 0.00 N	21.95 1.86 0.00 N	28.39 2.33 0.00 N	30.13 2.61 0.00 N	22.44 1.96 0.00 N	8.45 0.74 0.00 N	5.86 0.51 0.00 N	7.61 0.66 0.00 N	12.84 1.19 0.00 N	7.78 0.69 -0.63 N	9.18 0.79 -0.84 N	-2.42 -0.23 0.00 N
FENNER___WINDPWR 24204	34.44 0.32 0.00 N	29.03 0.25 0.00 N	17.76 0.15 0.00 N	16.52 0.14 0.00 N	6.60 0.04 0.00 N	4.31 0.04 0.00 N	8.44 0.10 0.00 N	19.33 0.21 0.00 N	6.33 0.11 0.00 N	13.88 0.28 0.00 N	26.82 0.65 0.00 N	31.61 0.91 0.00 N	28.41 0.75 0.00 N	20.76 0.67 0.00 N	26.90 0.84 0.00 N	28.48 0.96 0.00 N	21.08 0.60 0.00 N	7.96 0.24 0.00 N	5.53 0.18 0.00 N	7.18 0.23 0.00 N	12.04 0.39 0.00 N	6.65 0.19 0.00 N	7.74 0.19 0.00 N	-2.25 -0.06 0.00 N
FIBERTEK___ENERGY 23856	33.99 -0.13 0.00 N	28.65 -0.12 0.00 N	17.52 -0.09 0.00 N	16.28 -0.09 0.00 N	6.51 -0.05 0.00 N	4.25 -0.01 0.00 N	8.32 -0.02 0.00 N	19.02 -0.10 0.00 N	6.22 0.00 0.00 N	13.62 0.02 0.00 N	26.32 0.16 0.00 N	31.04 0.34 0.00 N	27.92 0.26 0.00 N	20.42 0.32 0.00 N	26.47 0.41 0.00 N	28.00 0.48 0.00 N	20.75 0.27 0.00 N	7.83 0.11 0.00 N	5.44 0.09 0.00 N	7.05 0.11 0.00 N	11.84 0.19 0.00 N	6.53 0.07 0.00 N	7.61 0.06 0.00 N	-2.20 -0.01 0.00 N

FITZPATRICK____ 23598	33.25 -0.87 0.00 N	28.01 -0.76 0.00 N	17.13 -0.48 0.00 N	15.93 -0.44 0.00 N	6.37 -0.19 0.00 N	4.15 -0.11 0.00 N	8.12 -0.22 0.00 N	18.55 -0.57 0.00 N	6.06 -0.17 0.00 N	13.25 -0.35 0.00 N	25.57 -0.60 0.00 N	30.11 -0.59 0.00 N	27.15 -0.51 0.00 N	19.79 -0.30 0.00 N	25.64 -0.42 0.00 N	27.09 -0.43 0.00 N	20.12 -0.36 0.00 N	7.59 -0.12 0.00 N	5.27 -0.08 0.00 N	6.84 -0.10 0.00 N	11.48 -0.17 0.00 N	6.35 -0.11 0.00 N	7.41 -0.14 0.00 N	-2.14 0.05 0.00 N
FORT ORANGE____ 23900	35.27 1.15 0.00 N	29.91 1.14 0.00 N	18.34 0.73 0.00 N	17.03 0.66 0.00 N	6.85 0.29 0.00 N	4.43 0.17 0.00 N	8.66 0.32 0.00 N	19.78 0.66 0.00 N	6.46 0.23 0.00 N	14.07 0.47 0.00 N	26.90 0.73 0.00 N	31.27 0.56 0.00 N	28.30 0.64 0.00 N	20.61 0.52 0.00 N	26.71 0.64 0.00 N	28.17 0.65 0.00 N	20.95 0.48 0.00 N	7.91 0.20 0.00 N	5.49 0.14 0.00 N	7.10 0.16 0.00 N	11.96 0.31 0.00 N	6.70 0.20 -0.04 N	7.87 0.27 -0.06 N	-2.26 -0.07 0.00 N
FORT_DRUM_COGEN 23780	34.61 0.48 0.00 N	29.08 0.31 0.00 N	17.75 0.14 0.00 N	16.48 0.11 0.00 N	6.60 0.04 0.00 N	4.30 0.04 0.00 N	8.36 0.03 0.00 N	19.22 0.09 0.00 N	6.32 0.09 0.00 N	13.97 0.36 0.00 N	26.91 0.74 0.00 N	31.81 1.11 0.00 N	28.56 0.90 0.00 N	20.89 0.80 0.00 N	27.07 1.02 0.00 N	28.66 1.14 0.00 N	21.25 0.77 0.00 N	7.97 0.26 0.00 N	5.51 0.16 0.00 N	7.20 0.25 0.00 N	12.13 0.48 0.00 N	6.79 0.34 0.00 N	7.90 0.35 0.00 N	-2.35 -0.16 0.00 N
FPL_FAR_ROCK_GT1 24212	37.76 3.64 0.00 N	31.85 3.08 0.00 N	19.44 1.83 0.00 N	17.97 1.60 0.00 N	7.23 0.66 0.00 N	4.64 0.38 0.00 N	9.16 0.82 0.00 N	21.21 2.09 0.00 N	6.97 0.75 0.00 N	15.01 1.41 0.00 N	29.10 2.93 0.00 N	33.60 2.90 0.00 N	30.39 2.73 0.00 N	22.11 2.02 0.00 N	28.59 2.53 0.00 N	30.34 2.82 0.00 N	22.54 2.06 0.00 N	8.43 0.71 0.00 N	5.80 0.45 0.00 N	7.51 0.57 0.00 N	12.71 1.06 0.00 N	7.74 0.65 -0.63 N	9.14 0.75 -0.84 N	-2.45 -0.27 0.00 N
FPL_FAR_ROCK_GT2 23815	37.76 3.64 0.00 N	31.85 3.08 0.00 N	19.44 1.83 0.00 N	17.97 1.60 0.00 N	7.23 0.66 0.00 N	4.64 0.38 0.00 N	9.16 0.82 0.00 N	21.21 2.09 0.00 N	6.97 0.75 0.00 N	15.01 1.41 0.00 N	29.10 2.93 0.00 N	33.60 2.90 0.00 N	30.39 2.73 0.00 N	22.11 2.02 0.00 N	28.59 2.53 0.00 N	30.34 2.82 0.00 N	22.54 2.06 0.00 N	8.43 0.71 0.00 N	5.80 0.45 0.00 N	7.51 0.57 0.00 N	12.71 1.06 0.00 N	7.74 0.65 -0.63 N	9.14 0.75 -0.84 N	-2.45 -0.27 0.00 N
FRANKLIN_FALL_HYD 24054	33.84 -0.28 0.00 N	28.64 -0.13 0.00 N	17.53 -0.08 0.00 N	16.31 -0.06 0.00 N	6.55 -0.01 0.00 N	4.21 -0.05 0.00 N	8.15 -0.19 0.00 N	18.98 -0.14 0.00 N	6.17 -0.05 0.00 N	13.55 -0.06 0.00 N	25.85 -0.31 0.00 N	30.28 -0.43 0.00 N	27.09 -0.57 0.00 N	19.67 -0.42 0.00 N	25.56 -0.50 0.00 N	26.94 -0.58 0.00 N	20.01 -0.48 0.00 N	7.49 -0.23 0.00 N	5.19 -0.16 0.00 N	6.78 -0.17 0.00 N	11.37 -0.28 0.00 N	6.30 -0.15 0.00 N	7.37 -0.18 0.00 N	-2.18 0.01 0.00 N
FREEPORT_EQUS_GT1 23764	37.49 3.37 0.00 N	31.56 2.79 0.00 N	19.29 1.68 0.00 N	17.82 1.45 0.00 N	7.16 0.60 0.00 N	4.63 0.37 0.00 N	9.13 0.79 0.00 N	21.12 2.01 0.00 N	6.94 0.71 0.00 N	14.99 1.38 0.00 N	29.02 2.85 0.00 N	33.94 3.24 0.00 N	30.64 2.98 0.00 N	22.29 2.20 0.00 N	28.84 2.78 0.00 N	30.59 3.07 0.00 N	22.71 2.23 0.00 N	8.50 0.79 0.00 N	5.85 0.50 0.00 N	7.59 0.65 0.00 N	12.85 1.19 0.00 N	7.81 0.73 -0.63 N	9.23 0.84 -0.84 N	-2.50 -0.31 0.00 N
FULTON COGEN____ 23766	33.75 -0.37 0.00 N	28.46 -0.31 0.00 N	17.43 -0.18 0.00 N	16.20 -0.17 0.00 N	6.47 -0.09 0.00 N	4.23 -0.04 0.00 N	8.27 -0.07 0.00 N	18.89 -0.23 0.00 N	6.18 -0.05 0.00 N	13.54 -0.06 0.00 N	26.12 -0.04 0.00 N	30.82 0.12 0.00 N	27.67 0.01 0.00 N	20.24 0.15 0.00 N	26.23 0.17 0.00 N	27.72 0.20 0.00 N	20.48 0.00 0.00 N	7.73 0.02 0.00 N	5.37 0.02 0.00 N	6.98 0.03 0.00 N	11.74 0.10 0.00 N	6.47 0.02 0.00 N	7.54 -0.01 0.00 N	-2.18 0.01 0.00 N
FULTON____LFGE 323630	36.77 2.65 0.00 N	31.32 2.55 0.00 N	19.08 1.47 0.00 N	17.76 1.39 0.00 N	7.12 0.56 0.00 N	4.62 0.36 0.00 N	9.07 0.73 0.00 N	20.92 1.80 0.00 N	6.89 0.66 0.00 N	15.22 1.61 0.00 N	29.42 3.25 0.00 N	34.73 4.02 0.00 N	30.40 2.75 0.00 N	22.74 2.64 0.00 N	29.47 3.41 0.00 N	31.12 3.60 0.00 N	22.50 2.02 0.00 N	8.49 0.77 0.00 N	5.87 0.52 0.00 N	7.67 0.73 0.00 N	13.08 1.43 0.00 N	7.24 0.78 0.00 N	8.41 0.86 0.00 N	-2.46 -0.27 0.00 N
Freeport____CT2 23818	37.49 3.37 0.00 N	31.56 2.79 0.00 N	19.29 1.68 0.00 N	17.82 1.45 0.00 N	7.16 0.60 0.00 N	4.63 0.37 0.00 N	9.13 0.79 0.00 N	21.12 2.01 0.00 N	6.94 0.71 0.00 N	14.99 1.38 0.00 N	29.02 2.85 0.00 N	33.94 3.24 0.00 N	30.64 2.98 0.00 N	22.29 2.20 0.00 N	28.84 2.78 0.00 N	30.59 3.07 0.00 N	22.71 2.23 0.00 N	8.50 0.79 0.00 N	5.85 0.50 0.00 N	7.59 0.65 0.00 N	12.85 1.19 0.00 N	7.81 0.73 -0.63 N	9.23 0.84 -0.84 N	-2.50 -0.31 0.00 N
G.F.CEMENT____DRP 24184	34.63 0.51 0.00 N	29.38 0.61 0.00 N	17.97 0.36 0.00 N	16.64 0.27 0.00 N	6.69 0.13 0.00 N	4.33 0.07 0.00 N	8.50 0.16 0.00 N	19.63 0.51 0.00 N	6.48 0.25 0.00 N	14.22 0.61 0.00 N	27.29 1.12 0.00 N	32.01 1.31 0.00 N	28.80 1.14 0.00 N	20.88 0.79 0.00 N	26.90 0.84 0.00 N	28.17 0.65 0.00 N	20.87 0.39 0.00 N	7.90 0.18 0.00 N	5.48 0.13 0.00 N	7.08 0.14 0.00 N	11.95 0.30 0.00 N	6.73 0.22 -0.05 N	7.91 0.30 -0.06 N	-2.30 -0.10 0.00 N
GARDENVILLE____LBMP 24039	31.97 -2.15 0.00 N	26.83 -1.94 0.00 N	16.36 -1.25 0.00 N	15.25 -1.12 0.00 N	6.02 -0.54 0.00 N	4.05 -0.22 0.00 N	7.96 -0.38 0.00 N	17.84 -1.28 0.00 N	5.89 -0.34 0.00 N	12.98 -0.63 0.00 N	25.29 -0.87 0.00 N	30.27 -0.43 0.00 N	27.38 -0.28 0.00 N	20.20 0.12 0.00 N	26.05 -0.01 0.00 N	27.56 0.04 0.00 N	20.32 -0.15 0.00 N	7.71 0.00 0.00 N	5.42 0.07 0.00 N	7.03 0.08 0.00 N	11.63 -0.02 0.00 N	6.35 -0.11 0.00 N	7.36 -0.19 0.00 N	-2.09 0.10 0.00 N
GENERAL____MILLS 23808	32.03 -2.09 0.00 N	26.87 -1.90 0.00 N	16.38 -1.23 0.00 N	15.28 -1.10 0.00 N	6.03 -0.53 0.00 N	4.05 -0.21 0.00 N	7.97 -0.37 0.00 N	17.85 -1.27 0.00 N	5.89 -0.33 0.00 N	12.99 -0.62 0.00 N	25.33 -0.83 0.00 N	30.32 -0.38 0.00 N	27.44 -0.21 0.00 N	20.26 0.17 0.00 N	26.10 0.04 0.00 N	27.61 0.09 0.00 N	20.36 -0.12 0.00 N	7.73 0.01 0.00 N	5.43 0.08 0.00 N	7.04 0.10 0.00 N	11.65 0.00 0.00 N	6.36 -0.10 0.00 N	7.37 -0.18 0.00 N	-2.09 0.10 0.00 N
GE_PLASTICS____DRP 24183	35.03 0.91 0.00 N	29.65 0.88 0.00 N	18.19 0.58 0.00 N	16.90 0.53 0.00 N	6.80 0.24 0.00 N	4.40 0.14 0.00 N	8.59 0.26 0.00 N	19.65 0.53 0.00 N	6.41 0.19 0.00 N	13.91 0.31 0.00 N	26.67 0.50 0.00 N	31.07 0.37 0.00 N	28.13 0.48 0.00 N	20.47 0.38 0.00 N	26.54 0.48 0.00 N	28.01 0.49 0.00 N	20.84 0.36 0.00 N	7.87 0.15 0.00 N	5.46 0.11 0.00 N	7.07 0.12 0.00 N	11.89 0.24 0.00 N	6.61 0.17 0.02 N	7.75 0.23 0.03 N	-2.26 -0.07 0.00 N

	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
GILBOA___1 23756	35.09 0.97 0.00 N	29.65 0.88 0.00 N	18.20 0.60 0.00 N	16.93 0.56 0.00 N	6.84 0.27 0.00 N	4.40 0.14 0.00 N	8.60 0.26 0.00 N	19.73 0.61 0.00 N	6.47 0.24 0.00 N	14.04 0.43 0.00 N	27.08 0.91 0.00 N	31.74 1.04 0.00 N	28.63 0.97 0.00 N	20.81 0.72 0.00 N	26.98 0.92 0.00 N	28.51 0.99 0.00 N	21.22 0.74 0.00 N	8.00 0.29 0.00 N	5.56 0.21 0.00 N	7.20 0.26 0.00 N	12.12 0.47 0.00 N	6.61 0.28 0.12 N	7.71 0.32 0.16 N	-2.29 -0.10 0.00 N	
GILBOA___2 23757	35.09 0.97 0.00 N	29.65 0.88 0.00 N	18.20 0.60 0.00 N	16.93 0.56 0.00 N	6.84 0.27 0.00 N	4.40 0.14 0.00 N	8.60 0.26 0.00 N	19.73 0.61 0.00 N	6.47 0.24 0.00 N	14.04 0.43 0.00 N	27.08 0.91 0.00 N	31.74 1.04 0.00 N	28.63 0.97 0.00 N	20.81 0.72 0.00 N	26.98 0.92 0.00 N	28.51 0.99 0.00 N	21.22 0.74 0.00 N	8.00 0.29 0.00 N	5.56 0.21 0.00 N	7.20 0.26 0.00 N	12.12 0.47 0.00 N	6.61 0.28 0.12 N	7.71 0.32 0.16 N	-2.29 -0.10 0.00 N	
GILBOA___3 23758	35.09 0.97 0.00 N	29.65 0.88 0.00 N	18.20 0.60 0.00 N	16.93 0.56 0.00 N	6.84 0.27 0.00 N	4.40 0.14 0.00 N	8.60 0.26 0.00 N	19.73 0.61 0.00 N	6.47 0.24 0.00 N	14.04 0.43 0.00 N	27.08 0.91 0.00 N	31.74 1.04 0.00 N	28.63 0.97 0.00 N	20.81 0.72 0.00 N	26.98 0.92 0.00 N	28.51 0.99 0.00 N	21.22 0.74 0.00 N	8.00 0.29 0.00 N	5.56 0.21 0.00 N	7.20 0.26 0.00 N	12.12 0.47 0.00 N	6.61 0.28 0.12 N	7.71 0.32 0.16 N	-2.29 -0.10 0.00 N	
GILBOA___4 23759	35.09 0.97 0.00 N	29.65 0.88 0.00 N	18.20 0.60 0.00 N	16.93 0.56 0.00 N	6.84 0.27 0.00 N	4.40 0.14 0.00 N	8.60 0.26 0.00 N	19.73 0.61 0.00 N	6.47 0.24 0.00 N	14.04 0.43 0.00 N	27.08 0.91 0.00 N	31.74 1.04 0.00 N	28.63 0.97 0.00 N	20.81 0.72 0.00 N	26.98 0.92 0.00 N	28.51 0.99 0.00 N	21.22 0.74 0.00 N	8.00 0.29 0.00 N	5.56 0.21 0.00 N	7.20 0.26 0.00 N	12.12 0.47 0.00 N	6.61 0.28 0.12 N	7.71 0.32 0.16 N	-2.29 -0.10 0.00 N	
GILBOA____ 23599	35.09 0.97 0.00 N	29.65 0.88 0.00 N	18.20 0.60 0.00 N	16.93 0.56 0.00 N	6.84 0.27 0.00 N	4.40 0.14 0.00 N	8.60 0.26 0.00 N	19.73 0.61 0.00 N	6.47 0.24 0.00 N	14.04 0.43 0.00 N	27.08 0.91 0.00 N	31.74 1.04 0.00 N	28.63 0.97 0.00 N	20.81 0.72 0.00 N	26.98 0.92 0.00 N	28.51 0.99 0.00 N	21.22 0.74 0.00 N	8.00 0.29 0.00 N	5.56 0.21 0.00 N	7.20 0.26 0.00 N	12.12 0.47 0.00 N	6.61 0.28 0.12 N	7.71 0.32 0.16 N	-2.29 -0.10 0.00 N	
GINNA____ 23603	32.16 -1.96 0.00 N	26.98 -1.80 0.00 N	16.46 -1.15 0.00 N	15.29 -1.08 0.00 N	6.08 -0.48 0.00 N	4.01 -0.25 0.00 N	7.85 -0.49 0.00 N	17.81 -1.31 0.00 N	5.87 -0.35 0.00 N	12.95 -0.66 0.00 N	25.19 -0.98 0.00 N	30.01 -0.69 0.00 N	27.18 -0.48 0.00 N	19.94 -0.14 0.00 N	25.75 -0.31 0.00 N	27.16 -0.36 0.00 N	20.10 -0.38 0.00 N	7.61 -0.11 0.00 N	5.30 -0.05 0.00 N	6.86 -0.09 0.00 N	11.42 -0.23 0.00 N	6.27 -0.18 0.00 N	7.29 -0.26 0.00 N	-2.10 0.09 0.00 N	
GLEN PARK____ 23778	34.69 0.58 0.00 N	29.15 0.38 0.00 N	17.78 0.18 0.00 N	16.51 0.14 0.00 N	6.60 0.04 0.00 N	4.31 0.05 0.00 N	8.39 0.05 0.00 N	19.27 0.15 0.00 N	6.34 0.12 0.00 N	14.04 0.43 0.00 N	27.06 0.90 0.00 N	32.04 1.34 0.00 N	28.76 1.10 0.00 N	21.06 0.97 0.00 N	27.29 1.23 0.00 N	28.91 1.39 0.00 N	21.40 0.92 0.00 N	8.03 0.32 0.00 N	5.55 0.19 0.00 N	7.24 0.30 0.00 N	12.23 0.57 0.00 N	6.89 0.44 0.00 N	8.01 0.46 0.00 N	-2.39 -0.20 0.00 N	
GLENWOOD_IC_1_G5 23712	36.97 2.85 0.00 N	31.17 2.40 0.00 N	19.02 1.41 0.00 N	17.58 1.21 0.00 N	7.07 0.51 0.00 N	4.56 0.30 0.00 N	8.98 0.65 0.00 N	20.75 1.63 0.00 N	6.82 0.59 0.00 N	14.76 1.16 0.00 N	28.54 2.37 0.00 N	33.32 2.62 0.00 N	30.06 2.40 0.00 N	21.84 1.76 0.00 N	28.27 2.21 0.00 N	29.99 2.47 0.00 N	22.30 1.82 0.00 N	8.38 0.67 0.00 N	5.79 0.44 0.00 N	7.52 0.57 0.00 N	12.70 1.05 0.00 N	7.71 0.62 -0.63 N	9.11 0.71 -0.84 N	-2.42 -0.23 0.00 N	
GLENWOOD_IC_2_G1 23688	36.93 2.81 0.00 N	31.14 2.37 0.00 N	19.01 1.40 0.00 N	17.58 1.21 0.00 N	7.06 0.50 0.00 N	4.56 0.30 0.00 N	9.00 0.66 0.00 N	20.78 1.65 0.00 N	6.82 0.60 0.00 N	14.79 1.18 0.00 N	28.62 2.45 0.00 N	33.53 2.83 0.00 N	30.26 2.60 0.00 N	22.00 1.91 0.00 N	28.46 2.40 0.00 N	30.19 2.67 0.00 N	22.46 1.98 0.00 N	8.45 0.73 0.00 N	5.84 0.49 0.00 N	7.58 0.64 0.00 N	12.80 1.15 0.00 N	7.77 0.68 -0.63 N	9.17 0.77 -0.84 N	-2.44 -0.25 0.00 N	
GLENWOOD_IC_3_G1 23689	36.93 2.81 0.00 N	31.14 2.37 0.00 N	19.01 1.40 0.00 N	17.58 1.21 0.00 N	7.06 0.50 0.00 N	4.56 0.30 0.00 N	9.00 0.66 0.00 N	20.78 1.65 0.00 N	6.82 0.60 0.00 N	14.79 1.18 0.00 N	28.62 2.45 0.00 N	33.53 2.83 0.00 N	30.26 2.60 0.00 N	22.00 1.91 0.00 N	28.46 2.40 0.00 N	30.19 2.67 0.00 N	22.46 1.98 0.00 N	8.45 0.73 0.00 N	5.84 0.49 0.00 N	7.58 0.64 0.00 N	12.80 1.15 0.00 N	7.77 0.68 -0.63 N	9.17 0.77 -0.84 N	-2.44 -0.25 0.00 N	
GLENWOOD____4 23550	36.97 2.85 0.00 N	31.16 2.39 0.00 N	19.02 1.41 0.00 N	17.58 1.21 0.00 N	7.07 0.51 0.00 N	4.55 0.30 0.00 N	8.98 0.65 0.00 N	20.75 1.63 0.00 N	6.82 0.59 0.00 N	14.76 1.15 0.00 N	28.54 2.37 0.00 N	33.35 2.64 0.00 N	30.08 2.42 0.00 N	21.87 1.78 0.00 N	28.30 2.24 0.00 N	30.02 2.50 0.00 N	22.32 1.84 0.00 N	8.39 0.67 0.00 N	5.80 0.45 0.00 N	7.52 0.58 0.00 N	12.71 1.06 0.00 N	7.72 0.63 -0.63 N	9.11 0.72 -0.84 N	-2.42 -0.23 0.00 N	
GLENWOOD____5 23614	36.97 2.85 0.00 N	31.16 2.39 0.00 N	19.02 1.41 0.00 N	17.58 1.21 0.00 N	7.07 0.51 0.00 N	4.55 0.30 0.00 N	8.98 0.65 0.00 N	20.75 1.63 0.00 N	6.82 0.59 0.00 N	14.76 1.15 0.00 N	28.54 2.37 0.00 N	33.35 2.64 0.00 N	30.08 2.42 0.00 N	21.87 1.78 0.00 N	28.30 2.24 0.00 N	30.02 2.50 0.00 N	22.32 1.84 0.00 N	8.39 0.67 0.00 N	5.80 0.45 0.00 N	7.52 0.58 0.00 N	12.71 1.06 0.00 N	7.72 0.63 -0.63 N	9.11 0.72 -0.84 N	-2.42 -0.23 0.00 N	
GLOBAL GREEN_PORT_GT1 23814	40.59 6.47 0.00 N	33.86 5.09 0.00 N	20.60 2.99 0.00 N	18.99 2.61 0.00 N	7.62 1.05 0.00 N	4.93 0.67 0.00 N	9.74 1.41 0.00 N	22.70 3.58 0.00 N	7.52 1.29 0.00 N	16.70 3.09 0.00 N	32.80 6.63 0.00 N	38.79 8.09 0.00 N	34.98 7.32 0.00 N	25.50 5.41 0.00 N	32.97 6.90 0.00 N	34.99 7.47 0.00 N	25.84 5.37 0.00 N	9.63 1.92 0.00 N	6.59 1.24 0.00 N	8.51 1.57 0.00 N	14.46 2.81 0.00 N	8.71 1.62 -0.63 N	10.19 1.79 -0.84 N	-2.81 -0.62 0.00 N	
GOETHSLN____LBMP	38.66	31.00	18.89	17.46	7.02	4.54	8.94	20.65	6.80	14.73	28.44	33.37	30.13	21.89	28.32	30.06	22.40	8.44	5.85	7.59	12.81	7.76	9.16	-2.41	

323567	2.60 -1.94 N	2.22 0.00 N	1.28 0.00 N	1.09 0.00 N	0.45 0.00 N	0.27 0.00 N	0.60 0.00 N	1.53 0.00 N	0.57 0.00 N	1.12 0.00 N	2.27 0.00 N	2.67 0.00 N	2.47 0.00 N	1.80 0.00 N	2.26 0.00 N	2.54 0.00 N	1.92 0.00 N	0.72 0.00 N	0.50 0.00 N	0.64 0.00 N	1.16 0.00 N	0.67 -0.63 N	0.77 -0.84 N	-0.22 0.00 N
GOODYEAR_LAKE_HYD 323669	35.21 1.09 0.00 N	29.67 0.90 0.00 N	18.14 0.53 0.00 N	16.88 0.51 0.00 N	6.78 0.22 0.00 N	4.39 0.13 0.00 N	8.63 0.29 0.00 N	19.86 0.73 0.00 N	6.51 0.29 0.00 N	14.25 0.64 0.00 N	27.56 1.39 0.00 N	32.44 1.74 0.00 N	29.18 1.52 0.00 N	21.26 1.17 0.00 N	27.55 1.50 0.00 N	29.20 1.68 0.00 N	21.70 1.22 0.00 N	8.18 0.46 0.00 N	5.68 0.33 0.00 N	7.37 0.42 0.00 N	12.38 0.73 0.00 N	6.87 0.38 -0.03 N	8.00 0.41 -0.04 N	-2.31 -0.12 0.00 N
GOUDEY____7 23579	34.21 0.09 0.00 N	28.84 0.06 0.00 N	17.64 0.03 0.00 N	16.42 0.05 0.00 N	6.56 0.00 0.00 N	4.28 0.02 0.00 N	8.46 0.12 0.00 N	19.38 0.26 0.00 N	6.35 0.12 0.00 N	13.85 0.24 0.00 N	26.82 0.65 0.00 N	31.62 0.92 0.00 N	28.44 0.78 0.00 N	20.73 0.64 0.00 N	26.92 0.86 0.00 N	28.65 1.12 0.00 N	21.29 0.81 0.00 N	8.03 0.31 0.00 N	5.60 0.24 0.00 N	7.24 0.29 0.00 N	12.14 0.49 0.00 N	6.69 0.21 -0.02 N	7.79 0.21 -0.03 N	-2.22 -0.03 0.00 N
GOUDEY____8 23580	34.18 0.06 0.00 N	28.81 0.04 0.00 N	17.62 0.02 0.00 N	16.41 0.04 0.00 N	6.55 -0.01 0.00 N	4.28 0.02 0.00 N	8.45 0.11 0.00 N	19.36 0.24 0.00 N	6.34 0.12 0.00 N	13.83 0.23 0.00 N	26.79 0.62 0.00 N	31.58 0.88 0.00 N	28.41 0.76 0.00 N	20.71 0.62 0.00 N	26.88 0.82 0.00 N	28.61 1.10 0.00 N	21.26 0.78 0.00 N	8.01 0.30 0.00 N	5.59 0.24 0.00 N	7.23 0.29 0.00 N	12.13 0.48 0.00 N	6.68 0.21 -0.02 N	7.78 0.20 -0.03 N	-2.22 -0.03 0.00 N
GOWANUS_GT1_1 24077	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
GOWANUS_GT1_2 24078	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
GOWANUS_GT1_3 24079	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
GOWANUS_GT1_4 24080	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
GOWANUS_GT1_5 24084	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
GOWANUS_GT1_6 24111	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
GOWANUS_GT1_7 24112	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
GOWANUS_GT1_8 24113	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
GOWANUS_GT2_1 24114	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
GOWANUS_GT2_2 24115	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N

	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
GOWANUS_GT4_1 24130	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N	
GOWANUS_GT4_2 24131	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N	
GOWANUS_GT4_3 24132	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N	
GOWANUS_GT4_4 24133	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N	
GOWANUS_GT4_5 24134	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N	
GOWANUS_GT4_6 24135	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N	
GOWANUS_GT4_7 24136	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N	
GOWANUS_GT4_8 24137	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N	
GREENIDGE___3 23582	34.07 -0.05 0.00 N	28.70 -0.07 0.00 N	17.51 -0.09 0.00 N	16.30 -0.08 0.00 N	6.48 -0.08 0.00 N	4.27 0.01 0.00 N	8.42 0.08 0.00 N	19.22 0.09 0.00 N	6.32 0.10 0.00 N	13.88 0.28 0.00 N	26.95 0.78 0.00 N	31.99 1.29 0.00 N	28.74 1.08 0.00 N	21.12 1.03 0.00 N	27.38 1.32 0.00 N	29.08 1.56 0.00 N	21.46 0.98 0.00 N	8.11 0.39 0.00 N	5.66 0.31 0.00 N	7.34 0.39 0.00 N	12.28 0.63 0.00 N	6.72 0.26 0.00 N	7.79 0.24 0.00 N	-2.23 -0.04 0.00 N	
GREENIDGE___4 23583	34.07 -0.05 0.00 N	28.70 -0.07 0.00 N	17.51 -0.09 0.00 N	16.30 -0.08 0.00 N	6.48 -0.08 0.00 N	4.27 0.01 0.00 N	8.42 0.08 0.00 N	19.22 0.09 0.00 N	6.32 0.10 0.00 N	13.88 0.28 0.00 N	26.95 0.78 0.00 N	31.99 1.29 0.00 N	28.74 1.08 0.00 N	21.12 1.03 0.00 N	27.38 1.32 0.00 N	29.08 1.56 0.00 N	21.46 0.98 0.00 N	8.11 0.39 0.00 N	5.66 0.31 0.00 N	7.34 0.39 0.00 N	12.28 0.63 0.00 N	6.72 0.26 0.00 N	7.79 0.24 0.00 N	-2.23 -0.04 0.00 N	
GROVEVILLE___HYD 323602	36.72 2.59 0.00 N	31.04 2.26 0.00 N	18.93 1.32 0.00 N	17.52 1.15 0.00 N	7.04 0.47 0.00 N	4.55 0.29 0.00 N	8.94 0.60 0.00 N	20.58 1.46 0.00 N	6.75 0.53 0.00 N	14.67 1.06 0.00 N	28.26 2.09 0.00 N	33.04 2.34 0.00 N	29.83 2.17 0.00 N	21.74 1.65 0.00 N	28.15 2.09 0.00 N	29.75 2.23 0.00 N	22.23 1.76 0.00 N	8.40 0.68 0.00 N	5.83 0.48 0.00 N	7.56 0.62 0.00 N	12.75 1.11 0.00 N	7.58 0.64 -0.47 N	8.92 0.73 -0.63 N	-2.40 -0.22 0.00 N	
HAMPSHIRE___PAPER_HYD 323593	33.92 -0.20 0.00 N	28.54 -0.23 0.00 N	17.45 -0.16 0.00 N	16.21 -0.16 0.00 N	6.50 -0.07 0.00 N	4.21 -0.05 0.00 N	8.12 -0.21 0.00 N	18.73 -0.40 0.00 N	6.14 -0.09 0.00 N	13.50 -0.10 0.00 N	25.69 -0.48 0.00 N	30.21 -0.50 0.00 N	27.11 -0.55 0.00 N	19.67 -0.42 0.00 N	25.52 -0.54 0.00 N	27.01 -0.51 0.00 N	20.15 -0.33 0.00 N	7.51 -0.20 0.00 N	5.20 -0.15 0.00 N	6.78 -0.17 0.00 N	11.38 -0.27 0.00 N	6.35 -0.11 0.00 N	7.43 -0.12 0.00 N	-2.21 -0.02 0.00 N	
HARDSCRABBLE_WT_PWR 323673	34.94 0.81 0.00 N	29.60 0.83 0.00 N	18.14 0.53 0.00 N	16.84 0.47 0.00 N	6.75 0.19 0.00 N	4.38 0.12 0.00 N	8.60 0.26 0.00 N	19.68 0.56 0.00 N	6.42 0.20 0.00 N	14.04 0.44 0.00 N	27.10 0.94 0.00 N	31.78 1.08 0.00 N	28.53 0.87 0.00 N	20.84 0.75 0.00 N	27.00 0.94 0.00 N	28.44 0.92 0.00 N	21.05 0.57 0.00 N	7.94 0.23 0.00 N	5.51 0.16 0.00 N	7.13 0.18 0.00 N	11.98 0.33 0.00 N	6.67 0.21 0.00 N	7.82 0.27 0.00 N	-2.27 -0.09 0.00 N	
HARZA MOOSE___RIVER	34.33	28.89	17.65	16.40	6.57	4.27	8.33	19.13	6.27	13.80	26.56	31.29	28.10	20.49	26.55	28.08	20.84	7.84	5.44	7.07	11.88	6.59	7.69	-2.25	

24016	0.21 0.00 N	0.11 0.00 N	0.05 0.00 N	0.03 0.00 N	0.01 0.00 N	0.01 0.00 N	0.00 0.00 N	0.02 0.00 N	0.05 0.00 N	0.19 0.00 N	0.40 0.00 N	0.59 0.00 N	0.45 0.00 N	0.39 0.00 N	0.49 0.00 N	0.56 0.00 N	0.37 0.00 N	0.13 0.00 N	0.09 0.00 N	0.13 0.00 N	0.23 0.00 N	0.14 0.00 N	0.14 0.00 N	-0.06 0.00 N
HEMPSTEAD____ 23647	36.71 2.59 0.00 N	30.97 2.20 0.00 N	18.90 1.29 0.00 N	17.46 1.09 0.00 N	7.03 0.47 0.00 N	4.52 0.27 0.00 N	8.92 0.59 0.00 N	20.62 1.50 0.00 N	6.78 0.55 0.00 N	14.67 1.06 0.00 N	28.38 2.21 0.00 N	33.18 2.48 0.00 N	29.87 2.21 0.00 N	21.76 1.67 0.00 N	28.15 2.09 0.00 N	29.86 2.34 0.00 N	22.16 1.68 0.00 N	8.33 0.62 0.00 N	5.76 0.41 0.00 N	7.47 0.53 0.00 N	12.64 0.99 0.00 N	7.68 0.59 -0.63 N	9.07 0.67 -0.84 N	-2.41 -0.23 0.00 N
HICKLING____1 23621	34.87 0.75 0.00 N	29.31 0.54 0.00 N	17.91 0.30 0.00 N	16.69 0.32 0.00 N	6.63 0.06 0.00 N	4.37 0.11 0.00 N	8.68 0.35 0.00 N	19.88 0.76 0.00 N	6.53 0.31 0.00 N	14.26 0.66 0.00 N	27.73 1.56 0.00 N	32.86 2.16 0.00 N	29.61 1.95 0.00 N	21.62 1.53 0.00 N	28.13 2.07 0.00 N	30.07 2.55 0.00 N	22.31 1.83 0.00 N	8.41 0.70 0.00 N	5.88 0.53 0.00 N	7.59 0.64 0.00 N	12.69 1.04 0.00 N	6.92 0.46 0.00 N	8.00 0.45 0.00 N	-2.26 -0.07 0.00 N
HICKLING____2 23622	34.87 0.75 0.00 N	29.31 0.54 0.00 N	17.91 0.30 0.00 N	16.69 0.32 0.00 N	6.63 0.06 0.00 N	4.37 0.11 0.00 N	8.68 0.35 0.00 N	19.88 0.76 0.00 N	6.53 0.31 0.00 N	14.26 0.66 0.00 N	27.73 1.56 0.00 N	32.86 2.16 0.00 N	29.61 1.95 0.00 N	21.62 1.53 0.00 N	28.13 2.07 0.00 N	30.07 2.55 0.00 N	22.31 1.83 0.00 N	8.41 0.70 0.00 N	5.88 0.53 0.00 N	7.59 0.64 0.00 N	12.69 1.04 0.00 N	6.92 0.46 0.00 N	8.00 0.45 0.00 N	-2.26 -0.07 0.00 N
HIGH FALLS____HY 23754	37.09 2.97 0.00 N	31.37 2.60 0.00 N	19.16 1.55 0.00 N	17.76 1.39 0.00 N	7.14 0.57 0.00 N	4.61 0.35 0.00 N	9.09 0.76 0.00 N	21.03 1.91 0.00 N	6.89 0.66 0.00 N	15.00 1.40 0.00 N	29.14 2.98 0.00 N	34.30 3.60 0.00 N	30.81 3.15 0.00 N	22.35 2.26 0.00 N	28.89 2.83 0.00 N	30.58 3.06 0.00 N	22.75 2.27 0.00 N	8.59 0.88 0.00 N	5.98 0.62 0.00 N	7.77 0.83 0.00 N	13.13 1.47 0.00 N	7.49 0.83 -0.20 N	8.76 0.94 -0.27 N	-2.49 -0.30 0.00 N
HILLBURN____GT 23639	36.62 2.49 0.00 N	30.99 2.21 0.00 N	18.88 1.27 0.00 N	17.48 1.11 0.00 N	7.02 0.46 0.00 N	4.55 0.29 0.00 N	8.96 0.63 0.00 N	20.69 1.58 0.00 N	6.81 0.58 0.00 N	14.75 1.14 0.00 N	28.47 2.30 0.00 N	33.42 2.72 0.00 N	30.03 2.37 0.00 N	21.92 1.83 0.00 N	28.36 2.30 0.00 N	30.15 2.63 0.00 N	22.38 1.90 0.00 N	8.44 0.72 0.00 N	5.86 0.51 0.00 N	7.63 0.68 0.00 N	12.90 1.25 0.00 N	7.74 0.72 -0.57 N	9.12 0.81 -0.76 N	-2.44 -0.25 0.00 N
HISHELDN_WT_PWR 323625	32.25 -1.87 0.00 N	27.10 -1.67 0.00 N	16.49 -1.12 0.00 N	15.39 -0.98 0.00 N	6.09 -0.47 0.00 N	4.08 -0.18 0.00 N	8.02 -0.31 0.00 N	18.03 -1.09 0.00 N	5.96 -0.27 0.00 N	13.11 -0.50 0.00 N	25.54 -0.62 0.00 N	30.53 -0.17 0.00 N	27.60 -0.05 0.00 N	20.31 0.22 0.00 N	26.19 0.13 0.00 N	27.73 0.21 0.00 N	20.48 0.00 0.00 N	7.76 0.04 0.00 N	5.45 0.10 0.00 N	7.07 0.13 0.00 N	11.73 0.08 0.00 N	6.41 -0.05 0.00 N	7.43 -0.12 0.00 N	-2.11 0.08 0.00 N
HOLTSVILLE_IC_1 23690	36.90 2.78 0.00 N	31.03 2.26 0.00 N	18.99 1.38 0.00 N	17.54 1.17 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	9.00 0.66 0.00 N	20.84 1.72 0.00 N	6.83 0.60 0.00 N	14.81 1.20 0.00 N	28.90 2.73 0.00 N	33.81 3.11 0.00 N	30.57 2.91 0.00 N	22.22 2.13 0.00 N	28.75 2.69 0.00 N	30.49 2.97 0.00 N	22.63 2.16 0.00 N	8.45 0.74 0.00 N	5.79 0.44 0.00 N	7.49 0.54 0.00 N	12.68 1.03 0.00 N	7.73 0.64 -0.63 N	9.11 0.72 -0.84 N	-2.47 -0.28 0.00 N
HOLTSVILLE_IC_10 23699	37.24 3.12 0.00 N	31.33 2.56 0.00 N	19.17 1.56 0.00 N	17.70 1.33 0.00 N	7.11 0.55 0.00 N	4.60 0.34 0.00 N	9.09 0.75 0.00 N	21.05 1.93 0.00 N	6.91 0.68 0.00 N	15.00 1.40 0.00 N	29.28 3.11 0.00 N	34.26 3.56 0.00 N	30.93 3.27 0.00 N	22.53 2.44 0.00 N	29.15 3.09 0.00 N	30.91 3.39 0.00 N	22.89 2.41 0.00 N	8.54 0.83 0.00 N	5.85 0.50 0.00 N	7.58 0.63 0.00 N	12.85 1.20 0.00 N	7.82 0.73 -0.63 N	9.21 0.82 -0.84 N	-2.49 -0.30 0.00 N
HOLTSVILLE_IC_2 23691	36.90 2.78 0.00 N	31.03 2.26 0.00 N	18.99 1.38 0.00 N	17.54 1.17 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	9.00 0.66 0.00 N	20.84 1.72 0.00 N	6.83 0.60 0.00 N	14.81 1.20 0.00 N	28.90 2.73 0.00 N	33.81 3.11 0.00 N	30.57 2.91 0.00 N	22.22 2.13 0.00 N	28.75 2.69 0.00 N	30.49 2.97 0.00 N	22.63 2.16 0.00 N	8.45 0.74 0.00 N	5.79 0.44 0.00 N	7.49 0.54 0.00 N	12.68 1.03 0.00 N	7.73 0.64 -0.63 N	9.11 0.72 -0.84 N	-2.47 -0.28 0.00 N
HOLTSVILLE_IC_3 23692	36.90 2.78 0.00 N	31.03 2.26 0.00 N	18.99 1.38 0.00 N	17.54 1.17 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	9.00 0.66 0.00 N	20.84 1.72 0.00 N	6.83 0.60 0.00 N	14.81 1.20 0.00 N	28.90 2.73 0.00 N	33.81 3.11 0.00 N	30.57 2.91 0.00 N	22.22 2.13 0.00 N	28.75 2.69 0.00 N	30.49 2.97 0.00 N	22.63 2.16 0.00 N	8.45 0.74 0.00 N	5.79 0.44 0.00 N	7.49 0.54 0.00 N	12.68 1.03 0.00 N	7.73 0.64 -0.63 N	9.11 0.72 -0.84 N	-2.47 -0.28 0.00 N
HOLTSVILLE_IC_4 23693	36.90 2.78 0.00 N	31.03 2.26 0.00 N	18.99 1.38 0.00 N	17.54 1.17 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	9.00 0.66 0.00 N	20.84 1.72 0.00 N	6.83 0.60 0.00 N	14.81 1.20 0.00 N	28.90 2.73 0.00 N	33.81 3.11 0.00 N	30.57 2.91 0.00 N	22.22 2.13 0.00 N	28.75 2.69 0.00 N	30.49 2.97 0.00 N	22.63 2.16 0.00 N	8.45 0.74 0.00 N	5.79 0.44 0.00 N	7.49 0.54 0.00 N	12.68 1.03 0.00 N	7.73 0.64 -0.63 N	9.11 0.72 -0.84 N	-2.47 -0.28 0.00 N
HOLTSVILLE_IC_5 23694	36.90 2.78 0.00 N	31.03 2.26 0.00 N	18.99 1.38 0.00 N	17.54 1.17 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	9.00 0.66 0.00 N	20.84 1.72 0.00 N	6.83 0.60 0.00 N	14.81 1.20 0.00 N	28.90 2.73 0.00 N	33.81 3.11 0.00 N	30.57 2.91 0.00 N	22.22 2.13 0.00 N	28.75 2.69 0.00 N	30.49 2.97 0.00 N	22.63 2.16 0.00 N	8.45 0.74 0.00 N	5.79 0.44 0.00 N	7.49 0.54 0.00 N	12.68 1.03 0.00 N	7.73 0.64 -0.63 N	9.11 0.72 -0.84 N	-2.47 -0.28 0.00 N
HOLTSVILLE_IC_6 23695	37.24 3.12 0.00 N	31.33 2.56 0.00 N	19.17 1.56 0.00 N	17.70 1.33 0.00 N	7.11 0.55 0.00 N	4.60 0.34 0.00 N	9.09 0.75 0.00 N	21.05 1.93 0.00 N	6.91 0.68 0.00 N	15.00 1.40 0.00 N	29.28 3.11 0.00 N	34.26 3.56 0.00 N	30.93 3.27 0.00 N	22.53 2.44 0.00 N	29.15 3.09 0.00 N	30.91 3.39 0.00 N	22.89 2.41 0.00 N	8.54 0.83 0.00 N	5.85 0.50 0.00 N	7.58 0.63 0.00 N	12.85 1.20 0.00 N	7.82 0.73 -0.63 N	9.21 0.82 -0.84 N	-2.49 -0.30 0.00 N

HOLTSVILLE_IC_7 23696	37.24 3.12 0.00 N	31.33 2.56 0.00 N	19.17 1.56 0.00 N	17.70 1.33 0.00 N	7.11 0.55 0.00 N	4.60 0.34 0.00 N	9.09 0.75 0.00 N	21.05 1.93 0.00 N	6.91 0.68 0.00 N	15.00 1.40 0.00 N	29.28 3.11 0.00 N	34.26 3.56 0.00 N	30.93 3.27 0.00 N	22.53 2.44 0.00 N	29.15 3.09 0.00 N	30.91 3.39 0.00 N	22.89 2.41 0.00 N	8.54 0.83 0.00 N	5.85 0.50 0.00 N	7.58 0.63 0.00 N	12.85 1.20 0.00 N	7.82 0.73 -0.63 N	9.21 0.82 -0.84 N	-2.49 -0.30 0.00 N
HOLTSVILLE_IC_8 23697	37.24 3.12 0.00 N	31.33 2.56 0.00 N	19.17 1.56 0.00 N	17.70 1.33 0.00 N	7.11 0.55 0.00 N	4.60 0.34 0.00 N	9.09 0.75 0.00 N	21.05 1.93 0.00 N	6.91 0.68 0.00 N	15.00 1.40 0.00 N	29.28 3.11 0.00 N	34.26 3.56 0.00 N	30.93 3.27 0.00 N	22.53 2.44 0.00 N	29.15 3.09 0.00 N	30.91 3.39 0.00 N	22.89 2.41 0.00 N	8.54 0.83 0.00 N	5.85 0.50 0.00 N	7.58 0.63 0.00 N	12.85 1.20 0.00 N	7.82 0.73 -0.63 N	9.21 0.82 -0.84 N	-2.49 -0.30 0.00 N
HOLTSVILLE_IC_9 23698	37.24 3.12 0.00 N	31.33 2.56 0.00 N	19.17 1.56 0.00 N	17.70 1.33 0.00 N	7.11 0.55 0.00 N	4.60 0.34 0.00 N	9.09 0.75 0.00 N	21.05 1.93 0.00 N	6.91 0.68 0.00 N	15.00 1.40 0.00 N	29.28 3.11 0.00 N	34.26 3.56 0.00 N	30.93 3.27 0.00 N	22.53 2.44 0.00 N	29.15 3.09 0.00 N	30.91 3.39 0.00 N	22.89 2.41 0.00 N	8.54 0.83 0.00 N	5.85 0.50 0.00 N	7.58 0.63 0.00 N	12.85 1.20 0.00 N	7.82 0.73 -0.63 N	9.21 0.82 -0.84 N	-2.49 -0.30 0.00 N
HQ_GEN_CEDARS 23644	33.61 -0.51 0.00 N	28.32 -0.45 0.00 N	17.34 -0.27 0.00 N	16.12 -0.25 0.00 N	6.46 -0.10 0.00 N	4.18 -0.08 0.00 N	8.11 -0.23 0.00 N	18.72 -0.40 0.00 N	6.10 -0.12 0.00 N	13.39 -0.22 0.00 N	25.15 -1.01 0.00 N	29.45 -1.25 0.00 N	26.40 -1.26 0.00 N	19.13 -0.96 0.00 N	24.85 -1.21 0.00 N	26.35 -1.17 0.00 N	19.78 -0.70 0.00 N	7.30 -0.42 0.00 N	5.05 -0.30 0.00 N	6.59 -0.36 0.00 N	11.04 -0.62 0.00 N	6.12 -0.33 0.00 N	7.18 -0.37 0.00 N	-2.13 0.06 0.00 N
HQ_GEN_CEDARS_PROXY 323590	33.61 -0.51 0.00 N	28.32 -0.45 0.00 N	17.34 -0.27 0.00 N	16.12 -0.25 0.00 N	6.46 -0.10 0.00 N	24.73 -0.55 6.77 N	20.78 -0.09 -16.65 N	21.01 -0.30 -9.09 N	6.10 -0.12 0.00 N	13.39 -0.22 0.00 N	25.15 -1.01 0.00 N	33.25 -1.48 -0.27 N	26.40 -1.26 0.00 N	19.13 -0.96 0.00 N	24.85 -1.21 0.00 N	33.39 -1.28 -1.27 N	41.58 -0.94 -9.55 N	29.98 -1.59 -1.43 N	5.05 -0.30 0.00 N	6.59 -0.36 0.00 N	21.38 -1.04 -2.26 N	6.12 -0.33 0.00 N	20.39 -0.96 -1.45 N	22.76 -0.38 -8.95 N
HQ_GEN_IMPORT 323601	33.78 -0.34 0.00 N	28.48 -0.29 0.00 N	17.43 -0.18 0.00 N	16.21 -0.16 0.00 N	6.50 -0.06 0.00 N	24.96 -0.32 6.77 N	20.82 -0.05 -16.65 N	21.16 -0.15 -9.09 N	6.13 -0.10 0.00 N	20.39 -0.42 2.63 N	21.24 -0.52 6.69 N	25.99 -0.76 7.71 N	22.88 -0.75 7.75 N	6.95 -0.78 21.04 N	25.41 -0.65 0.00 N	33.87 -0.80 -1.27 N	41.74 -0.79 -9.55 N	30.70 -0.87 -1.43 N	18.73 -0.69 2.51 N	6.74 -0.20 0.00 N	17.83 -0.59 1.74 N	16.22 -0.65 5.76 N	20.81 -0.54 -1.45 N	22.82 -0.33 -8.95 N
HQ_GEN_WHEEL 23651	33.78 -0.34 0.00 N	28.48 -0.29 0.00 N	17.43 -0.18 0.00 N	16.21 -0.16 0.00 N	6.50 -0.06 0.00 N	24.96 -0.32 6.77 N	20.82 -0.05 -16.65 N	21.16 -0.15 -9.09 N	6.13 -0.10 0.00 N	20.39 -0.42 2.63 N	21.24 -0.52 6.69 N	25.99 -0.76 7.71 N	22.88 -0.75 7.75 N	6.95 -0.78 21.04 N	25.41 -0.65 0.00 N	33.87 -0.80 -1.27 N	41.74 -0.79 -9.55 N	30.70 -0.87 -1.43 N	18.73 -0.69 2.51 N	6.74 -0.20 0.00 N	17.83 -0.59 1.74 N	16.22 -0.65 5.76 N	20.81 -0.54 -1.45 N	22.82 -0.33 -8.95 N
HUDSON AVE_GT_3 23810	36.92 2.80 0.00 N	31.16 2.39 0.00 N	19.00 1.39 0.00 N	17.56 1.20 0.00 N	7.05 0.49 0.00 N	4.56 0.30 0.00 N	8.99 0.65 0.00 N	20.76 1.64 0.00 N	6.83 0.60 0.00 N	14.81 1.20 0.00 N	28.60 2.44 0.00 N	33.58 2.87 0.00 N	30.30 2.64 0.00 N	22.02 1.93 0.00 N	28.48 2.42 0.00 N	30.22 2.70 0.00 N	22.51 2.03 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.69 0.00 N	12.89 1.23 0.00 N	7.80 0.72 -0.63 N	9.21 0.82 -0.84 N	-2.43 -0.24 0.00 N
HUDSON AVE_GT_4 23540	36.92 2.80 0.00 N	31.16 2.39 0.00 N	19.00 1.39 0.00 N	17.56 1.20 0.00 N	7.05 0.49 0.00 N	4.56 0.30 0.00 N	8.99 0.65 0.00 N	20.76 1.64 0.00 N	6.83 0.60 0.00 N	14.81 1.20 0.00 N	28.60 2.44 0.00 N	33.58 2.87 0.00 N	30.30 2.64 0.00 N	22.02 1.93 0.00 N	28.48 2.42 0.00 N	30.22 2.70 0.00 N	22.51 2.03 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.69 0.00 N	12.89 1.23 0.00 N	7.80 0.72 -0.63 N	9.21 0.82 -0.84 N	-2.43 -0.24 0.00 N
HUDSON AVE_GT_5 23657	36.92 2.80 0.00 N	31.16 2.39 0.00 N	19.00 1.39 0.00 N	17.56 1.20 0.00 N	7.05 0.49 0.00 N	4.56 0.30 0.00 N	8.99 0.65 0.00 N	20.76 1.64 0.00 N	6.83 0.60 0.00 N	14.81 1.20 0.00 N	28.60 2.44 0.00 N	33.58 2.87 0.00 N	30.30 2.64 0.00 N	22.02 1.93 0.00 N	28.48 2.42 0.00 N	30.22 2.70 0.00 N	22.51 2.03 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.69 0.00 N	12.89 1.23 0.00 N	7.80 0.72 -0.63 N	9.21 0.82 -0.84 N	-2.43 -0.24 0.00 N
HUDSON_AVE_10 24168	36.81 2.68 0.00 N	31.05 2.28 0.00 N	18.94 1.33 0.00 N	17.50 1.13 0.00 N	7.03 0.47 0.00 N	4.55 0.29 0.00 N	8.96 0.62 0.00 N	20.68 1.56 0.00 N	6.80 0.57 0.00 N	14.75 1.15 0.00 N	28.46 2.29 0.00 N	33.41 2.70 0.00 N	30.16 2.50 0.00 N	21.92 1.83 0.00 N	28.35 2.29 0.00 N	30.08 2.56 0.00 N	22.41 1.93 0.00 N	8.44 0.73 0.00 N	5.85 0.50 0.00 N	7.59 0.64 0.00 N	12.80 1.15 0.00 N	7.76 0.67 -0.63 N	9.17 0.77 -0.84 N	-2.42 -0.23 0.00 N
HUNTER MOUNT___DRP 323613	36.59 2.47 0.00 N	30.92 2.15 0.00 N	18.90 1.29 0.00 N	17.53 1.16 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	8.95 0.61 0.00 N	20.58 1.45 0.00 N	6.74 0.51 0.00 N	14.68 1.08 0.00 N	28.30 2.14 0.00 N	33.15 2.44 0.00 N	29.75 2.09 0.00 N	21.71 1.61 0.00 N	28.14 2.08 0.00 N	29.72 2.20 0.00 N	22.07 1.59 0.00 N	8.33 0.62 0.00 N	5.79 0.44 0.00 N	7.52 0.57 0.00 N	12.67 1.02 0.00 N	7.17 0.59 -0.12 N	8.40 0.69 -0.17 N	-2.39 -0.20 0.00 N
HUNTLEY___63 23557	32.34 -1.79 0.00 N	27.10 -1.67 0.00 N	16.52 -1.09 0.00 N	15.39 -0.98 0.00 N	6.07 -0.49 0.00 N	4.09 -0.17 0.00 N	8.02 -0.31 0.00 N	17.93 -1.19 0.00 N	5.92 -0.30 0.00 N	13.09 -0.52 0.00 N	25.52 -0.65 0.00 N	30.61 -0.10 0.00 N	27.74 0.08 0.00 N	20.50 0.41 0.00 N	26.40 0.34 0.00 N	27.84 0.32 0.00 N	20.50 0.02 0.00 N	7.79 0.07 0.00 N	5.47 0.12 0.00 N	7.10 0.16 0.00 N	11.73 0.08 0.00 N	6.41 -0.05 0.00 N	7.43 -0.12 0.00 N	-2.12 0.07 0.00 N
HUNTLEY___64 23558	32.34 -1.79 0.00 N	27.10 -1.67 0.00 N	16.52 -1.09 0.00 N	15.39 -0.98 0.00 N	6.07 -0.49 0.00 N	4.09 -0.17 0.00 N	8.02 -0.31 0.00 N	17.93 -1.19 0.00 N	5.92 -0.30 0.00 N	13.09 -0.52 0.00 N	25.52 -0.65 0.00 N	30.61 -0.10 0.00 N	27.74 0.08 0.00 N	20.50 0.41 0.00 N	26.40 0.34 0.00 N	27.84 0.32 0.00 N	20.50 0.02 0.00 N	7.79 0.07 0.00 N	5.47 0.12 0.00 N	7.10 0.16 0.00 N	11.73 0.08 0.00 N	6.41 -0.05 0.00 N	7.43 -0.12 0.00 N	-2.12 0.07 0.00 N

	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
HUNTLEY____65 23559	32.34 -1.79 0.00 N	27.10 -1.67 0.00 N	16.52 -1.09 0.00 N	15.39 -0.98 0.00 N	6.07 -0.49 0.00 N	4.09 -0.17 0.00 N	8.02 -0.31 0.00 N	17.93 -1.19 0.00 N	5.92 -0.30 0.00 N	13.09 -0.52 0.00 N	25.52 -0.65 0.00 N	30.61 -0.10 0.00 N	27.74 0.08 0.00 N	20.50 0.41 0.00 N	26.40 0.34 0.00 N	27.84 0.32 0.00 N	20.50 0.02 0.00 N	7.79 0.07 0.00 N	5.47 0.12 0.00 N	7.10 0.16 0.00 N	11.73 0.08 0.00 N	6.41 -0.05 0.00 N	7.43 -0.12 0.00 N	-2.12 0.07 0.00 N	
HUNTLEY____66 23560	32.34 -1.79 0.00 N	27.10 -1.67 0.00 N	16.52 -1.09 0.00 N	15.39 -0.98 0.00 N	6.07 -0.49 0.00 N	4.09 -0.17 0.00 N	8.02 -0.31 0.00 N	17.93 -1.19 0.00 N	5.92 -0.30 0.00 N	13.09 -0.52 0.00 N	25.52 -0.65 0.00 N	30.61 -0.10 0.00 N	27.74 0.08 0.00 N	20.50 0.41 0.00 N	26.40 0.34 0.00 N	27.84 0.32 0.00 N	20.50 0.02 0.00 N	7.79 0.07 0.00 N	5.47 0.12 0.00 N	7.10 0.16 0.00 N	11.73 0.08 0.00 N	6.41 -0.05 0.00 N	7.43 -0.12 0.00 N	-2.12 0.07 0.00 N	
HUNTLEY____67 23561	31.78 -2.34 0.00 N	26.66 -2.11 0.00 N	16.26 -1.35 0.00 N	15.16 -1.21 0.00 N	5.98 -0.58 0.00 N	4.03 -0.23 0.00 N	7.90 -0.43 0.00 N	17.68 -1.44 0.00 N	5.84 -0.39 0.00 N	12.87 -0.73 0.00 N	25.07 -1.10 0.00 N	30.02 -0.68 0.00 N	27.19 -0.47 0.00 N	20.09 0.00 0.00 N	25.86 -0.20 0.00 N	27.30 -0.22 0.00 N	20.12 -0.36 0.00 N	7.64 -0.07 0.00 N	5.37 0.02 0.00 N	6.97 0.02 0.00 N	11.52 -0.13 0.00 N	6.29 -0.17 0.00 N	7.30 -0.25 0.00 N	-2.08 0.11 0.00 N	
HUNTLEY____68 23562	31.78 -2.34 0.00 N	26.66 -2.11 0.00 N	16.26 -1.35 0.00 N	15.16 -1.21 0.00 N	5.98 -0.58 0.00 N	4.03 -0.23 0.00 N	7.90 -0.43 0.00 N	17.68 -1.44 0.00 N	5.84 -0.39 0.00 N	12.87 -0.73 0.00 N	25.07 -1.10 0.00 N	30.02 -0.68 0.00 N	27.19 -0.47 0.00 N	20.09 0.00 0.00 N	25.86 -0.20 0.00 N	27.30 -0.22 0.00 N	20.12 -0.36 0.00 N	7.64 -0.07 0.00 N	5.37 0.02 0.00 N	6.97 0.02 0.00 N	11.52 -0.13 0.00 N	6.29 -0.17 0.00 N	7.30 -0.25 0.00 N	-2.08 0.11 0.00 N	
HYLAND____LFGE 323620	34.13 0.01 0.00 N	28.76 -0.01 0.00 N	17.48 -0.13 0.00 N	16.26 -0.11 0.00 N	6.45 -0.12 0.00 N	4.27 0.01 0.00 N	8.40 0.07 0.00 N	19.07 -0.06 0.00 N	6.32 0.09 0.00 N	13.98 0.37 0.00 N	27.30 1.14 0.00 N	32.62 1.92 0.00 N	29.08 1.43 0.00 N	21.66 1.57 0.00 N	27.95 1.89 0.00 N	29.59 2.06 0.00 N	21.58 1.10 0.00 N	8.17 0.45 0.00 N	5.71 0.36 0.00 N	7.42 0.48 0.00 N	12.42 0.77 0.00 N	6.79 0.33 0.00 N	7.86 0.31 0.00 N	-2.25 -0.06 0.00 N	
INDECK____CORINTH 23802	33.61 -0.51 0.00 N	28.50 -0.28 0.00 N	17.41 -0.20 0.00 N	16.10 -0.27 0.00 N	6.48 -0.08 0.00 N	4.19 -0.07 0.00 N	8.22 -0.12 0.00 N	19.05 -0.07 0.00 N	6.33 0.10 0.00 N	13.92 0.31 0.00 N	26.71 0.55 0.00 N	31.34 0.64 0.00 N	28.19 0.53 0.00 N	20.40 0.31 0.00 N	26.14 0.09 0.00 N	27.32 -0.20 0.00 N	20.25 -0.23 0.00 N	7.66 -0.05 0.00 N	5.31 -0.04 0.00 N	6.87 -0.08 0.00 N	11.59 -0.06 0.00 N	6.52 0.02 -0.05 N	7.68 0.07 -0.06 N	-2.23 -0.04 0.00 N	
INDECK____ILION 23567	34.67 0.55 0.00 N	29.31 0.54 0.00 N	17.95 0.34 0.00 N	16.68 0.31 0.00 N	6.69 0.12 0.00 N	4.34 0.08 0.00 N	8.51 0.17 0.00 N	19.51 0.39 0.00 N	6.37 0.15 0.00 N	13.92 0.32 0.00 N	26.84 0.68 0.00 N	31.49 0.78 0.00 N	28.27 0.61 0.00 N	20.62 0.53 0.00 N	26.74 0.68 0.00 N	28.23 0.71 0.00 N	20.89 0.41 0.00 N	7.88 0.17 0.00 N	5.47 0.12 0.00 N	7.10 0.16 0.00 N	11.95 0.30 0.00 N	6.64 0.18 0.00 N	7.76 0.21 0.00 N	-2.25 -0.06 0.00 N	
INDECK____OLEAN 23982	33.68 -0.44 0.00 N	28.25 -0.52 0.00 N	17.16 -0.45 0.00 N	16.03 -0.34 0.00 N	6.34 -0.22 0.00 N	4.22 -0.04 0.00 N	8.39 0.05 0.00 N	18.97 -0.15 0.00 N	6.31 0.08 0.00 N	13.86 0.25 0.00 N	27.21 1.04 0.00 N	32.52 1.81 0.00 N	29.21 1.55 0.00 N	21.52 1.43 0.00 N	27.85 1.79 0.00 N	29.71 2.19 0.00 N	21.89 1.41 0.00 N	8.27 0.56 0.00 N	5.81 0.46 0.00 N	7.52 0.58 0.00 N	12.52 0.87 0.00 N	6.81 0.35 0.00 N	7.85 0.30 0.00 N	-2.20 -0.01 0.00 N	
INDECK____OSWEGO 23783	33.53 -0.59 0.00 N	28.25 -0.52 0.00 N	17.28 -0.33 0.00 N	16.06 -0.31 0.00 N	6.43 -0.14 0.00 N	4.19 -0.07 0.00 N	8.19 -0.14 0.00 N	18.72 -0.40 0.00 N	6.12 -0.11 0.00 N	13.40 -0.20 0.00 N	25.86 -0.30 0.00 N	30.47 -0.23 0.00 N	27.45 -0.21 0.00 N	20.03 -0.06 0.00 N	25.96 -0.10 0.00 N	27.43 -0.09 0.00 N	20.35 -0.13 0.00 N	7.67 -0.04 0.00 N	5.33 -0.03 0.00 N	6.94 -0.01 0.00 N	11.66 0.01 0.00 N	6.41 -0.05 0.00 N	7.48 -0.07 0.00 N	-2.16 0.03 0.00 N	
INDECK____YERKES 23781	32.34 -1.79 0.00 N	27.10 -1.67 0.00 N	16.52 -1.09 0.00 N	15.39 -0.98 0.00 N	6.07 -0.49 0.00 N	4.09 -0.17 0.00 N	8.02 -0.31 0.00 N	17.93 -1.19 0.00 N	5.92 -0.30 0.00 N	13.09 -0.52 0.00 N	25.52 -0.65 0.00 N	30.61 -0.10 0.00 N	27.74 0.08 0.00 N	20.50 0.41 0.00 N	26.40 0.34 0.00 N	27.84 0.32 0.00 N	20.50 0.02 0.00 N	7.79 0.07 0.00 N	5.47 0.12 0.00 N	7.10 0.16 0.00 N	11.73 0.08 0.00 N	6.41 -0.05 0.00 N	7.43 -0.12 0.00 N	-2.12 0.07 0.00 N	
INDIAN POINT_GT_1 24139	36.47 2.35 0.00 N	30.79 2.02 0.00 N	18.77 1.17 0.00 N	17.37 1.00 0.00 N	6.98 0.42 0.00 N	4.52 0.26 0.00 N	8.90 0.56 0.00 N	20.53 1.41 0.00 N	6.75 0.52 0.00 N	14.63 1.03 0.00 N	28.24 2.07 0.00 N	33.13 2.43 0.00 N	29.91 2.25 0.00 N	21.73 1.64 0.00 N	28.11 2.05 0.00 N	29.83 2.31 0.00 N	22.24 1.76 0.00 N	8.38 0.67 0.00 N	5.82 0.47 0.00 N	7.55 0.60 0.00 N	12.74 1.08 0.00 N	7.71 0.63 -0.62 N	9.09 0.71 -0.83 N	-2.40 -0.21 0.00 N	
INDIAN POINT_GT_2 23659	36.47 2.35 0.00 N	30.79 2.02 0.00 N	18.77 1.17 0.00 N	17.37 1.00 0.00 N	6.98 0.42 0.00 N	4.52 0.26 0.00 N	8.90 0.56 0.00 N	20.53 1.41 0.00 N	6.75 0.52 0.00 N	14.63 1.03 0.00 N	28.24 2.07 0.00 N	33.13 2.43 0.00 N	29.91 2.25 0.00 N	21.73 1.64 0.00 N	28.11 2.05 0.00 N	29.83 2.31 0.00 N	22.24 1.76 0.00 N	8.38 0.67 0.00 N	5.82 0.47 0.00 N	7.55 0.60 0.00 N	12.74 1.08 0.00 N	7.71 0.63 -0.62 N	9.09 0.71 -0.83 N	-2.40 -0.21 0.00 N	
INDIAN POINT_GT_3 24019	36.47 2.35 0.00 N	30.79 2.02 0.00 N	18.77 1.17 0.00 N	17.37 1.00 0.00 N	6.98 0.42 0.00 N	4.52 0.26 0.00 N	8.90 0.56 0.00 N	20.53 1.41 0.00 N	6.75 0.52 0.00 N	14.63 1.03 0.00 N	28.24 2.07 0.00 N	33.13 2.43 0.00 N	29.91 2.25 0.00 N	21.73 1.64 0.00 N	28.11 2.05 0.00 N	29.83 2.31 0.00 N	22.24 1.76 0.00 N	8.38 0.67 0.00 N	5.82 0.47 0.00 N	7.55 0.60 0.00 N	12.74 1.08 0.00 N	7.71 0.63 -0.62 N	9.09 0.71 -0.83 N	-2.40 -0.21 0.00 N	
INDIAN POINT____2	36.40	30.73	18.74	17.34	6.97	4.51	8.88	20.50	6.74	14.60	28.18	33.06	29.85	21.69	28.05	29.79	22.21	8.37	5.81	7.54	12.72	7.69	9.06	-2.40	

23530	2.28 0.00 N	1.96 0.00 N	1.13 0.00 N	0.97 0.00 N	0.41 0.00 N	0.25 0.00 N	0.55 0.00 N	1.37 0.00 N	0.51 0.00 N	1.00 0.00 N	2.02 0.00 N	2.36 0.00 N	2.19 0.00 N	1.60 0.00 N	1.99 0.00 N	2.27 0.00 N	1.74 0.00 N	0.66 0.00 N	0.46 0.00 N	0.60 0.00 N	1.07 0.00 N	0.62 -0.60 N	0.70 -0.81 N	-0.22 0.00 N
INDIAN POINT____3 23531	36.35 2.23 0.00 N	30.69 1.92 0.00 N	18.72 1.11 0.00 N	17.32 0.95 0.00 N	6.96 0.40 0.00 N	4.51 0.24 0.00 N	8.87 0.53 0.00 N	20.46 1.34 0.00 N	6.73 0.50 0.00 N	14.58 0.97 0.00 N	28.14 1.97 0.00 N	33.00 2.30 0.00 N	29.79 2.14 0.00 N	21.65 1.56 0.00 N	28.01 1.95 0.00 N	29.72 2.20 0.00 N	22.16 1.68 0.00 N	8.35 0.64 0.00 N	5.80 0.45 0.00 N	7.52 0.58 0.00 N	12.69 1.04 0.00 N	7.68 0.60 -0.62 N	9.07 0.68 -0.83 N	-2.40 -0.21 0.00 N
IP CORINTH____1 23988	33.66 -0.46 0.00 N	28.51 -0.26 0.00 N	17.41 -0.20 0.00 N	16.10 -0.27 0.00 N	6.48 -0.08 0.00 N	4.19 -0.07 0.00 N	8.21 -0.13 0.00 N	19.06 -0.06 0.00 N	6.36 0.13 0.00 N	13.99 0.38 0.00 N	26.83 0.67 0.00 N	31.47 0.76 0.00 N	28.29 0.62 0.00 N	20.46 0.37 0.00 N	26.19 0.13 0.00 N	27.36 -0.16 0.00 N	20.26 -0.22 0.00 N	7.66 -0.05 0.00 N	5.32 -0.04 0.00 N	6.88 -0.07 0.00 N	11.62 -0.03 0.00 N	6.53 0.03 -0.05 N	7.69 0.08 -0.06 N	-2.23 -0.05 0.00 N
IP____TICONDEROGA 23804	36.47 2.35 0.00 N	31.13 2.36 0.00 N	19.05 1.44 0.00 N	17.60 1.23 0.00 N	7.08 0.52 0.00 N	4.59 0.33 0.00 N	9.06 0.73 0.00 N	20.90 1.78 0.00 N	6.76 0.53 0.00 N	14.80 1.20 0.00 N	28.47 2.30 0.00 N	33.61 2.91 0.00 N	30.06 2.40 0.00 N	21.83 1.74 0.00 N	28.45 2.39 0.00 N	29.75 2.23 0.00 N	21.92 1.44 0.00 N	8.31 0.60 0.00 N	5.77 0.42 0.00 N	7.48 0.53 0.00 N	12.60 0.95 0.00 N	7.16 0.61 -0.10 N	8.48 0.80 -0.13 N	-2.43 -0.25 0.00 N
JARVIS____ 23743	34.22 0.10 0.00 N	28.86 0.08 0.00 N	17.66 0.05 0.00 N	16.43 0.06 0.00 N	6.58 0.02 0.00 N	4.28 0.01 0.00 N	8.37 0.04 0.00 N	19.20 0.08 0.00 N	6.26 0.03 0.00 N	13.67 0.07 0.00 N	26.32 0.16 0.00 N	30.89 0.19 0.00 N	27.84 0.18 0.00 N	20.23 0.14 0.00 N	26.24 0.18 0.00 N	27.71 0.19 0.00 N	20.61 0.13 0.00 N	7.77 0.06 0.00 N	5.39 0.04 0.00 N	7.00 0.05 0.00 N	11.74 0.09 0.00 N	6.51 0.05 0.00 N	7.61 0.06 0.00 N	-2.20 -0.02 0.00 N
JENNISON____1 23625	35.33 1.21 0.00 N	29.80 1.03 0.00 N	18.26 0.65 0.00 N	16.99 0.62 0.00 N	6.79 0.23 0.00 N	4.43 0.17 0.00 N	8.73 0.39 0.00 N	20.05 0.93 0.00 N	6.59 0.36 0.00 N	14.43 0.82 0.00 N	27.96 1.80 0.00 N	32.96 2.26 0.00 N	29.53 1.88 0.00 N	21.59 1.50 0.00 N	27.99 1.93 0.00 N	29.69 2.17 0.00 N	21.99 1.51 0.00 N	8.29 0.57 0.00 N	5.78 0.43 0.00 N	7.48 0.54 0.00 N	12.57 0.92 0.00 N	6.94 0.46 -0.02 N	8.08 0.49 -0.03 N	-2.33 -0.14 0.00 N
JENNISON____2 23626	35.27 1.15 0.00 N	29.76 0.99 0.00 N	18.24 0.63 0.00 N	16.97 0.60 0.00 N	6.79 0.22 0.00 N	4.43 0.16 0.00 N	8.72 0.38 0.00 N	20.02 0.90 0.00 N	6.58 0.35 0.00 N	14.41 0.80 0.00 N	27.92 1.75 0.00 N	32.90 2.20 0.00 N	29.49 1.83 0.00 N	21.56 1.47 0.00 N	27.94 1.89 0.00 N	29.64 2.12 0.00 N	21.95 1.47 0.00 N	8.27 0.56 0.00 N	5.77 0.42 0.00 N	7.47 0.52 0.00 N	12.55 0.90 0.00 N	6.93 0.45 -0.02 N	8.06 0.48 -0.03 N	-2.33 -0.14 0.00 N
KEDC PORT_JEFF_GT2 24210	37.05 2.93 0.00 N	31.18 2.41 0.00 N	19.08 1.47 0.00 N	17.62 1.25 0.00 N	7.08 0.51 0.00 N	4.58 0.32 0.00 N	9.04 0.71 0.00 N	20.96 1.84 0.00 N	6.88 0.65 0.00 N	14.92 1.31 0.00 N	29.04 2.87 0.00 N	33.89 3.18 0.00 N	30.63 2.97 0.00 N	22.30 2.21 0.00 N	28.84 2.78 0.00 N	30.57 3.06 0.00 N	22.67 2.19 0.00 N	8.46 0.75 0.00 N	5.80 0.44 0.00 N	7.50 0.55 0.00 N	12.71 1.06 0.00 N	7.74 0.65 -0.63 N	9.12 0.73 -0.84 N	-2.48 -0.29 0.00 N
KEDC PORT_JEFF_GT3 24211	37.05 2.93 0.00 N	31.18 2.41 0.00 N	19.08 1.47 0.00 N	17.62 1.25 0.00 N	7.08 0.51 0.00 N	4.58 0.32 0.00 N	9.04 0.71 0.00 N	20.96 1.84 0.00 N	6.88 0.65 0.00 N	14.92 1.31 0.00 N	29.04 2.87 0.00 N	33.89 3.18 0.00 N	30.63 2.97 0.00 N	22.30 2.21 0.00 N	28.84 2.78 0.00 N	30.57 3.06 0.00 N	22.67 2.19 0.00 N	8.46 0.75 0.00 N	5.80 0.44 0.00 N	7.50 0.55 0.00 N	12.71 1.06 0.00 N	7.74 0.65 -0.63 N	9.12 0.73 -0.84 N	-2.48 -0.29 0.00 N
KEDC_GLWD_GT4 24219	36.97 2.85 0.00 N	31.17 2.40 0.00 N	19.02 1.41 0.00 N	17.58 1.21 0.00 N	7.07 0.51 0.00 N	4.56 0.30 0.00 N	8.98 0.65 0.00 N	20.75 1.63 0.00 N	6.82 0.59 0.00 N	14.76 1.16 0.00 N	28.54 2.37 0.00 N	33.32 2.62 0.00 N	30.06 2.40 0.00 N	21.84 1.76 0.00 N	28.27 2.21 0.00 N	29.99 2.47 0.00 N	22.30 1.82 0.00 N	8.38 0.67 0.00 N	5.79 0.44 0.00 N	7.52 0.57 0.00 N	12.70 1.05 0.00 N	7.71 0.62 -0.63 N	9.11 0.71 -0.84 N	-2.42 -0.23 0.00 N
KEDC_GLWD_GT5 24220	36.97 2.85 0.00 N	31.17 2.40 0.00 N	19.02 1.41 0.00 N	17.58 1.21 0.00 N	7.07 0.51 0.00 N	4.56 0.30 0.00 N	8.98 0.65 0.00 N	20.75 1.63 0.00 N	6.82 0.59 0.00 N	14.76 1.16 0.00 N	28.54 2.37 0.00 N	33.32 2.62 0.00 N	30.06 2.40 0.00 N	21.84 1.76 0.00 N	28.27 2.21 0.00 N	29.99 2.47 0.00 N	22.30 1.82 0.00 N	8.38 0.67 0.00 N	5.79 0.44 0.00 N	7.52 0.57 0.00 N	12.70 1.05 0.00 N	7.71 0.62 -0.63 N	9.11 0.71 -0.84 N	-2.42 -0.23 0.00 N
KENSICO____ 23655	36.62 2.50 0.00 N	30.91 2.14 0.00 N	18.85 1.24 0.00 N	17.44 1.07 0.00 N	7.01 0.44 0.00 N	4.53 0.27 0.00 N	8.93 0.59 0.00 N	20.60 1.48 0.00 N	6.77 0.54 0.00 N	14.68 1.08 0.00 N	28.34 2.18 0.00 N	33.25 2.55 0.00 N	30.02 2.36 0.00 N	21.81 1.72 0.00 N	28.22 2.16 0.00 N	29.93 2.41 0.00 N	22.30 1.82 0.00 N	8.41 0.69 0.00 N	5.83 0.48 0.00 N	7.57 0.62 0.00 N	12.77 1.12 0.00 N	7.73 0.65 -0.63 N	9.13 0.74 -0.84 N	-2.41 -0.22 0.00 N
KIAC_JFK_GT1 23816	36.96 2.84 0.00 N	31.17 2.40 0.00 N	19.00 1.39 0.00 N	17.55 1.18 0.00 N	7.04 0.48 0.00 N	4.56 0.30 0.00 N	8.98 0.64 0.00 N	20.74 1.62 0.00 N	6.82 0.59 0.00 N	14.79 1.19 0.00 N	28.47 2.30 0.00 N	33.36 2.66 0.00 N	30.15 2.49 0.00 N	21.88 1.79 0.00 N	28.31 2.25 0.00 N	30.00 2.48 0.00 N	22.40 1.92 0.00 N	8.44 0.73 0.00 N	5.83 0.48 0.00 N	7.56 0.61 0.00 N	12.75 1.10 0.00 N	7.73 0.65 -0.63 N	9.16 0.77 -0.84 N	-2.41 -0.22 0.00 N
KIAC_JFK_GT2 23817	36.96 2.84 0.00 N	31.17 2.40 0.00 N	19.00 1.39 0.00 N	17.55 1.18 0.00 N	7.04 0.48 0.00 N	4.56 0.30 0.00 N	8.98 0.64 0.00 N	20.74 1.62 0.00 N	6.82 0.59 0.00 N	14.79 1.19 0.00 N	28.47 2.30 0.00 N	33.36 2.66 0.00 N	30.15 2.49 0.00 N	21.88 1.79 0.00 N	28.31 2.25 0.00 N	30.00 2.48 0.00 N	22.40 1.92 0.00 N	8.44 0.73 0.00 N	5.83 0.48 0.00 N	7.56 0.61 0.00 N	12.75 1.10 0.00 N	7.73 0.65 -0.63 N	9.16 0.77 -0.84 N	-2.41 -0.22 0.00 N

KINTIGH____ 23543	31.88 -2.24 0.00 N	26.78 -2.00 0.00 N	16.36 -1.25 0.00 N	15.23 -1.14 0.00 N	6.02 -0.54 0.00 N	4.03 -0.23 0.00 N	7.88 -0.45 0.00 N	17.70 -1.42 0.00 N	5.84 -0.39 0.00 N	12.86 -0.74 0.00 N	25.01 -1.16 0.00 N	29.86 -0.84 0.00 N	27.08 -0.58 0.00 N	19.99 -0.10 0.00 N	25.72 -0.33 0.00 N	27.08 -0.44 0.00 N	19.98 -0.50 0.00 N	7.59 -0.13 0.00 N	5.31 -0.04 0.00 N	6.90 -0.05 0.00 N	11.42 -0.23 0.00 N	6.26 -0.20 0.00 N	7.28 -0.27 0.00 N	-2.09 0.11 0.00 N
LEDERLE____ 23769	36.77 2.65 0.00 N	31.09 2.32 0.00 N	18.95 1.34 0.00 N	17.54 1.17 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	8.99 0.66 0.00 N	20.75 1.63 0.00 N	6.83 0.60 0.00 N	14.79 1.19 0.00 N	28.55 2.39 0.00 N	33.52 2.81 0.00 N	30.17 2.51 0.00 N	21.99 1.90 0.00 N	28.44 2.38 0.00 N	30.23 2.71 0.00 N	22.48 2.00 0.00 N	8.48 0.76 0.00 N	5.88 0.53 0.00 N	7.65 0.71 0.00 N	12.93 1.28 0.00 N	7.78 0.74 -0.58 N	9.16 0.83 -0.78 N	-2.44 -0.25 0.00 N
LINDEN COGEN____ 23786	34.76 2.58 1.94 N	30.97 2.20 0.00 N	18.88 1.27 0.00 N	17.45 1.08 0.00 N	7.01 0.44 0.00 N	4.54 0.27 0.00 N	8.94 0.60 0.00 N	20.65 1.53 0.00 N	6.80 0.57 0.00 N	14.73 1.12 0.00 N	28.45 2.28 0.00 N	33.37 2.67 0.00 N	30.13 2.47 0.00 N	21.90 1.81 0.00 N	28.33 2.27 0.00 N	30.07 2.55 0.00 N	22.40 1.92 0.00 N	8.44 0.73 0.00 N	5.85 0.50 0.00 N	7.59 0.64 0.00 N	12.80 1.15 0.00 N	7.75 0.66 -0.63 N	9.16 0.77 -0.84 N	-2.41 -0.23 0.00 N
LIPA_MISC_IPP 23656	36.83 2.71 0.00 N	30.95 2.18 0.00 N	18.94 1.33 0.00 N	17.50 1.13 0.00 N	7.03 0.47 0.00 N	4.55 0.29 0.00 N	8.98 0.64 0.00 N	20.80 1.68 0.00 N	6.82 0.59 0.00 N	14.84 1.23 0.00 N	29.01 2.85 0.00 N	33.97 3.27 0.00 N	30.71 3.05 0.00 N	22.34 2.25 0.00 N	28.90 2.84 0.00 N	30.64 3.12 0.00 N	22.72 2.24 0.00 N	8.48 0.76 0.00 N	5.80 0.44 0.00 N	7.50 0.55 0.00 N	12.71 1.06 0.00 N	7.74 0.66 -0.63 N	9.12 0.72 -0.84 N	-2.46 -0.28 0.00 N
LITTLE FALLS____HYD 24013	35.17 1.05 0.00 N	29.83 1.06 0.00 N	18.27 0.66 0.00 N	16.96 0.58 0.00 N	6.79 0.23 0.00 N	4.41 0.15 0.00 N	8.65 0.32 0.00 N	19.81 0.69 0.00 N	6.47 0.25 0.00 N	14.14 0.54 0.00 N	27.31 1.14 0.00 N	32.01 1.31 0.00 N	28.71 1.06 0.00 N	20.98 0.89 0.00 N	27.20 1.14 0.00 N	28.68 1.16 0.00 N	21.18 0.71 0.00 N	8.00 0.29 0.00 N	5.56 0.20 0.00 N	7.19 0.25 0.00 N	12.12 0.47 0.00 N	6.75 0.30 0.00 N	7.91 0.36 0.00 N	-2.30 -0.11 0.00 N
LI_NEWBRIDGE____DRP 323616	37.12 3.00 0.00 N	31.24 2.47 0.00 N	19.10 1.49 0.00 N	17.66 1.29 0.00 N	7.09 0.53 0.00 N	4.58 0.33 0.00 N	9.05 0.71 0.00 N	20.92 1.80 0.00 N	6.86 0.64 0.00 N	14.84 1.23 0.00 N	28.83 2.67 0.00 N	33.72 3.01 0.00 N	30.46 2.80 0.00 N	22.14 2.04 0.00 N	28.64 2.58 0.00 N	30.38 2.85 0.00 N	22.57 2.09 0.00 N	8.45 0.74 0.00 N	5.82 0.47 0.00 N	7.55 0.60 0.00 N	12.76 1.11 0.00 N	7.76 0.67 -0.63 N	9.17 0.77 -0.84 N	-2.47 -0.28 0.00 N
LONG LAKE_PHOENIX 24014	33.75 -0.37 0.00 N	28.46 -0.31 0.00 N	17.43 -0.18 0.00 N	16.20 -0.17 0.00 N	6.47 -0.09 0.00 N	4.23 -0.04 0.00 N	8.27 -0.07 0.00 N	18.89 -0.23 0.00 N	6.18 -0.05 0.00 N	13.54 -0.06 0.00 N	26.12 -0.04 0.00 N	30.82 0.12 0.00 N	27.67 0.01 0.00 N	20.24 0.15 0.00 N	26.23 0.17 0.00 N	27.72 0.20 0.00 N	20.48 0.00 0.00 N	7.73 0.02 0.00 N	5.37 0.02 0.00 N	6.98 0.03 0.00 N	11.74 0.10 0.00 N	6.47 0.02 0.00 N	7.54 -0.01 0.00 N	-2.18 0.01 0.00 N
LOVETT____3 23632	36.24 2.12 0.00 N	30.59 1.82 0.00 N	18.65 1.04 0.00 N	17.26 0.89 0.00 N	6.94 0.38 0.00 N	4.49 0.23 0.00 N	8.85 0.51 0.00 N	20.42 1.30 0.00 N	6.71 0.49 0.00 N	14.54 0.94 0.00 N	28.06 1.89 0.00 N	32.91 2.21 0.00 N	29.72 2.06 0.00 N	21.58 1.49 0.00 N	27.91 1.86 0.00 N	29.65 2.13 0.00 N	22.13 1.65 0.00 N	8.34 0.63 0.00 N	5.79 0.44 0.00 N	7.52 0.57 0.00 N	12.68 1.02 0.00 N	7.65 0.60 -0.59 N	9.01 0.67 -0.79 N	-2.40 -0.21 0.00 N
LOVETT____4 23642	36.48 2.36 0.00 N	30.79 2.02 0.00 N	18.77 1.16 0.00 N	17.37 1.00 0.00 N	6.98 0.42 0.00 N	4.52 0.26 0.00 N	8.91 0.57 0.00 N	20.55 1.43 0.00 N	6.76 0.53 0.00 N	14.64 1.03 0.00 N	28.25 2.09 0.00 N	33.15 2.44 0.00 N	29.93 2.27 0.00 N	21.74 1.65 0.00 N	28.12 2.06 0.00 N	29.87 2.36 0.00 N	22.29 1.81 0.00 N	8.40 0.69 0.00 N	5.84 0.48 0.00 N	7.57 0.63 0.00 N	12.77 1.12 0.00 N	7.70 0.65 -0.59 N	9.07 0.73 -0.79 N	-2.41 -0.22 0.00 N
LOVETT____5 23593	36.48 2.36 0.00 N	30.79 2.02 0.00 N	18.77 1.16 0.00 N	17.37 1.00 0.00 N	6.98 0.42 0.00 N	4.52 0.26 0.00 N	8.91 0.57 0.00 N	20.55 1.43 0.00 N	6.76 0.53 0.00 N	14.64 1.03 0.00 N	28.25 2.09 0.00 N	33.15 2.44 0.00 N	29.93 2.27 0.00 N	21.74 1.65 0.00 N	28.12 2.06 0.00 N	29.87 2.36 0.00 N	22.29 1.81 0.00 N	8.40 0.69 0.00 N	5.84 0.48 0.00 N	7.57 0.63 0.00 N	12.77 1.12 0.00 N	7.70 0.65 -0.59 N	9.07 0.73 -0.79 N	-2.41 -0.22 0.00 N
LOWER RAQUET____HYD 24057	33.54 -0.58 0.00 N	28.27 -0.50 0.00 N	17.31 -0.30 0.00 N	16.09 -0.29 0.00 N	6.45 -0.11 0.00 N	4.16 -0.10 0.00 N	7.99 -0.35 0.00 N	18.49 -0.63 0.00 N	6.03 -0.19 0.00 N	13.26 -0.34 0.00 N	24.90 -1.27 0.00 N	29.16 -1.55 0.00 N	26.13 -1.53 0.00 N	18.92 -1.17 0.00 N	24.57 -1.49 0.00 N	26.02 -1.50 0.00 N	19.50 -0.98 0.00 N	7.22 -0.50 0.00 N	4.99 -0.36 0.00 N	6.52 -0.43 0.00 N	10.92 -0.73 0.00 N	6.08 -0.38 0.00 N	7.14 -0.41 0.00 N	-2.14 0.05 0.00 N
LOWER____HUDSON 24059	35.30 1.18 0.00 N	29.94 1.17 0.00 N	18.35 0.74 0.00 N	17.02 0.65 0.00 N	6.85 0.29 0.00 N	4.43 0.17 0.00 N	8.67 0.33 0.00 N	19.85 0.73 0.00 N	6.49 0.26 0.00 N	14.20 0.59 0.00 N	27.22 1.05 0.00 N	31.82 1.12 0.00 N	28.73 1.07 0.00 N	20.87 0.78 0.00 N	27.04 0.98 0.00 N	28.45 0.93 0.00 N	21.13 0.65 0.00 N	8.00 0.29 0.00 N	5.55 0.20 0.00 N	7.18 0.23 0.00 N	12.09 0.44 0.00 N	6.76 0.28 -0.02 N	7.95 0.37 -0.03 N	-2.31 -0.12 0.00 N
LWR____OSWEGATCHIE_HYD 23850	33.92 -0.20 0.00 N	28.54 -0.23 0.00 N	17.45 -0.16 0.00 N	16.21 -0.16 0.00 N	6.50 -0.07 0.00 N	4.21 -0.05 0.00 N	8.12 -0.21 0.00 N	18.73 -0.40 0.00 N	6.14 -0.09 0.00 N	13.50 -0.10 0.00 N	25.69 -0.48 0.00 N	30.21 -0.50 0.00 N	27.11 -0.55 0.00 N	19.67 -0.42 0.00 N	25.52 -0.54 0.00 N	27.01 -0.51 0.00 N	20.15 -0.33 0.00 N	7.51 -0.20 0.00 N	5.20 -0.15 0.00 N	6.78 -0.17 0.00 N	11.38 -0.27 0.00 N	6.35 -0.11 0.00 N	7.43 -0.12 0.00 N	-2.21 -0.02 0.00 N
LYONS_FALL_HYD 23570	34.33 0.21 0.00 N	28.89 0.11 0.00 N	17.65 0.05 0.00 N	16.40 0.03 0.00 N	6.57 0.01 0.00 N	4.27 0.01 0.00 N	8.33 0.00 0.00 N	19.13 0.02 0.00 N	6.27 0.05 0.00 N	13.80 0.19 0.00 N	26.56 0.40 0.00 N	31.29 0.59 0.00 N	28.10 0.45 0.00 N	20.49 0.39 0.00 N	26.55 0.49 0.00 N	28.08 0.56 0.00 N	20.84 0.37 0.00 N	7.84 0.13 0.00 N	5.44 0.09 0.00 N	7.07 0.13 0.00 N	11.88 0.23 0.00 N	6.59 0.14 0.00 N	7.69 0.14 0.00 N	-2.25 -0.06 0.00 N

	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
MADISON___COUNTY_LFGE 323628	34.60 0.47 0.00 N	29.16 0.39 0.00 N	17.83 0.22 0.00 N	16.58 0.21 0.00 N	6.63 0.06 0.00 N	4.32 0.06 0.00 N	8.46 0.13 0.00 N	19.40 0.27 0.00 N	6.35 0.12 0.00 N	13.93 0.32 0.00 N	26.91 0.74 0.00 N	31.72 1.01 0.00 N	28.49 0.83 0.00 N	20.83 0.74 0.00 N	26.99 0.93 0.00 N	28.58 1.06 0.00 N	21.15 0.67 0.00 N	7.98 0.27 0.00 N	5.55 0.19 0.00 N	7.20 0.25 0.00 N	12.08 0.43 0.00 N	6.68 0.22 0.00 N	7.77 0.22 0.00 N	-2.26 -0.07 0.00 N		
MAPLE_RIDGE_WT_1 323574	33.51 -0.61 0.00 N	28.20 -0.57 0.00 N	17.26 -0.35 0.00 N	16.22 -0.15 0.00 N	6.44 -0.12 0.00 N	4.22 -0.04 0.00 N	8.29 -0.05 0.00 N	18.99 -0.13 0.00 N	6.19 -0.04 0.00 N	13.52 -0.08 0.00 N	25.95 -0.22 0.00 N	30.41 -0.29 0.00 N	27.41 -0.25 0.00 N	19.88 -0.21 0.00 N	25.80 -0.26 0.00 N	27.26 -0.26 0.00 N	20.26 -0.22 0.00 N	7.60 -0.11 0.00 N	5.27 -0.08 0.00 N	6.83 -0.11 0.00 N	11.42 -0.23 0.00 N	6.32 -0.14 0.00 N	7.38 -0.17 0.00 N	-2.15 0.04 0.00 N		
MAPLE_RIDGE_WT_2 323611	33.51 -0.61 0.00 N	28.20 -0.57 0.00 N	17.26 -0.35 0.00 N	16.22 -0.15 0.00 N	6.44 -0.12 0.00 N	4.22 -0.04 0.00 N	8.29 -0.05 0.00 N	18.99 -0.13 0.00 N	6.19 -0.04 0.00 N	13.52 -0.08 0.00 N	25.95 -0.22 0.00 N	30.41 -0.29 0.00 N	27.41 -0.25 0.00 N	19.88 -0.21 0.00 N	25.80 -0.26 0.00 N	27.26 -0.26 0.00 N	20.26 -0.22 0.00 N	7.60 -0.11 0.00 N	5.27 -0.08 0.00 N	6.83 -0.11 0.00 N	11.42 -0.23 0.00 N	6.32 -0.14 0.00 N	7.38 -0.17 0.00 N	-2.15 0.04 0.00 N		
MG INDUSTRY___DRP 24185	35.03 0.91 0.00 N	29.65 0.88 0.00 N	18.18 0.57 0.00 N	16.89 0.52 0.00 N	6.80 0.24 0.00 N	4.39 0.13 0.00 N	8.57 0.23 0.00 N	19.62 0.50 0.00 N	6.41 0.18 0.00 N	13.94 0.33 0.00 N	26.79 0.62 0.00 N	31.31 0.60 0.00 N	28.27 0.61 0.00 N	20.58 0.49 0.00 N	26.68 0.62 0.00 N	28.17 0.65 0.00 N	20.95 0.47 0.00 N	7.90 0.19 0.00 N	5.48 0.13 0.00 N	7.10 0.16 0.00 N	11.97 0.32 0.00 N	6.66 0.20 0.00 N	7.80 0.25 0.00 N	-2.26 -0.07 0.00 N		
MID___OSWEGATCHIE_HYD 23849	33.92 -0.20 0.00 N	28.54 -0.23 0.00 N	17.45 -0.16 0.00 N	16.21 -0.16 0.00 N	6.50 -0.07 0.00 N	4.21 -0.05 0.00 N	8.12 -0.21 0.00 N	18.73 -0.40 0.00 N	6.14 -0.09 0.00 N	13.50 -0.10 0.00 N	25.69 -0.48 0.00 N	30.21 -0.50 0.00 N	27.11 -0.55 0.00 N	19.67 -0.42 0.00 N	25.52 -0.54 0.00 N	27.01 -0.51 0.00 N	20.15 -0.33 0.00 N	7.51 -0.20 0.00 N	5.20 -0.15 0.00 N	6.78 -0.17 0.00 N	11.38 -0.27 0.00 N	6.35 -0.11 0.00 N	7.43 -0.12 0.00 N	-2.21 -0.02 0.00 N		
MID___RAQUETTE_HYD 23851	33.54 -0.58 0.00 N	28.27 -0.50 0.00 N	17.31 -0.30 0.00 N	16.09 -0.29 0.00 N	6.45 -0.11 0.00 N	4.16 -0.10 0.00 N	7.99 -0.35 0.00 N	18.49 -0.63 0.00 N	6.03 -0.19 0.00 N	13.26 -0.34 0.00 N	24.90 -1.27 0.00 N	29.16 -1.55 0.00 N	26.13 -1.53 0.00 N	18.92 -1.17 0.00 N	24.57 -1.49 0.00 N	26.02 -1.50 0.00 N	19.50 -0.98 0.00 N	7.22 -0.50 0.00 N	4.99 -0.36 0.00 N	6.52 -0.43 0.00 N	10.92 -0.73 0.00 N	6.08 -0.38 0.00 N	7.14 -0.41 0.00 N	-2.14 0.05 0.00 N		
MILLIKEN___1 23584	34.02 -0.10 0.00 N	28.69 -0.08 0.00 N	17.56 -0.05 0.00 N	16.32 -0.05 0.00 N	6.52 -0.05 0.00 N	4.26 0.00 0.00 N	8.35 0.01 0.00 N	19.12 0.00 0.00 N	6.27 0.04 0.00 N	13.76 0.15 0.45 N	26.61 0.70 0.00 N	31.40 0.61 0.00 N	28.27 0.64 0.00 N	20.73 0.64 0.00 N	26.86 0.80 0.00 N	28.40 0.88 0.00 N	21.06 0.58 0.00 N	7.95 0.23 0.00 N	5.53 0.18 0.00 N	7.16 0.21 0.00 N	12.00 0.35 0.00 N	6.61 0.15 0.00 N	7.69 0.14 0.00 N	-2.23 -0.04 0.00 N		
MILLIKEN___2 23585	34.02 -0.10 0.00 N	28.69 -0.08 0.00 N	17.56 -0.05 0.00 N	16.32 -0.05 0.00 N	6.52 -0.05 0.00 N	4.26 0.00 0.00 N	8.35 0.01 0.00 N	19.12 0.00 0.00 N	6.27 0.04 0.00 N	13.76 0.15 0.45 N	26.61 0.70 0.00 N	31.40 0.61 0.00 N	28.27 0.64 0.00 N	20.73 0.64 0.00 N	26.86 0.80 0.00 N	28.40 0.88 0.00 N	21.06 0.58 0.00 N	7.95 0.23 0.00 N	5.53 0.18 0.00 N	7.16 0.21 0.00 N	12.00 0.35 0.00 N	6.61 0.15 0.00 N	7.69 0.14 0.00 N	-2.23 -0.04 0.00 N		
MILLIKEN___DIESEL 23629	34.02 -0.10 0.00 N	28.69 -0.08 0.00 N	17.56 -0.05 0.00 N	16.32 -0.05 0.00 N	6.52 -0.05 0.00 N	4.26 0.00 0.00 N	8.35 0.01 0.00 N	19.12 0.00 0.00 N	6.27 0.04 0.00 N	13.76 0.15 0.45 N	26.61 0.70 0.00 N	31.40 0.61 0.00 N	28.27 0.64 0.00 N	20.73 0.64 0.00 N	26.86 0.80 0.00 N	28.40 0.88 0.00 N	21.06 0.58 0.00 N	7.95 0.23 0.00 N	5.53 0.18 0.00 N	7.16 0.21 0.00 N	12.00 0.35 0.00 N	6.61 0.15 0.00 N	7.69 0.14 0.00 N	-2.23 -0.04 0.00 N		
MILLSEAT___LFGE 323607	32.63 -1.49 0.00 N	27.34 -1.43 0.00 N	16.66 -0.95 0.00 N	15.51 -0.86 0.00 N	6.12 -0.44 0.00 N	4.11 -0.15 0.00 N	8.06 -0.28 0.00 N	18.05 -1.07 0.00 N	5.97 -0.26 0.00 N	13.20 -0.41 0.00 N	25.75 -0.42 0.00 N	30.88 0.18 0.00 N	27.98 0.32 0.00 N	20.69 0.60 0.00 N	26.62 0.56 0.00 N	28.06 0.54 0.00 N	20.67 0.19 0.00 N	7.85 0.13 0.00 N	5.51 0.16 0.00 N	7.14 0.19 0.00 N	11.80 0.15 0.00 N	6.45 -0.01 0.00 N	7.49 -0.06 0.00 N	-2.13 0.06 0.00 N		
MODEL_CITY_ENERGY 24167	31.91 -2.21 0.00 N	26.75 -2.02 0.00 N	16.32 -1.30 0.00 N	15.20 -1.17 0.00 N	6.00 -0.56 0.00 N	4.04 -0.22 0.00 N	7.92 -0.41 0.00 N	17.69 -1.43 0.00 N	5.84 -0.38 0.00 N	12.89 -0.71 0.00 N	25.13 -1.04 0.00 N	30.14 -0.57 0.00 N	27.32 -0.34 0.00 N	20.20 0.12 0.00 N	25.98 -0.08 0.00 N	27.36 -0.15 0.00 N	20.15 -0.32 0.00 N	7.66 -0.05 0.00 N	5.38 0.03 0.00 N	6.99 0.04 0.00 N	11.54 -0.11 0.00 N	6.30 -0.15 0.00 N	7.32 -0.23 0.00 N	-2.08 0.11 0.00 N		
MODERN_LFGE___ 323580	31.91 -2.21 0.00 N	26.75 -2.02 0.00 N	16.32 -1.30 0.00 N	15.20 -1.17 0.00 N	6.00 -0.56 0.00 N	4.04 -0.22 0.00 N	7.92 -0.41 0.00 N	17.69 -1.43 0.00 N	5.84 -0.38 0.00 N	12.89 -0.71 0.00 N	25.13 -1.04 0.00 N	30.14 -0.57 0.00 N	27.32 -0.34 0.00 N	20.20 0.12 0.00 N	25.98 -0.08 0.00 N	27.36 -0.15 0.00 N	20.15 -0.32 0.00 N	7.66 -0.05 0.00 N	5.38 0.03 0.00 N	6.99 0.04 0.00 N	11.54 -0.11 0.00 N	6.30 -0.15 0.00 N	7.32 -0.23 0.00 N	-2.08 0.11 0.00 N		
MOHAWK_PAPER___DRP 24187	35.26 1.14 0.00 N	29.90 1.13 0.00 N	18.33 0.73 0.00 N	17.03 0.66 0.00 N	6.86 0.29 0.00 N	4.43 0.17 0.00 N	8.67 0.33 0.00 N	19.80 0.68 0.00 N	6.46 0.23 0.00 N	14.11 0.51 0.00 N	27.07 0.90 0.00 N	31.60 0.90 0.00 N	28.54 0.88 0.00 N	20.80 0.71 0.00 N	26.97 0.91 0.00 N	28.44 0.92 0.00 N	21.11 0.63 0.00 N	7.98 0.26 0.00 N	5.53 0.18 0.00 N	7.16 0.22 0.00 N	12.07 0.42 0.00 N	6.72 0.26 0.00 N	7.88 0.33 0.00 N	-2.30 -0.11 0.00 N		
MONGAUP___HYD	36.64	31.12	18.99	17.58	7.06	4.58	9.00	20.67	6.76	14.71	28.38	33.07	29.63	21.74	28.12	29.81	22.00	8.30	5.76	7.48	12.69	7.57	8.92	-2.46		

23641	2.52 0.00 N	2.35 0.00 N	1.38 0.00 N	1.21 0.00 N	0.50 0.00 N	0.31 0.00 N	0.66 0.00 N	1.55 0.00 N	0.53 0.00 N	1.10 0.00 N	2.22 0.00 N	2.37 0.00 N	1.97 0.00 N	1.65 0.00 N	2.06 0.00 N	2.29 0.00 N	1.52 0.00 N	0.58 0.00 N	0.41 0.00 N	0.54 0.00 N	1.04 0.00 N	0.59 -0.52 N	0.67 -0.69 N	-0.27 0.00 N
MONTAUK___DIESEL 23721	40.33 6.21 0.00 N	33.58 4.80 0.00 N	20.39 2.78 0.00 N	18.79 2.42 0.00 N	7.54 0.98 0.00 N	4.87 0.61 0.00 N	9.63 1.29 0.00 N	22.40 3.28 0.00 N	7.43 1.20 0.00 N	16.51 2.91 0.00 N	32.43 6.26 0.00 N	38.38 7.68 0.00 N	34.75 7.09 0.00 N	25.24 5.15 0.00 N	32.64 6.58 0.00 N	34.64 7.12 0.00 N	25.69 5.21 0.00 N	9.57 1.86 0.00 N	6.55 1.20 0.00 N	8.44 1.50 0.00 N	14.30 2.65 0.00 N	8.62 1.53 -0.63 N	10.10 1.70 -0.84 N	-2.79 -0.59 0.00 N
MUNSVILLE_WIND_PWR 323609	35.55 1.43 0.00 N	30.00 1.23 0.00 N	18.46 0.85 0.00 N	17.20 0.83 0.00 N	6.87 0.31 0.00 N	4.49 0.23 0.00 N	8.84 0.51 0.00 N	20.33 1.21 0.00 N	6.69 0.46 0.00 N	14.71 1.11 0.00 N	28.51 2.35 0.00 N	33.63 2.92 0.00 N	30.04 2.37 0.00 N	22.02 1.93 0.00 N	28.53 2.47 0.00 N	30.15 2.63 0.00 N	22.30 1.82 0.00 N	8.39 0.68 0.00 N	5.88 0.52 0.00 N	7.61 0.66 0.00 N	12.76 1.11 0.00 N	7.03 0.55 -0.02 N	8.18 0.60 -0.03 N	-2.40 -0.21 0.00 N
N SALMON___HYD 24042	33.84 -0.28 0.00 N	28.64 -0.13 0.00 N	17.53 -0.08 0.00 N	16.31 -0.06 0.00 N	6.55 -0.01 0.00 N	4.21 -0.05 0.00 N	8.15 -0.19 0.00 N	18.98 -0.14 0.00 N	6.17 -0.05 0.00 N	13.55 -0.06 0.00 N	25.85 -0.31 0.00 N	30.28 -0.43 0.00 N	27.09 -0.57 0.00 N	19.67 -0.42 0.00 N	25.56 -0.50 0.00 N	26.94 -0.58 0.00 N	20.01 -0.48 0.00 N	7.49 -0.23 0.00 N	5.19 -0.16 0.00 N	6.78 -0.17 0.00 N	11.37 -0.28 0.00 N	6.30 -0.15 0.00 N	7.37 -0.18 0.00 N	-2.18 0.01 0.00 N
N.E_GEN_SANDY PD 24062	35.61 1.49 0.00 N	30.18 1.41 0.00 N	18.47 0.86 0.00 N	17.11 0.74 0.00 N	6.89 0.32 0.00 N	27.00 1.73 6.77 N	21.07 0.20 -16.65 N	22.00 0.69 -9.09 N	6.58 0.35 0.00 N	14.33 0.72 0.00 N	27.52 1.35 0.00 N	37.00 1.87 -0.67 N	29.06 1.40 0.00 N	21.08 0.99 0.00 N	27.34 1.29 0.00 N	37.00 1.47 -2.13 N	44.10 1.31 -9.81 N	37.00 1.53 -5.33 N	5.61 0.26 0.00 N	7.27 0.33 0.00 N	24.40 1.21 -3.04 N	7.08 0.38 -0.24 N	25.00 1.35 -3.76 N	24.11 0.97 -8.95 N
NARROWS_GT1_1 24228	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT1_2 24229	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT1_3 24230	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT1_4 24231	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT1_5 24232	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT1_6 24233	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT1_7 24234	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT1_8 24235	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT2_1 24236	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N

NARROWS_GT2_2 24237	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT2_3 24238	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT2_4 24239	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT2_5 24240	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT2_6 24241	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT2_7 24242	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NARROWS_GT2_8 24243	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NEG CAPITAL___MECHNVIL 23645	35.53 1.41 0.00 N	30.03 1.26 0.00 N	18.40 0.78 0.00 N	17.05 0.68 0.00 N	6.86 0.30 0.00 N	4.44 0.18 0.00 N	8.69 0.35 0.00 N	19.93 0.81 0.00 N	6.53 0.30 0.00 N	14.31 0.70 0.00 N	27.46 1.29 0.00 N	32.14 1.44 0.00 N	29.10 1.45 0.00 N	21.06 0.97 0.00 N	27.28 1.22 0.00 N	28.69 1.17 0.00 N	21.38 0.90 0.00 N	8.09 0.38 0.00 N	5.62 0.26 0.00 N	7.25 0.30 0.00 N	12.18 0.53 0.00 N	6.82 0.34 -0.03 N	8.01 0.42 -0.04 N	-2.33 -0.14 0.00 N
NEG CENTRAL_HIGH_ACRES 23767	32.72 -1.40 0.00 N	27.48 -1.30 0.00 N	16.77 -0.84 0.00 N	15.58 -0.79 0.00 N	6.20 -0.36 0.00 N	4.09 -0.17 0.00 N	8.00 -0.33 0.00 N	18.14 -0.98 0.00 N	5.96 -0.26 0.00 N	13.15 -0.45 0.00 N	25.54 -0.62 0.00 N	30.39 -0.31 0.00 N	27.51 -0.15 0.00 N	20.19 0.11 0.00 N	26.09 0.03 0.00 N	27.52 0.00 0.00 N	20.37 -0.11 0.00 N	7.71 -0.01 0.00 N	5.38 0.03 0.00 N	6.96 0.02 0.00 N	11.59 -0.06 0.00 N	6.37 -0.09 0.00 N	7.41 -0.14 0.00 N	-2.13 0.06 0.00 N
NEG CENTRAL___DRP 24199	33.89 -0.23 0.00 N	28.58 -0.19 0.00 N	17.46 -0.15 0.00 N	16.24 -0.13 0.00 N	6.47 -0.09 0.00 N	4.25 -0.02 0.00 N	8.34 0.00 0.00 N	19.03 -0.09 0.00 N	6.25 0.02 0.00 N	13.71 0.10 0.00 N	26.56 0.40 0.00 N	31.46 0.75 0.00 N	28.25 0.59 0.00 N	20.76 0.67 0.00 N	26.88 0.82 0.00 N	28.48 0.96 0.00 N	21.01 0.53 0.00 N	7.94 0.22 0.00 N	5.53 0.18 0.00 N	7.17 0.22 0.00 N	12.02 0.37 0.00 N	6.60 0.14 0.00 N	7.67 0.12 0.00 N	-2.20 -0.02 0.00 N
NEG CENTRAL___INDECK 23768	34.00 -0.12 0.00 N	28.62 -0.15 0.00 N	17.41 -0.20 0.00 N	16.20 -0.17 0.00 N	6.43 -0.14 0.00 N	4.26 0.00 0.00 N	8.37 0.04 0.00 N	18.97 -0.15 0.00 N	6.29 0.06 0.00 N	13.88 0.27 0.00 N	27.08 0.92 0.00 N	32.34 1.64 0.00 N	28.96 1.30 0.00 N	21.48 1.39 0.00 N	27.73 1.67 0.00 N	29.36 1.84 0.00 N	21.49 1.01 0.00 N	8.13 0.42 0.00 N	5.69 0.34 0.00 N	7.38 0.44 0.00 N	12.32 0.68 0.00 N	6.74 0.28 0.00 N	7.81 0.26 0.00 N	-2.23 -0.04 0.00 N
NEG CENTRAL___SENECA 23627	34.01 -0.11 0.00 N	28.67 -0.10 0.00 N	17.49 -0.12 0.00 N	16.27 -0.10 0.00 N	6.47 -0.09 0.00 N	4.26 0.00 0.00 N	8.38 0.04 0.00 N	19.12 0.00 0.00 N	6.29 0.06 0.00 N	13.81 0.20 0.00 N	26.81 0.64 0.00 N	31.82 1.12 0.00 N	28.59 0.93 0.00 N	21.04 0.95 0.00 N	27.25 1.20 0.00 N	28.90 1.38 0.00 N	21.29 0.81 0.00 N	8.05 0.33 0.00 N	5.61 0.26 0.00 N	7.28 0.33 0.00 N	12.19 0.54 0.00 N	6.68 0.22 0.00 N	7.75 0.20 0.00 N	-2.22 -0.04 0.00 N
NEG CENTRAL___STATE_STREET 24147	34.52 0.39 0.00 N	29.13 0.36 0.00 N	17.79 0.18 0.00 N	16.52 0.15 0.00 N	6.59 0.03 0.00 N	4.32 0.06 0.00 N	8.47 0.14 0.00 N	19.38 0.26 0.00 N	6.36 0.14 0.00 N	13.98 0.38 0.00 N	27.10 0.93 0.00 N	32.07 1.36 0.00 N	28.78 1.12 0.00 N	21.19 1.10 0.00 N	27.44 1.39 0.00 N	29.05 1.53 0.00 N	21.41 0.94 0.00 N	8.09 0.37 0.00 N	5.63 0.27 0.00 N	7.29 0.35 0.00 N	12.23 0.59 0.00 N	6.73 0.27 0.00 N	7.82 0.27 0.00 N	-2.25 -0.07 0.00 N
NEG MILLWOOD___DRP 24198	36.85 2.73 0.00 N	31.11 2.34 0.00 N	18.97 1.36 0.00 N	17.54 1.17 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	8.97 0.63 0.00 N	20.69 1.57 0.00 N	6.80 0.57 0.00 N	14.78 1.17 0.00 N	28.52 2.35 0.00 N	33.44 2.73 0.00 N	30.17 2.51 0.00 N	21.96 1.87 0.00 N	28.41 2.35 0.00 N	30.09 2.57 0.00 N	22.43 1.95 0.00 N	8.46 0.75 0.00 N	5.87 0.52 0.00 N	7.62 0.67 0.00 N	12.85 1.21 0.00 N	7.70 0.70 -0.55 N	9.07 0.79 -0.73 N	-2.43 -0.24 0.00 N

	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
NEG NORTH_FLCN_SEA 23793	33.85 -0.27 0.00 N	28.75 -0.02 0.00 N	17.63 0.02 0.00 N	16.37 0.00 0.00 N	6.59 0.03 0.00 N	4.22 -0.04 0.00 N	8.13 -0.20 0.00 N	19.07 -0.05 0.00 N	6.19 -0.04 0.00 N	13.54 -0.07 0.00 N	25.94 -0.22 0.00 N	30.42 -0.28 0.00 N	27.37 -0.29 0.00 N	19.78 -0.31 0.00 N	25.73 -0.33 0.00 N	27.06 -0.46 0.00 N	20.12 -0.36 0.00 N	7.57 -0.14 0.00 N	5.26 -0.09 0.00 N	6.84 -0.10 0.00 N	11.46 -0.19 0.00 N	6.35 -0.11 0.00 N	7.41 -0.14 0.00 N	-2.17 0.02 0.00 N	
NEG NORTH_KES_CHATGAY 23792	33.37 -0.75 0.00 N	28.25 -0.52 0.00 N	17.34 -0.27 0.00 N	16.13 -0.24 0.00 N	6.50 -0.06 0.00 N	4.17 -0.09 0.00 N	8.07 -0.27 0.00 N	18.84 -0.28 0.00 N	6.11 -0.12 0.00 N	13.35 -0.26 0.00 N	25.54 -0.63 0.00 N	29.94 -0.76 0.00 N	26.92 -0.74 0.00 N	19.46 -0.63 0.00 N	25.30 -0.76 0.00 N	26.61 -0.91 0.00 N	19.81 -0.67 0.00 N	7.43 -0.29 0.00 N	5.15 -0.20 0.00 N	6.70 -0.25 0.00 N	11.23 -0.42 0.00 N	6.22 -0.24 0.00 N	7.27 -0.28 0.00 N	-2.13 0.06 0.00 N	
NEG NORTH___ALICE_FALLS 23915	33.85 -0.27 0.00 N	28.72 -0.05 0.00 N	17.61 0.00 0.00 N	16.36 -0.01 0.00 N	6.59 0.03 0.00 N	4.22 -0.04 0.00 N	8.14 -0.20 0.00 N	19.05 -0.07 0.00 N	6.19 -0.04 0.00 N	13.54 -0.07 0.00 N	25.95 -0.22 0.00 N	30.43 -0.28 0.00 N	27.36 -0.30 0.00 N	19.80 -0.28 0.00 N	25.76 -0.30 0.00 N	27.09 -0.43 0.00 N	20.13 -0.34 0.00 N	7.57 -0.14 0.00 N	5.26 -0.09 0.00 N	6.85 -0.10 0.00 N	11.47 -0.18 0.00 N	6.35 -0.11 0.00 N	7.41 -0.14 0.00 N	-2.18 0.01 0.00 N	
NEG NORTH___LWR_SARANAC 23913	33.85 -0.27 0.00 N	28.72 -0.05 0.00 N	17.61 0.00 0.00 N	16.36 -0.01 0.00 N	6.59 0.03 0.00 N	4.22 -0.04 0.00 N	8.14 -0.20 0.00 N	19.05 -0.07 0.00 N	6.19 -0.04 0.00 N	13.54 -0.07 0.00 N	25.95 -0.22 0.00 N	30.43 -0.28 0.00 N	27.36 -0.30 0.00 N	19.80 -0.28 0.00 N	25.76 -0.30 0.00 N	27.09 -0.43 0.00 N	20.13 -0.34 0.00 N	7.57 -0.14 0.00 N	5.26 -0.09 0.00 N	6.85 -0.10 0.00 N	11.47 -0.18 0.00 N	6.35 -0.11 0.00 N	7.41 -0.14 0.00 N	-2.18 0.01 0.00 N	
NEG NORTH___PLATTSBURG 23628	33.85 -0.27 0.00 N	28.72 -0.05 0.00 N	17.61 0.00 0.00 N	16.36 -0.01 0.00 N	6.59 0.03 0.00 N	4.22 -0.04 0.00 N	8.14 -0.20 0.00 N	19.05 -0.07 0.00 N	6.19 -0.04 0.00 N	13.54 -0.07 0.00 N	25.95 -0.22 0.00 N	30.43 -0.28 0.00 N	27.36 -0.30 0.00 N	19.80 -0.28 0.00 N	25.76 -0.30 0.00 N	27.09 -0.43 0.00 N	20.13 -0.34 0.00 N	7.57 -0.14 0.00 N	5.26 -0.09 0.00 N	6.85 -0.10 0.00 N	11.47 -0.18 0.00 N	6.35 -0.11 0.00 N	7.41 -0.14 0.00 N	-2.18 0.01 0.00 N	
NEG WEST_LEA_LOCKPORT 23791	32.01 -2.11 0.00 N	26.83 -1.95 0.00 N	16.36 -1.25 0.00 N	15.24 -1.13 0.00 N	6.01 -0.55 0.00 N	4.05 -0.21 0.00 N	7.95 -0.39 0.00 N	17.75 -1.38 0.00 N	5.86 -0.37 0.00 N	12.94 -0.67 0.00 N	25.22 -0.95 0.00 N	30.24 -0.46 0.00 N	27.41 -0.24 0.00 N	20.27 0.18 0.00 N	26.08 0.02 0.00 N	27.47 -0.05 0.00 N	20.23 -0.24 0.00 N	7.69 -0.03 0.00 N	5.40 0.05 0.00 N	7.02 0.07 0.00 N	11.59 -0.07 0.00 N	6.33 -0.13 0.00 N	7.35 -0.21 0.00 N	-2.08 0.10 0.00 N	
NEG WEST___LANCASTR 23811	32.02 -2.10 0.00 N	26.91 -1.86 0.00 N	16.42 -1.19 0.00 N	15.32 -1.05 0.00 N	6.05 -0.52 0.00 N	4.05 -0.21 0.00 N	8.02 -0.32 0.00 N	18.09 -1.03 0.00 N	5.96 -0.26 0.00 N	13.08 -0.52 0.00 N	25.54 -0.63 0.00 N	30.49 -0.21 0.00 N	27.50 -0.16 0.00 N	20.24 0.15 0.00 N	26.19 0.13 0.00 N	27.92 0.40 0.00 N	20.64 0.16 0.00 N	7.81 0.10 0.00 N	5.49 0.14 0.00 N	7.09 0.15 0.00 N	11.77 0.12 0.00 N	6.40 -0.05 0.00 N	7.40 -0.15 0.00 N	-2.09 0.10 0.00 N	
NEG_PENN_ALLEGHNY 23528	34.34 0.21 0.00 N	28.94 0.16 0.00 N	17.70 0.09 0.00 N	16.47 0.10 0.00 N	6.58 0.01 0.00 N	4.30 0.04 0.00 N	8.48 0.14 0.00 N	19.42 0.30 0.00 N	6.37 0.14 0.00 N	13.90 0.29 0.00 N	26.90 0.73 0.00 N	31.73 1.02 0.00 N	28.55 0.89 0.00 N	20.81 0.72 0.00 N	27.02 0.96 0.00 N	28.74 1.22 0.00 N	21.37 0.89 0.00 N	8.05 0.34 0.00 N	5.62 0.26 0.00 N	7.26 0.32 0.00 N	12.18 0.53 0.00 N	6.72 0.24 -0.02 N	7.81 0.23 -0.03 N	-2.23 -0.04 0.00 N	
NEG___GEN_MONROE 24207	33.45 -0.67 0.00 N	28.06 -0.71 0.00 N	17.10 -0.51 0.00 N	15.90 -0.48 0.00 N	6.30 -0.26 0.00 N	4.19 -0.08 0.00 N	8.20 -0.14 0.00 N	18.52 -0.60 0.00 N	6.11 -0.11 0.00 N	13.51 -0.09 0.00 N	26.33 0.16 0.00 N	31.48 0.78 0.00 N	28.47 0.81 0.00 N	21.01 0.92 0.00 N	27.11 1.05 0.00 N	28.60 1.08 0.00 N	21.08 0.60 0.00 N	7.98 0.27 0.00 N	5.58 0.23 0.00 N	7.23 0.29 0.00 N	12.01 0.36 0.00 N	6.58 0.12 0.00 N	7.64 0.09 0.00 N	-2.19 0.00 0.00 N	
NEPA___ENERGY 23901	31.87 -2.25 0.00 N	26.87 -1.90 0.00 N	16.44 -1.17 0.00 N	15.38 -0.99 0.00 N	6.07 -0.49 0.00 N	4.05 -0.21 0.00 N	8.11 -0.23 0.00 N	18.47 -0.65 0.00 N	6.07 -0.15 0.00 N	13.17 -0.43 0.00 N	25.64 -0.53 0.00 N	30.42 -0.29 0.00 N	27.29 -0.37 0.00 N	19.91 -0.18 0.00 N	25.90 -0.16 0.00 N	27.94 0.43 0.00 N	20.78 0.31 0.00 N	7.83 0.12 0.00 N	5.51 0.16 0.00 N	7.09 0.14 0.00 N	11.83 0.18 0.00 N	6.41 -0.04 0.00 N	7.39 -0.16 0.00 N	-2.05 0.14 0.00 N	
NEVERSINK___HYD 23608	35.18 1.06 0.00 N	29.64 0.87 0.00 N	18.08 0.47 0.00 N	16.75 0.38 0.00 N	6.73 0.16 0.00 N	4.35 0.09 0.00 N	8.56 0.22 0.00 N	19.71 0.59 0.00 N	6.46 0.24 0.00 N	14.08 0.47 0.00 N	27.91 1.75 0.00 N	33.04 2.34 0.00 N	29.67 2.01 0.00 N	21.59 1.50 0.00 N	27.94 1.88 0.00 N	29.60 2.08 0.00 N	21.97 1.49 0.00 N	8.28 0.56 0.00 N	5.76 0.41 0.00 N	7.47 0.53 0.00 N	12.60 0.95 -0.32 N	7.32 0.55 -0.42 N	8.59 0.62 0.00 N	-2.38 -0.19 0.00 N	
NEWTON___FALLS_HYD 23847	33.92 -0.20 0.00 N	28.54 -0.23 0.00 N	17.45 -0.16 0.00 N	16.21 -0.16 0.00 N	6.50 -0.07 0.00 N	4.21 -0.05 0.00 N	8.12 -0.21 0.00 N	18.73 -0.40 0.00 N	6.14 -0.09 0.00 N	13.50 -0.10 0.00 N	25.69 -0.48 0.00 N	30.21 -0.50 0.00 N	27.11 -0.55 0.00 N	19.67 -0.42 0.00 N	25.52 -0.54 0.00 N	27.01 -0.51 0.00 N	20.15 -0.33 0.00 N	7.51 -0.20 0.00 N	5.20 -0.15 0.00 N	6.78 -0.17 0.00 N	11.38 -0.27 0.00 N	6.35 -0.11 0.00 N	7.43 -0.12 0.00 N	-2.21 -0.02 0.00 N	
NIAGARA___ 23760	31.54 -2.58 0.00 N	26.44 -2.33 0.00 N	16.14 -1.47 0.00 N	15.03 -1.34 0.00 N	5.93 -0.63 0.00 N	4.00 -0.26 0.00 N	7.83 -0.50 0.00 N	17.47 -1.65 0.00 N	5.76 -0.46 0.00 N	12.72 -0.89 0.00 N	24.75 -1.41 0.00 N	29.67 -1.03 0.00 N	26.91 -0.75 0.00 N	19.91 -0.18 0.00 N	25.59 -0.47 0.00 N	26.91 -0.61 0.00 N	19.82 -0.66 0.00 N	7.53 -0.18 0.00 N	5.30 -0.06 0.00 N	6.88 -0.07 0.00 N	11.36 -0.29 0.00 N	6.21 -0.25 0.00 N	7.22 -0.34 0.00 N	-2.05 0.14 0.00 N	
NINE_MILE_1	33.25	28.00	17.13	15.93	6.37	4.15	8.12	18.55	6.06	13.25	25.57	30.12	27.15	19.79	25.65	27.09	20.12	7.59	5.27	6.84	11.48	6.35	7.41	-2.14	

23575	-0.87 0.00 N	-0.77 0.00 N	-0.48 0.00 N	-0.44 0.00 N	-0.19 0.00 N	-0.11 0.00 N	-0.22 0.00 N	-0.57 0.00 N	-0.17 0.00 N	-0.35 0.00 N	-0.60 0.00 N	-0.59 0.00 N	-0.51 0.00 N	-0.30 0.00 N	-0.41 0.00 N	-0.43 0.00 N	-0.36 0.00 N	-0.12 0.00 N	-0.08 0.00 N	-0.10 0.00 N	-0.17 0.00 N	-0.11 0.00 N	-0.14 0.00 N	0.05 0.00 N
NINE_MILE_2 23744	33.25 -0.87 0.00 N	28.01 -0.76 0.00 N	17.13 -0.48 0.00 N	15.93 -0.44 0.00 N	6.37 -0.19 0.00 N	4.15 -0.11 0.00 N	8.12 -0.21 0.00 N	18.55 -0.57 0.00 N	6.06 -0.17 0.00 N	13.25 -0.35 0.00 N	25.57 -0.60 0.00 N	30.12 -0.59 0.00 N	27.15 -0.51 0.00 N	19.79 -0.30 0.00 N	25.65 -0.41 0.00 N	27.09 -0.43 0.00 N	20.12 -0.36 0.00 N	7.59 -0.12 0.00 N	5.27 -0.08 0.00 N	6.84 -0.10 0.00 N	11.48 -0.17 0.00 N	6.35 -0.11 0.00 N	7.41 -0.14 0.00 N	-2.14 0.05 0.00 N
NM_CAPITAL___DRP 24208	35.14 1.01 0.00 N	29.79 1.02 0.00 N	18.28 0.67 0.00 N	16.98 0.61 0.00 N	6.84 0.27 0.00 N	4.42 0.16 0.00 N	8.64 0.30 0.00 N	19.69 0.57 0.00 N	6.43 0.20 0.00 N	14.02 0.42 0.00 N	26.88 0.72 0.00 N	31.33 0.63 0.00 N	28.36 0.70 0.00 N	20.65 0.56 0.00 N	26.78 0.72 0.00 N	28.23 0.71 0.00 N	20.98 0.50 0.00 N	7.93 0.22 0.00 N	5.50 0.15 0.00 N	7.11 0.17 0.00 N	11.98 0.33 0.00 N	6.68 0.22 0.00 N	7.83 0.28 0.00 N	-2.29 -0.10 0.00 N
NM_CENTRAL___DRP 24181	33.95 -0.17 0.00 N	28.59 -0.17 0.00 N	17.48 -0.12 0.00 N	16.25 -0.13 0.00 N	6.50 -0.07 0.00 N	4.24 -0.02 0.00 N	8.30 -0.03 0.00 N	18.98 -0.15 0.00 N	6.21 -0.02 0.00 N	13.60 -0.01 0.00 N	26.27 0.10 0.00 N	30.99 0.29 0.00 N	27.93 0.27 0.00 N	20.39 0.30 0.00 N	26.44 0.38 0.00 N	27.98 0.46 0.00 N	20.76 0.28 0.00 N	7.83 0.12 0.00 N	5.44 0.09 0.00 N	7.06 0.11 0.00 N	11.83 0.18 0.00 N	6.53 0.07 0.00 N	7.60 0.05 0.00 N	-2.19 0.00 0.00 N
NM_FRONTIER___DRP 24179	31.74 -2.38 0.00 N	26.61 -2.16 0.00 N	16.24 -1.37 0.00 N	15.14 -1.24 0.00 N	5.97 -0.60 0.00 N	4.03 -0.23 0.00 N	7.89 -0.44 0.00 N	17.59 -1.53 0.00 N	5.81 -0.42 0.00 N	12.81 -0.79 0.00 N	24.95 -1.22 0.00 N	29.92 -0.78 0.00 N	27.13 -0.53 0.00 N	20.07 -0.02 0.00 N	25.80 -0.26 0.00 N	27.14 -0.38 0.00 N	19.97 -0.51 0.00 N	7.59 -0.12 0.00 N	5.34 -0.02 0.00 N	6.94 -0.01 0.00 N	11.45 -0.19 0.00 N	6.26 -0.20 0.00 N	7.27 -0.28 0.00 N	-2.07 0.12 0.00 N
NM_ST_REGIS___HYD 24053	33.61 -0.51 0.00 N	28.37 -0.40 0.00 N	17.37 -0.24 0.00 N	16.15 -0.22 0.00 N	6.48 -0.08 0.00 N	4.18 -0.08 0.00 N	8.03 -0.30 0.00 N	18.63 -0.49 0.00 N	6.07 -0.15 0.00 N	13.34 -0.27 0.00 N	25.15 -1.02 0.00 N	29.46 -1.24 0.00 N	26.35 -1.31 0.00 N	19.11 -0.98 0.00 N	24.82 -1.24 0.00 N	26.24 -1.28 0.00 N	19.59 -0.88 0.00 N	7.27 -0.44 0.00 N	5.03 -0.32 0.00 N	6.58 -0.37 0.00 N	11.03 -0.62 0.00 N	6.13 -0.33 0.00 N	7.20 -0.36 0.00 N	-2.15 0.04 0.00 N
NORTHPORT___1 23551	36.81 2.69 0.00 N	30.98 2.21 0.00 N	18.96 1.35 0.00 N	17.52 1.15 0.00 N	7.04 0.47 0.00 N	4.55 0.29 0.00 N	8.98 0.65 0.00 N	20.79 1.66 0.00 N	6.80 0.57 0.00 N	14.68 1.07 0.00 N	28.61 2.44 0.00 N	33.45 2.74 0.00 N	30.25 2.59 0.00 N	21.97 1.88 0.00 N	28.42 2.36 0.00 N	30.14 2.62 0.00 N	22.40 1.92 0.00 N	8.36 0.65 0.00 N	5.74 0.39 0.00 N	7.43 0.49 0.00 N	12.58 0.93 0.00 N	7.67 0.58 -0.63 N	9.05 0.66 -0.84 N	-2.44 -0.25 0.00 N
NORTHPORT___2 23552	36.81 2.69 0.00 N	30.98 2.21 0.00 N	18.96 1.35 0.00 N	17.52 1.15 0.00 N	7.04 0.47 0.00 N	4.55 0.29 0.00 N	8.98 0.65 0.00 N	20.79 1.66 0.00 N	6.80 0.57 0.00 N	14.68 1.07 0.00 N	28.61 2.44 0.00 N	33.45 2.74 0.00 N	30.25 2.59 0.00 N	21.97 1.88 0.00 N	28.42 2.36 0.00 N	30.14 2.62 0.00 N	22.40 1.92 0.00 N	8.36 0.65 0.00 N	5.74 0.39 0.00 N	7.43 0.49 0.00 N	12.58 0.93 0.00 N	7.67 0.58 -0.63 N	9.05 0.66 -0.84 N	-2.44 -0.25 0.00 N
NORTHPORT___3 23553	36.99 2.87 0.00 N	31.11 2.34 0.00 N	19.06 1.45 0.00 N	17.62 1.26 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.03 0.69 0.00 N	20.88 1.76 0.00 N	6.83 0.61 0.00 N	14.73 1.13 0.00 N	28.75 2.58 0.00 N	33.61 2.91 0.00 N	30.37 2.71 0.00 N	22.06 1.97 0.00 N	28.55 2.49 0.00 N	30.27 2.75 0.00 N	22.50 2.02 0.00 N	8.40 0.69 0.00 N	5.77 0.42 0.00 N	7.48 0.53 0.00 N	12.65 1.00 0.00 N	7.71 0.62 -0.63 N	9.11 0.72 -0.84 N	-2.45 -0.26 0.00 N
NORTHPORT___4 23650	36.99 2.87 0.00 N	31.11 2.34 0.00 N	19.06 1.45 0.00 N	17.62 1.26 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.03 0.69 0.00 N	20.88 1.76 0.00 N	6.83 0.61 0.00 N	14.73 1.13 0.00 N	28.75 2.58 0.00 N	33.61 2.91 0.00 N	30.37 2.71 0.00 N	22.06 1.97 0.00 N	28.55 2.49 0.00 N	30.27 2.75 0.00 N	22.50 2.02 0.00 N	8.40 0.69 0.00 N	5.77 0.42 0.00 N	7.48 0.53 0.00 N	12.65 1.00 0.00 N	7.71 0.62 -0.63 N	9.11 0.72 -0.84 N	-2.45 -0.26 0.00 N
NORTHPORT___IC 23718	36.81 2.69 0.00 N	30.98 2.21 0.00 N	18.96 1.35 0.00 N	17.52 1.15 0.00 N	7.04 0.47 0.00 N	4.55 0.29 0.00 N	8.98 0.65 0.00 N	20.79 1.66 0.00 N	6.80 0.57 0.00 N	14.68 1.07 0.00 N	28.61 2.44 0.00 N	33.45 2.74 0.00 N	30.25 2.59 0.00 N	21.97 1.88 0.00 N	28.42 2.36 0.00 N	30.14 2.62 0.00 N	22.40 1.92 0.00 N	8.36 0.65 0.00 N	5.74 0.39 0.00 N	7.43 0.49 0.00 N	12.58 0.93 0.00 N	7.67 0.58 -0.63 N	9.05 0.66 -0.84 N	-2.44 -0.25 0.00 N
NPX_GEN_1385_PROXY 323591	35.91 1.79 0.00 N	30.16 1.39 0.00 N	18.46 0.85 0.00 N	17.06 0.69 0.00 N	6.86 0.30 0.00 N	26.69 1.42 6.77 N	21.05 0.18 -16.65 N	21.95 0.64 -9.09 N	6.61 0.39 0.00 N	14.27 0.67 0.00 N	27.83 1.66 0.00 N	45.23 2.63 -8.15 N	29.50 1.84 0.00 N	21.37 1.28 0.00 N	27.64 1.58 0.00 N	42.73 2.56 -6.77 N	48.01 2.49 -12.55 N	43.80 2.14 -11.53 N	5.59 0.24 0.00 N	7.23 0.29 0.00 N	25.98 1.54 -4.28 N	7.48 0.39 -0.63 N	22.60 1.26 -1.45 N	24.18 1.04 -8.95 N
NPX_GEN_CSC 323557	36.66 2.54 0.00 N	30.79 2.02 0.00 N	18.84 1.23 0.00 N	17.40 1.03 0.00 N	6.99 0.43 0.00 N	27.38 2.10 6.77 N	21.14 0.27 -16.65 N	22.23 0.92 -9.09 N	6.79 0.56 0.00 N	14.78 1.17 0.00 N	28.91 2.74 0.00 N	46.71 4.11 -8.15 N	30.60 2.94 0.00 N	22.27 2.18 0.00 N	28.80 2.74 0.00 N	44.22 4.05 -6.77 N	49.43 3.91 -12.55 N	45.07 3.41 -11.53 N	5.77 0.42 0.00 N	7.47 0.52 0.00 N	26.71 2.28 -4.28 N	7.72 0.63 -0.63 N	23.31 1.96 -1.45 N	24.59 1.45 -8.95 N
NSINS_S_GLNS_FALLS 23858	34.46 0.34 0.00 N	29.25 0.48 0.00 N	17.88 0.27 0.00 N	16.55 0.18 0.00 N	6.66 0.09 0.00 N	4.31 0.05 0.00 N	8.46 0.12 0.00 N	19.54 0.42 0.00 N	6.46 0.23 0.00 N	14.19 0.58 0.00 N	27.24 1.07 0.00 N	31.95 1.25 0.00 N	28.73 1.07 0.00 N	20.83 0.74 0.00 N	26.81 0.75 0.00 N	28.06 0.54 0.00 N	20.78 0.30 0.00 N	7.86 0.14 0.00 N	5.45 0.10 0.00 N	7.05 0.11 0.00 N	11.90 0.25 0.00 N	6.69 0.19 -0.05 N	7.88 0.26 -0.06 N	-2.29 -0.10 0.00 N

NUCOR_STEEL____DRP 24197	34.17 0.05 0.00 N	28.83 0.05 0.00 N	17.61 0.00 0.00 N	16.36 -0.01 0.00 N	6.53 -0.04 0.00 N	4.28 0.01 0.00 N	8.39 0.05 0.00 N	19.16 0.04 0.00 N	6.29 0.06 0.00 N	13.81 0.20 0.00 N	26.76 0.60 0.00 N	31.66 0.96 0.00 N	28.45 0.79 0.00 N	20.91 0.83 0.00 N	27.09 1.04 0.00 N	28.66 1.14 0.00 N	21.16 0.69 0.00 N	7.99 0.28 0.00 N	5.56 0.21 0.00 N	7.21 0.26 0.00 N	12.08 0.44 0.00 N	6.65 0.19 0.00 N	7.73 0.18 0.00 N	-2.23 -0.04 0.00 N
NYISO_LBMP_REFERENCE 24008	34.12 0.00 0.00 N	28.77 0.00 0.00 N	17.61 0.00 0.00 N	16.37 0.00 0.00 N	6.56 0.00 0.00 N	4.26 0.00 0.00 N	8.34 0.00 0.00 N	19.12 0.00 0.00 N	6.23 0.00 0.00 N	13.60 0.00 0.00 N	26.16 0.00 0.00 N	30.70 0.00 0.00 N	27.66 0.00 0.00 N	20.09 0.00 0.00 N	26.06 0.00 0.00 N	27.52 0.00 0.00 N	20.48 0.00 0.00 N	7.71 0.00 0.00 N	5.35 0.00 0.00 N	6.95 0.00 0.00 N	11.65 0.00 0.00 N	6.46 0.00 0.00 N	7.55 0.00 0.00 N	-2.19 0.00 0.00 N
NYPA_BRENTWD____GT 24164	37.25 3.12 0.00 N	31.30 2.53 0.00 N	19.14 1.53 0.00 N	17.68 1.31 0.00 N	7.10 0.54 0.00 N	4.59 0.33 0.00 N	9.06 0.72 0.00 N	20.98 1.86 0.00 N	6.88 0.65 0.00 N	14.88 1.28 0.00 N	28.89 2.72 0.00 N	33.82 3.12 0.00 N	30.51 2.85 0.00 N	22.16 2.07 0.00 N	28.68 2.62 0.00 N	30.41 2.89 0.00 N	22.60 2.12 0.00 N	8.44 0.73 0.00 N	5.79 0.44 0.00 N	7.50 0.56 0.00 N	12.72 1.07 0.00 N	7.74 0.66 -0.63 N	9.14 0.74 -0.84 N	-2.48 -0.29 0.00 N
NYPA_GOWANUS____GT5 24156	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.59 2.89 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.47 2.41 0.00 N	30.23 2.71 0.00 N	22.51 2.03 0.00 N	8.48 0.77 0.00 N	5.88 0.53 0.00 N	7.62 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NYPA_GOWANUS____GT6 24157	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.59 2.89 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.47 2.41 0.00 N	30.23 2.71 0.00 N	22.51 2.03 0.00 N	8.48 0.77 0.00 N	5.88 0.53 0.00 N	7.62 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N
NYPA_HARLEM__RVR__GT1 24160	36.87 2.75 0.00 N	31.07 2.30 0.00 N	18.95 1.34 0.00 N	17.52 1.14 0.00 N	7.03 0.47 0.00 N	4.55 0.29 0.00 N	8.96 0.62 0.00 N	20.72 1.60 0.00 N	6.82 0.59 0.00 N	14.76 1.15 0.00 N	28.53 2.36 0.00 N	33.45 2.75 0.00 N	30.20 2.54 0.00 N	21.93 1.84 0.00 N	28.37 2.31 0.00 N	30.09 2.57 0.00 N	22.42 1.95 0.00 N	8.45 0.73 0.00 N	5.85 0.49 0.00 N	7.59 0.65 0.00 N	12.81 1.16 0.00 N	7.76 0.67 -0.63 N	9.17 0.77 -0.84 N	-2.43 -0.24 0.00 N
NYPA_HARLEM__RVR__GT2 24161	36.87 2.75 0.00 N	31.07 2.30 0.00 N	18.95 1.34 0.00 N	17.52 1.14 0.00 N	7.03 0.47 0.00 N	4.55 0.29 0.00 N	8.96 0.62 0.00 N	20.72 1.60 0.00 N	6.82 0.59 0.00 N	14.76 1.15 0.00 N	28.53 2.36 0.00 N	33.45 2.75 0.00 N	30.20 2.54 0.00 N	21.93 1.84 0.00 N	28.37 2.31 0.00 N	30.09 2.57 0.00 N	22.42 1.95 0.00 N	8.45 0.73 0.00 N	5.85 0.49 0.00 N	7.59 0.65 0.00 N	12.81 1.16 0.00 N	7.76 0.67 -0.63 N	9.17 0.77 -0.84 N	-2.43 -0.24 0.00 N
NYPA_KENT____GT 24152	45.31 2.92 -8.27 N	31.26 2.48 0.00 N	19.04 1.43 0.00 N	17.60 1.23 0.00 N	7.07 0.50 0.00 N	4.57 0.31 0.00 N	9.01 0.67 0.00 N	20.82 1.69 0.00 N	6.85 0.62 0.00 N	14.83 1.23 0.00 N	28.66 2.49 0.00 N	33.56 2.85 0.00 N	30.29 2.63 0.00 N	21.99 1.90 0.00 N	28.44 2.38 0.00 N	30.18 2.66 0.00 N	22.48 2.01 0.00 N	8.47 0.76 0.00 N	5.88 0.52 0.00 N	7.62 0.68 0.00 N	12.86 1.21 0.00 N	7.79 0.70 -0.63 N	9.20 0.81 -0.84 N	-2.43 -0.24 0.00 N
NYPA_POUCH1____GT 24155	51.82 2.89 -14.80 N	31.23 2.46 0.00 N	19.01 1.41 0.00 N	17.57 1.20 0.00 N	7.06 0.50 0.00 N	4.56 0.30 0.00 N	9.00 0.66 0.00 N	20.80 1.67 0.00 N	6.84 0.62 0.00 N	14.83 1.23 0.00 N	28.66 2.49 0.00 N	33.55 2.84 0.00 N	30.25 2.59 0.00 N	21.95 1.86 0.00 N	28.40 2.34 0.00 N	30.16 2.64 0.00 N	22.47 1.99 0.00 N	8.47 0.75 0.00 N	5.86 0.51 0.00 N	7.60 0.66 0.00 N	12.83 1.18 0.00 N	7.78 0.69 -0.63 N	9.18 0.79 -0.84 N	-2.44 -0.25 0.00 N
NYPA_VERNON____GT2 24162	40.33 2.86 -3.35 N	31.21 2.44 0.00 N	19.02 1.41 0.00 N	17.57 1.21 0.00 N	7.06 0.50 0.00 N	4.57 0.31 0.00 N	8.99 0.66 0.00 N	20.78 1.66 0.00 N	6.84 0.61 0.00 N	14.82 1.21 0.00 N	28.63 2.46 0.00 N	33.55 2.84 0.00 N	30.28 2.62 0.00 N	21.98 1.89 0.00 N	28.43 2.37 0.00 N	30.16 2.64 0.00 N	22.47 1.99 0.00 N	8.47 0.75 0.00 N	5.87 0.52 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.79 0.71 -0.63 N	9.20 0.81 -0.84 N	-2.43 -0.24 0.00 N
NYPA_VERNON____GT3 24163	40.33 2.86 -3.35 N	31.21 2.44 0.00 N	19.02 1.41 0.00 N	17.57 1.21 0.00 N	7.06 0.50 0.00 N	4.57 0.31 0.00 N	8.99 0.66 0.00 N	20.78 1.66 0.00 N	6.84 0.61 0.00 N	14.82 1.21 0.00 N	28.63 2.46 0.00 N	33.55 2.84 0.00 N	30.28 2.62 0.00 N	21.98 1.89 0.00 N	28.43 2.37 0.00 N	30.16 2.64 0.00 N	22.47 1.99 0.00 N	8.47 0.75 0.00 N	5.87 0.52 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.79 0.71 -0.63 N	9.20 0.81 -0.84 N	-2.43 -0.24 0.00 N
NYPA____ASTORIA_CC1 323568	36.95 2.82 0.00 N	31.18 2.41 0.00 N	19.00 1.40 0.00 N	17.56 1.19 0.00 N	7.05 0.49 0.00 N	4.56 0.30 0.00 N	8.98 0.65 0.00 N	20.76 1.64 0.00 N	6.83 0.61 0.00 N	14.80 1.20 0.00 N	28.59 2.42 0.00 N	33.50 2.80 0.00 N	30.24 2.58 0.00 N	21.96 1.87 0.00 N	28.41 2.35 0.00 N	30.13 2.61 0.00 N	22.44 1.96 0.00 N	8.46 0.74 0.00 N	5.87 0.51 0.00 N	7.61 0.67 0.00 N	12.85 1.21 0.00 N	7.78 0.70 -0.63 N	9.19 0.80 -0.84 N	-2.43 -0.24 0.00 N
NYPA____ASTORIA_CC2 323569	36.95 2.82 0.00 N	31.18 2.41 0.00 N	19.00 1.40 0.00 N	17.56 1.19 0.00 N	7.05 0.49 0.00 N	4.56 0.30 0.00 N	8.98 0.65 0.00 N	20.76 1.64 0.00 N	6.83 0.61 0.00 N	14.80 1.20 0.00 N	28.59 2.42 0.00 N	33.50 2.80 0.00 N	30.24 2.58 0.00 N	21.96 1.87 0.00 N	28.41 2.35 0.00 N	30.13 2.61 0.00 N	22.44 1.96 0.00 N	8.46 0.74 0.00 N	5.87 0.51 0.00 N	7.61 0.67 0.00 N	12.85 1.21 0.00 N	7.78 0.70 -0.63 N	9.19 0.80 -0.84 N	-2.43 -0.24 0.00 N
NYPA____HOLTSVILL 23794	36.89 2.77 0.00 N	31.02 2.25 0.00 N	18.98 1.37 0.00 N	17.54 1.17 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	9.00 0.66 0.00 N	20.83 1.71 0.00 N	6.83 0.60 0.00 N	14.80 1.20 0.00 N	28.89 2.73 0.00 N	33.80 3.10 0.00 N	30.57 2.91 0.00 N	22.22 2.13 0.00 N	28.74 2.69 0.00 N	30.48 2.96 0.00 N	22.63 2.15 0.00 N	8.45 0.73 0.00 N	5.79 0.44 0.00 N	7.49 0.54 0.00 N	12.68 1.03 0.00 N	7.72 0.64 -0.63 N	9.11 0.71 -0.84 N	-2.46 -0.27 0.00 N

	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
NYPA_____HELLGATE_GT1 24158	36.87 2.75 0.00 N	31.08 2.31 0.00 N	18.95 1.34 0.00 N	17.52 1.15 0.00 N	7.03 0.47 0.00 N	4.55 0.29 0.00 N	8.97 0.63 0.00 N	20.72 1.60 0.00 N	6.82 0.59 0.00 N	14.76 1.15 0.00 N	28.53 2.36 0.00 N	33.45 2.75 0.00 N	30.20 2.54 0.00 N	21.93 1.84 0.00 N	28.37 2.31 0.00 N	30.11 2.59 0.00 N	22.44 1.96 0.00 N	8.45 0.73 0.00 N	5.85 0.49 0.00 N	7.59 0.65 0.00 N	12.81 1.16 0.00 N	7.76 0.67 0.00 N	9.17 0.77 -0.84 N	-2.43 -0.24 0.00 N	
NYPA_____HELLGATE_GT2 24159	36.87 2.75 0.00 N	31.08 2.31 0.00 N	18.95 1.34 0.00 N	17.52 1.15 0.00 N	7.03 0.47 0.00 N	4.55 0.29 0.00 N	8.97 0.63 0.00 N	20.72 1.60 0.00 N	6.82 0.59 0.00 N	14.76 1.15 0.00 N	28.53 2.36 0.00 N	33.45 2.75 0.00 N	30.20 2.54 0.00 N	21.93 1.84 0.00 N	28.37 2.31 0.00 N	30.11 2.59 0.00 N	22.44 1.96 0.00 N	8.45 0.73 0.00 N	5.85 0.49 0.00 N	7.59 0.65 0.00 N	12.81 1.16 0.00 N	7.76 0.67 -0.63 N	9.17 0.77 -0.84 N	-2.43 -0.24 0.00 N	
NYS_BARGE___HYD 23848	32.11 -2.02 0.00 N	26.91 -1.87 0.00 N	16.40 -1.21 0.00 N	15.28 -1.09 0.00 N	6.02 -0.54 0.00 N	4.06 -0.20 0.00 N	7.96 -0.37 0.00 N	17.79 -1.33 0.00 N	5.88 -0.35 0.00 N	12.98 -0.63 0.00 N	25.30 -0.86 0.00 N	30.34 -0.36 0.00 N	27.51 -0.15 0.00 N	20.34 0.25 0.00 N	26.17 0.11 0.00 N	27.57 0.06 0.00 N	20.31 -0.16 0.00 N	7.72 0.01 0.00 N	5.42 0.07 0.00 N	7.04 0.09 0.00 N	11.62 -0.03 0.00 N	6.35 -0.11 0.00 N	7.36 -0.18 0.00 N	-2.10 0.09 0.00 N	
O.H_GEN_BRUCE 24063	31.54 -2.58 0.00 N	26.44 -2.33 0.00 N	16.14 -1.47 0.00 N	15.04 -1.33 0.00 N	5.94 -0.63 0.00 N	22.09 -3.19 6.77 N	20.64 -0.22 -16.65 N	20.34 -0.97 -9.09 N	5.77 -0.46 0.00 N	12.73 -0.88 0.00 N	24.77 -1.39 0.00 N	33.20 -1.52 -0.27 N	26.93 -0.73 0.00 N	19.91 -0.18 0.00 N	25.61 -0.45 -0.66 N	34.01 -0.66 -1.27 N	41.86 -0.66 -9.55 N	30.35 -1.22 -1.43 N	5.30 -0.06 0.00 N	6.88 -0.07 0.00 N	21.30 -1.12 -2.26 N	6.21 -0.24 0.00 N	19.99 -1.36 -1.45 N	22.07 -1.08 -8.95 N	
OAK ORCHARD___HYD 24046	33.22 -0.90 0.00 N	27.87 -0.91 0.00 N	17.00 -0.61 0.00 N	15.80 -0.57 0.00 N	6.27 -0.29 0.00 N	4.15 -0.11 0.00 N	8.13 -0.21 0.00 N	18.39 -0.74 0.00 N	6.06 -0.17 0.00 N	13.37 -0.24 0.00 N	25.99 -0.17 0.00 N	31.00 0.30 0.00 N	28.08 0.42 0.00 N	20.65 0.56 0.00 N	26.66 0.60 0.00 N	28.12 0.60 0.00 N	20.80 0.32 0.00 N	7.87 0.16 0.00 N	5.50 0.15 0.00 N	7.12 0.18 0.00 N	11.83 0.17 0.00 N	6.49 0.03 0.00 N	7.54 -0.01 0.00 N	-2.17 0.02 0.00 N	
OCC_CHEM___DRP 24175	31.81 -2.31 0.00 N	26.67 -2.10 0.00 N	16.27 -1.34 0.00 N	15.16 -1.21 0.00 N	5.98 -0.58 0.00 N	4.03 -0.23 0.00 N	7.90 -0.43 0.00 N	17.63 -1.49 0.00 N	5.82 -0.41 0.00 N	12.84 -0.76 0.00 N	25.00 -1.16 0.00 N	29.98 -0.72 0.00 N	27.18 -0.48 0.00 N	20.11 0.03 0.00 N	25.86 -0.21 0.00 N	27.20 -0.32 0.00 N	20.02 -0.46 0.00 N	7.61 -0.10 0.00 N	5.35 0.00 0.00 N	6.95 0.01 0.00 N	11.48 -0.17 0.00 N	6.27 -0.18 0.00 N	7.29 -0.26 0.00 N	-2.07 0.12 0.00 N	
OLIN_CORP_DRP 24177	31.84 -2.28 0.00 N	26.69 -2.08 0.00 N	16.28 -1.33 0.00 N	15.17 -1.20 0.00 N	5.99 -0.58 0.00 N	4.03 -0.23 0.00 N	7.91 -0.43 0.00 N	17.66 -1.47 0.00 N	5.83 -0.40 0.00 N	12.86 -0.74 0.00 N	25.05 -1.11 0.00 N	30.04 -0.67 0.00 N	27.23 -0.43 0.00 N	20.14 0.05 0.00 N	25.90 -0.16 0.00 N	27.27 -0.25 0.00 N	20.08 -0.40 0.00 N	7.63 -0.08 0.00 N	5.37 0.01 0.00 N	6.97 0.02 0.00 N	11.50 -0.15 0.00 N	6.28 -0.17 0.00 N	7.30 -0.25 0.00 N	-2.08 0.11 0.00 N	
ONONDAGA_REF_OCCRA 23987	34.07 -0.06 0.00 N	28.69 -0.08 0.00 N	17.54 -0.06 0.00 N	16.30 -0.07 0.00 N	6.52 -0.04 0.00 N	4.25 -0.01 0.00 N	8.33 0.00 0.00 N	19.06 -0.07 0.00 N	6.23 0.01 0.00 N	13.65 0.05 0.00 N	26.39 0.22 0.00 N	31.11 0.41 0.00 N	28.01 0.35 0.00 N	20.45 0.36 0.00 N	26.53 0.47 0.00 N	28.08 0.57 0.00 N	20.83 0.35 0.00 N	7.86 0.15 0.00 N	5.46 0.11 0.00 N	7.08 0.14 0.00 N	11.87 0.23 0.00 N	6.55 0.09 0.00 N	7.63 0.08 0.00 N	-2.21 -0.02 0.00 N	
ONONDAGA___COGEN 23986	33.99 -0.13 0.00 N	28.65 -0.12 0.00 N	17.52 -0.09 0.00 N	16.28 -0.09 0.00 N	6.51 -0.05 0.00 N	4.25 -0.01 0.00 N	8.32 -0.02 0.00 N	19.02 -0.10 0.00 N	6.22 0.00 0.00 N	13.62 0.02 0.00 N	26.32 0.16 0.00 N	31.04 0.34 0.00 N	27.92 0.26 0.00 N	20.42 0.32 0.00 N	26.47 0.41 0.00 N	28.00 0.48 0.00 N	20.75 0.27 0.00 N	7.83 0.11 0.00 N	5.44 0.09 0.00 N	7.05 0.11 0.00 N	11.84 0.19 0.00 N	6.53 0.07 0.00 N	7.61 0.06 0.00 N	-2.20 -0.01 0.00 N	
ONTARIO___LFGE 23819	34.01 -0.11 0.00 N	28.67 -0.10 0.00 N	17.49 -0.12 0.00 N	16.27 -0.10 0.00 N	6.47 -0.09 0.00 N	4.26 0.00 0.00 N	8.38 0.04 0.00 N	19.12 0.00 0.00 N	6.29 0.06 0.00 N	13.81 0.20 0.00 N	26.81 0.64 0.00 N	31.82 1.12 0.00 N	28.59 0.93 0.00 N	21.04 0.95 0.00 N	27.25 1.20 0.00 N	28.90 1.38 0.00 N	21.29 0.81 0.00 N	8.05 0.33 0.00 N	5.61 0.26 0.00 N	7.28 0.33 0.00 N	12.19 0.54 0.00 N	6.68 0.22 0.00 N	7.75 0.20 0.00 N	-2.22 -0.04 0.00 N	
OSWEGATCHIE___HYD 24044	33.92 -0.20 0.00 N	28.54 -0.23 0.00 N	17.45 -0.16 0.00 N	16.21 -0.16 0.00 N	6.50 -0.07 0.00 N	4.21 -0.05 0.00 N	8.12 -0.21 0.00 N	18.73 -0.40 0.00 N	6.14 -0.09 0.00 N	13.50 -0.10 0.00 N	25.69 -0.48 0.00 N	30.21 -0.50 0.00 N	27.11 -0.55 0.00 N	19.67 -0.42 0.00 N	25.52 -0.54 0.00 N	27.01 -0.51 0.00 N	20.15 -0.33 0.00 N	7.51 -0.20 0.00 N	5.20 -0.15 0.00 N	6.78 -0.17 0.00 N	11.38 -0.27 0.00 N	6.35 -0.11 0.00 N	7.43 -0.12 0.00 N	-2.21 -0.02 0.00 N	
OSWEGO___5 23606	33.47 -0.66 0.00 N	28.20 -0.57 0.00 N	17.25 -0.36 0.00 N	16.03 -0.33 0.00 N	6.42 -0.15 0.00 N	4.18 -0.08 0.00 N	8.18 -0.16 0.00 N	18.69 -0.43 0.00 N	6.11 -0.12 0.00 N	13.36 -0.24 0.00 N	25.78 -0.39 0.00 N	30.37 -0.33 0.00 N	27.39 -0.27 0.00 N	19.96 -0.13 0.00 N	25.87 -0.19 0.00 N	27.34 -0.18 0.00 N	20.30 -0.18 0.00 N	7.66 -0.06 0.00 N	5.32 -0.03 0.00 N	6.90 -0.04 0.00 N	11.58 -0.07 0.00 N	6.40 -0.06 0.00 N	7.47 -0.08 0.00 N	-2.15 0.04 0.00 N	
OSWEGO___6 23613	33.47 -0.66 0.00 N	28.20 -0.57 0.00 N	17.25 -0.36 0.00 N	16.03 -0.33 0.00 N	6.42 -0.15 0.00 N	4.18 -0.08 0.00 N	8.18 -0.16 0.00 N	18.69 -0.43 0.00 N	6.11 -0.12 0.00 N	13.36 -0.24 0.00 N	25.78 -0.39 0.00 N	30.37 -0.33 0.00 N	27.39 -0.27 0.00 N	19.96 -0.13 0.00 N	25.87 -0.19 0.00 N	27.34 -0.18 0.00 N	20.30 -0.18 0.00 N	7.66 -0.06 0.00 N	5.32 -0.03 0.00 N	6.90 -0.04 0.00 N	11.58 -0.07 0.00 N	6.40 -0.06 0.00 N	7.47 -0.08 0.00 N	-2.15 0.04 0.00 N	
OUTOKUMPU-AB___DRP	32.34	27.10	16.52	15.39	6.07	4.09	8.02	17.93	5.92	13.09	25.52	30.61	27.74	20.50	26.40	27.84	20.50	7.79	5.47	7.10	11.73	6.41	7.43	-2.12	

24206	-1.79 0.00 N	-1.67 0.00 N	-1.09 0.00 N	-0.98 0.00 N	-0.49 0.00 N	-0.17 0.00 N	-0.31 0.00 N	-1.19 0.00 N	-0.30 0.00 N	-0.52 0.00 N	-0.65 0.00 N	-0.10 0.00 N	0.08 0.00 N	0.41 0.00 N	0.34 0.00 N	0.32 0.00 N	0.02 0.00 N	0.07 0.00 N	0.12 0.00 N	0.16 0.00 N	0.08 0.00 N	-0.05 0.00 N	-0.12 0.00 N	0.07 0.00 N
OXBOW____ 24026	32.17 -1.95 0.00 N	26.97 -1.81 0.00 N	16.44 -1.17 0.00 N	15.32 -1.05 0.00 N	6.04 -0.52 0.00 N	4.07 -0.19 0.00 N	7.98 -0.35 0.00 N	17.83 -1.30 0.00 N	5.89 -0.34 0.00 N	13.00 -0.60 0.00 N	25.35 -0.82 0.00 N	30.40 -0.30 0.00 N	27.56 -0.10 0.00 N	20.39 0.30 0.00 N	26.23 0.17 0.00 N	27.63 0.12 0.00 N	20.34 -0.13 0.00 N	7.73 0.02 0.00 N	5.43 0.08 0.00 N	7.05 0.11 0.00 N	11.65 0.00 0.00 N	6.36 -0.09 0.00 N	7.39 -0.16 0.00 N	-2.10 0.09 0.00 N
OXY_CHEM_DSASP 323612	31.81 -2.31 0.00 N	26.67 -2.10 0.00 N	16.27 -1.34 0.00 N	15.16 -1.21 0.00 N	5.98 -0.58 0.00 N	4.03 -0.23 0.00 N	7.90 -0.43 0.00 N	17.63 -1.49 0.00 N	5.82 -0.41 0.00 N	12.84 -0.76 0.00 N	25.00 -1.16 0.00 N	29.98 -0.72 0.00 N	27.18 -0.48 0.00 N	20.11 0.03 0.00 N	25.86 -0.21 0.00 N	27.20 -0.32 0.00 N	20.02 -0.46 0.00 N	7.61 -0.10 0.00 N	5.35 0.00 0.00 N	6.95 0.01 0.00 N	11.48 -0.17 0.00 N	6.27 -0.18 0.00 N	7.29 -0.26 0.00 N	-2.07 0.12 0.00 N
PEEKSKILL____ 23653	36.47 2.35 0.00 N	30.79 2.02 0.00 N	18.77 1.17 0.00 N	17.37 1.00 0.00 N	6.98 0.42 0.00 N	4.52 0.26 0.00 N	8.90 0.56 0.00 N	20.53 1.41 0.00 N	6.75 0.52 0.00 N	14.63 1.03 0.00 N	28.24 2.07 0.00 N	33.13 2.43 0.00 N	29.91 2.25 0.00 N	21.73 1.64 0.00 N	28.11 2.05 0.00 N	29.83 2.31 0.00 N	22.24 1.76 0.00 N	8.38 0.67 0.00 N	5.82 0.47 0.00 N	7.55 0.60 0.00 N	12.74 1.08 0.00 N	7.71 0.63 -0.62 N	9.09 0.71 -0.83 N	-2.40 -0.21 0.00 N
PGE MADISON____WINDPWR 24146	35.55 1.43 0.00 N	30.00 1.23 0.00 N	18.46 0.85 0.00 N	17.20 0.83 0.00 N	6.87 0.31 0.00 N	4.49 0.23 0.00 N	8.84 0.51 0.00 N	20.33 1.21 0.00 N	6.69 0.46 0.00 N	14.71 1.11 0.00 N	28.51 2.35 0.00 N	33.63 2.92 0.00 N	30.04 2.37 0.00 N	22.02 1.93 0.00 N	28.53 2.47 0.00 N	30.15 2.63 0.00 N	22.30 1.82 0.00 N	8.39 0.68 0.00 N	5.88 0.52 0.00 N	7.61 0.66 0.00 N	12.76 1.11 0.00 N	7.03 0.55 -0.02 N	8.18 0.60 -0.03 N	-2.40 -0.21 0.00 N
PIERCEFIELD____HYD 23852	33.54 -0.58 0.00 N	28.27 -0.50 0.00 N	17.31 -0.30 0.00 N	16.09 -0.29 0.00 N	6.45 -0.11 0.00 N	4.16 -0.10 0.00 N	7.99 -0.35 0.00 N	18.49 -0.63 0.00 N	6.03 -0.19 0.00 N	13.26 -0.34 0.00 N	24.90 -1.27 0.00 N	29.16 -1.55 0.00 N	26.13 -1.53 0.00 N	18.92 -1.17 0.00 N	24.57 -1.49 0.00 N	26.02 -1.50 0.00 N	19.50 -0.98 0.00 N	7.22 -0.50 0.00 N	4.99 -0.36 0.00 N	6.52 -0.43 0.00 N	10.92 -0.73 0.00 N	6.08 -0.38 0.00 N	7.14 -0.41 0.00 N	-2.14 0.05 0.00 N
PINELAWN_CC_1 323563	37.43 3.31 0.00 N	31.45 2.68 0.00 N	19.22 1.61 0.00 N	17.76 1.39 0.00 N	7.13 0.57 0.00 N	4.61 0.35 0.00 N	9.10 0.77 0.00 N	21.05 1.93 0.00 N	6.85 0.63 0.00 N	14.79 1.19 0.00 N	28.75 2.59 0.00 N	33.58 2.87 0.00 N	30.33 2.67 0.00 N	22.05 1.96 0.00 N	28.52 2.46 0.00 N	30.25 2.73 0.00 N	22.47 1.99 0.00 N	8.40 0.69 0.00 N	5.78 0.43 0.00 N	7.48 0.54 0.00 N	12.66 1.01 0.00 N	7.72 0.63 -0.63 N	9.13 0.74 -0.84 N	-2.43 -0.24 0.00 N
PJM_GEN_KEystone 24065	32.21 -1.91 0.00 N	27.17 -1.60 0.00 N	16.63 -0.98 0.00 N	15.55 -0.82 0.00 N	6.15 -0.41 0.00 N	25.98 0.70 6.77 N	21.00 0.13 -16.65 N	21.78 0.47 -9.09 N	6.12 -0.10 0.00 N	13.28 -0.32 0.00 N	25.84 -0.33 0.00 N	37.13 1.78 -0.88 N	27.43 -0.22 0.00 N	20.00 -0.08 0.00 N	26.04 -0.02 0.00 N	37.91 1.92 -2.59 N	45.00 2.08 -9.94 N	39.52 1.98 -7.39 N	5.54 0.19 0.00 N	7.22 0.27 0.00 N	25.00 1.31 -3.53 N	6.85 -0.01 -0.40 N	22.50 1.15 -1.45 N	23.83 0.68 -8.95 N
PJM_GEN_NEPTUNE_PROXY 323594	37.12 3.00 0.00 N	31.24 2.47 0.00 N	19.10 1.49 0.00 N	17.66 1.29 0.00 N	7.09 0.53 0.00 N	27.83 2.56 6.77 N	21.21 0.34 -16.65 N	22.42 1.11 -9.09 N	6.86 0.64 0.00 N	14.84 1.23 0.00 N	28.83 2.67 0.00 N	46.40 3.80 -8.15 N	30.46 2.80 0.00 N	22.14 2.04 0.00 N	28.64 2.58 0.00 N	43.83 3.66 -6.77 N	49.12 3.60 -12.55 N	44.90 3.24 -11.53 N	5.82 0.47 0.00 N	7.55 0.60 0.00 N	26.76 2.33 -4.28 N	7.76 0.67 -0.63 N	23.49 2.14 -1.45 N	24.76 1.62 -8.95 N
PJM_GEN_VFT_PROXY 323633	34.76 2.58 1.94 N	30.97 2.20 0.00 N	18.88 1.27 0.00 N	17.45 1.08 0.00 N	7.01 0.44 0.00 N	27.54 2.27 6.77 N	21.17 0.31 -16.65 N	22.33 1.02 -9.09 N	6.80 0.57 0.00 N	14.73 1.12 0.00 N	28.45 2.28 0.00 N	38.91 3.14 -1.32 N	30.13 2.47 0.00 N	21.90 1.81 0.00 N	28.33 2.27 0.00 N	39.95 3.05 -3.51 N	46.17 2.98 -10.21 N	44.64 2.97 -11.52 N	5.85 0.50 0.00 N	7.59 0.64 0.00 N	26.61 2.18 -4.28 N	7.75 0.66 -0.63 N	23.47 2.12 -1.45 N	24.51 1.37 -8.95 N
PLEASANTVLY____LBMP 24000	36.26 2.14 0.00 N	30.63 1.86 0.00 N	18.70 1.09 0.00 N	17.31 0.94 0.00 N	6.96 0.40 0.00 N	4.50 0.24 0.00 N	8.85 0.51 0.00 N	20.40 1.28 0.00 N	6.70 0.47 0.00 N	14.54 0.94 0.00 N	28.04 1.87 0.00 N	32.88 2.18 0.00 N	29.67 2.01 0.00 N	21.56 1.47 0.00 N	27.91 1.85 0.00 N	29.55 2.03 0.00 N	22.01 1.53 0.00 N	8.30 0.59 0.00 N	5.76 0.41 0.00 N	7.47 0.53 0.00 N	12.60 0.95 0.00 N	7.70 0.56 -0.69 N	9.11 0.64 -0.92 N	-2.39 -0.19 0.00 N
POLETTI____ 23519	36.78 2.66 0.00 N	31.05 2.28 0.00 N	18.93 1.32 0.00 N	17.50 1.13 0.00 N	7.03 0.47 0.00 N	4.55 0.29 0.00 N	8.96 0.62 0.00 N	20.69 1.57 0.00 N	6.81 0.58 0.00 N	14.75 1.15 0.00 N	28.48 2.32 0.00 N	33.43 2.72 0.00 N	30.16 2.50 0.00 N	21.92 1.83 0.00 N	28.34 2.28 0.00 N	30.07 2.55 0.00 N	22.39 1.91 0.00 N	8.44 0.72 0.00 N	5.85 0.50 0.00 N	7.60 0.65 0.00 N	12.83 1.18 0.00 N	7.77 0.69 -0.63 N	9.17 0.78 -0.84 N	-2.42 -0.23 0.00 N
PORT_JEFF_3 23555	36.95 2.83 0.00 N	31.10 2.33 0.00 N	19.03 1.43 0.00 N	17.58 1.21 0.00 N	7.07 0.51 0.00 N	4.57 0.31 0.00 N	9.02 0.68 0.00 N	20.90 1.78 0.00 N	6.85 0.63 0.00 N	14.88 1.27 0.00 N	29.01 2.84 0.00 N	33.91 3.21 0.00 N	30.64 2.98 0.00 N	22.30 2.21 0.00 N	28.84 2.78 0.00 N	30.58 3.07 0.00 N	22.67 2.20 0.00 N	8.47 0.75 0.00 N	5.80 0.45 0.00 N	7.51 0.56 0.00 N	12.72 1.07 0.00 N	7.75 0.66 -0.63 N	9.12 0.73 -0.84 N	-2.47 -0.28 0.00 N
PORT_JEFF_4 23616	36.95 2.83 0.00 N	31.10 2.33 0.00 N	19.03 1.43 0.00 N	17.58 1.21 0.00 N	7.07 0.51 0.00 N	4.57 0.31 0.00 N	9.02 0.68 0.00 N	20.90 1.78 0.00 N	6.85 0.63 0.00 N	14.88 1.27 0.00 N	29.01 2.84 0.00 N	33.91 3.21 0.00 N	30.64 2.98 0.00 N	22.30 2.21 0.00 N	28.84 2.78 0.00 N	30.58 3.07 0.00 N	22.67 2.20 0.00 N	8.47 0.75 0.00 N	5.80 0.45 0.00 N	7.51 0.56 0.00 N	12.72 1.07 0.00 N	7.75 0.66 -0.63 N	9.12 0.73 -0.84 N	-2.47 -0.28 0.00 N

PORT_JEFF_IC 23713	37.05 2.93 0.00 N	31.18 2.41 0.00 N	19.08 1.47 0.00 N	17.62 1.25 0.00 N	7.08 0.51 0.00 N	4.58 0.32 0.00 N	9.04 0.71 0.00 N	20.96 1.84 0.00 N	6.88 0.65 0.00 N	14.92 1.31 0.00 N	29.04 2.87 0.00 N	33.89 3.18 0.00 N	30.63 2.97 0.00 N	22.30 2.21 0.00 N	28.84 2.78 0.00 N	30.57 3.06 0.00 N	22.67 2.19 0.00 N	8.46 0.75 0.00 N	5.80 0.44 0.00 N	7.50 0.55 0.00 N	12.71 1.06 0.00 N	7.74 0.65 -0.63 N	9.12 0.73 -0.84 N	-2.48 -0.29 0.00 N
PPL_PILGRIM_ST_GT1 24216	37.25 3.12 0.00 N	31.30 2.53 0.00 N	19.14 1.53 0.00 N	17.68 1.31 0.00 N	7.10 0.54 0.00 N	4.59 0.33 0.00 N	9.06 0.72 0.00 N	20.98 1.86 0.00 N	6.88 0.65 0.00 N	14.88 1.28 0.00 N	28.89 2.72 0.00 N	33.82 3.12 0.00 N	30.51 2.85 0.00 N	22.16 2.07 0.00 N	28.68 2.62 0.00 N	30.41 2.89 0.00 N	22.60 2.12 0.00 N	8.44 0.73 0.00 N	5.79 0.44 0.00 N	7.50 0.56 0.00 N	12.72 1.07 0.00 N	7.74 0.66 -0.63 N	9.14 0.74 -0.84 N	-2.48 -0.29 0.00 N
PPL_PILGRIM_ST_GT2 24217	37.25 3.12 0.00 N	31.30 2.53 0.00 N	19.14 1.53 0.00 N	17.68 1.31 0.00 N	7.10 0.54 0.00 N	4.59 0.33 0.00 N	9.06 0.72 0.00 N	20.98 1.86 0.00 N	6.88 0.65 0.00 N	14.88 1.28 0.00 N	28.89 2.72 0.00 N	33.82 3.12 0.00 N	30.51 2.85 0.00 N	22.16 2.07 0.00 N	28.68 2.62 0.00 N	30.41 2.89 0.00 N	22.60 2.12 0.00 N	8.44 0.73 0.00 N	5.79 0.44 0.00 N	7.50 0.56 0.00 N	12.72 1.07 0.00 N	7.74 0.66 -0.63 N	9.14 0.74 -0.84 N	-2.48 -0.29 0.00 N
PPL_SHRM_GT3 24213	36.65 2.53 0.00 N	30.78 2.01 0.00 N	18.84 1.23 0.00 N	17.39 1.02 0.00 N	6.99 0.43 0.00 N	4.52 0.26 0.00 N	8.92 0.59 0.00 N	20.69 1.57 0.00 N	6.78 0.56 0.00 N	14.76 1.16 0.00 N	28.89 2.72 0.00 N	33.82 3.12 0.00 N	30.61 2.95 0.00 N	22.26 2.17 0.00 N	28.79 2.73 0.00 N	30.53 3.01 0.00 N	22.64 2.17 0.00 N	8.45 0.73 0.00 N	5.78 0.43 0.00 N	7.47 0.53 0.00 N	12.66 1.01 0.00 N	7.72 0.63 -0.63 N	9.09 0.69 -0.84 N	-2.46 -0.27 0.00 N
PPL_SHRM_GT4 24214	36.65 2.53 0.00 N	30.78 2.01 0.00 N	18.84 1.23 0.00 N	17.39 1.02 0.00 N	6.99 0.43 0.00 N	4.52 0.26 0.00 N	8.92 0.59 0.00 N	20.69 1.57 0.00 N	6.78 0.56 0.00 N	14.76 1.16 0.00 N	28.89 2.72 0.00 N	33.82 3.12 0.00 N	30.61 2.95 0.00 N	22.26 2.17 0.00 N	28.79 2.73 0.00 N	30.53 3.01 0.00 N	22.64 2.17 0.00 N	8.45 0.73 0.00 N	5.78 0.43 0.00 N	7.47 0.53 0.00 N	12.66 1.01 0.00 N	7.72 0.63 -0.63 N	9.09 0.69 -0.84 N	-2.46 -0.27 0.00 N
PROJECT___ORANGE 1 24174	33.97 -0.15 0.00 N	28.60 -0.16 0.00 N	17.49 -0.11 0.00 N	16.26 -0.11 0.00 N	6.50 -0.06 0.00 N	4.24 -0.02 0.00 N	8.31 -0.03 0.00 N	18.99 -0.13 0.00 N	6.21 -0.02 0.00 N	13.61 0.00 0.00 N	26.30 0.13 0.00 N	31.02 0.32 0.00 N	27.94 0.28 0.00 N	20.41 0.31 0.00 N	26.46 0.40 0.00 N	28.01 0.49 0.00 N	20.78 0.30 0.00 N	7.84 0.12 0.00 N	5.45 0.10 0.00 N	7.06 0.12 0.00 N	11.84 0.19 0.00 N	6.53 0.07 0.00 N	7.61 0.06 0.00 N	-2.20 -0.01 0.00 N
PROJECT___ORANGE 2 24166	33.97 -0.15 0.00 N	28.60 -0.16 0.00 N	17.49 -0.11 0.00 N	16.26 -0.11 0.00 N	6.50 -0.06 0.00 N	4.24 -0.02 0.00 N	8.31 -0.03 0.00 N	18.99 -0.13 0.00 N	6.21 -0.02 0.00 N	13.61 0.00 0.00 N	26.30 0.13 0.00 N	31.02 0.32 0.00 N	27.94 0.28 0.00 N	20.41 0.31 0.00 N	26.46 0.40 0.00 N	28.01 0.49 0.00 N	20.78 0.30 0.00 N	7.84 0.12 0.00 N	5.45 0.10 0.00 N	7.06 0.12 0.00 N	11.84 0.19 0.00 N	6.53 0.07 0.00 N	7.61 0.06 0.00 N	-2.20 -0.01 0.00 N
PYRITES___HYD 24023	33.69 -0.43 0.00 N	28.41 -0.36 0.00 N	17.38 -0.23 0.00 N	16.16 -0.22 0.00 N	6.47 -0.09 0.00 N	4.19 -0.08 0.00 N	8.05 -0.28 0.00 N	18.64 -0.48 0.00 N	6.09 -0.14 0.00 N	13.40 -0.21 0.00 N	25.21 -0.96 0.00 N	29.53 -1.18 0.00 N	26.40 -1.26 0.00 N	19.16 -0.93 0.00 N	24.88 -1.17 0.00 N	26.34 -1.18 0.00 N	19.66 -0.81 0.00 N	7.28 -0.43 0.00 N	5.04 -0.31 0.00 N	6.58 -0.36 0.00 N	11.05 -0.60 0.00 N	6.14 -0.32 0.00 N	7.21 -0.34 0.00 N	-2.16 0.03 0.00 N
RAMAPO___LBMP 323565	36.44 2.32 0.00 N	30.76 1.99 0.00 N	18.76 1.15 0.00 N	17.37 1.00 0.00 N	6.98 0.41 0.00 N	4.52 0.26 0.00 N	8.90 0.56 0.00 N	20.54 1.42 0.00 N	6.75 0.53 0.00 N	14.63 1.03 0.00 N	28.23 2.06 0.00 N	33.12 2.41 0.00 N	29.89 2.23 0.00 N	21.72 1.63 0.00 N	28.10 2.04 0.00 N	29.85 2.33 0.00 N	22.27 1.79 0.00 N	8.40 0.68 0.00 N	5.83 0.48 0.00 N	7.57 0.62 0.00 N	12.77 1.12 0.00 N	7.69 0.64 -0.59 N	9.06 0.73 -0.79 N	-2.41 -0.22 0.00 N
RANKINE____ 23646	32.03 -2.09 0.00 N	26.87 -1.90 0.00 N	16.38 -1.23 0.00 N	15.28 -1.10 0.00 N	6.03 -0.53 0.00 N	4.05 -0.21 0.00 N	7.97 -0.37 0.00 N	17.85 -1.27 0.00 N	5.89 -0.33 0.00 N	12.99 -0.62 0.00 N	25.33 -0.83 0.00 N	30.32 -0.38 0.00 N	27.44 -0.21 0.00 N	20.26 0.17 0.00 N	26.10 0.04 0.00 N	27.61 0.09 0.00 N	20.36 -0.12 0.00 N	7.73 0.01 0.00 N	5.43 0.08 0.00 N	7.04 0.10 0.00 N	11.65 0.00 0.00 N	6.36 -0.10 0.00 N	7.37 -0.18 0.00 N	-2.09 0.10 0.00 N
RAVENSWOOD_GT2_1 24244	36.83 2.71 0.00 N	31.09 2.32 0.00 N	18.95 1.34 0.00 N	17.53 1.16 0.00 N	7.04 0.48 0.00 N	4.55 0.29 0.00 N	8.97 0.63 0.00 N	20.71 1.59 0.00 N	6.81 0.59 0.00 N	14.77 1.17 0.00 N	28.52 2.36 0.00 N	33.46 2.76 0.00 N	30.21 2.55 0.00 N	21.95 1.86 0.00 N	28.38 2.33 0.00 N	30.12 2.60 0.00 N	22.43 1.95 0.00 N	8.45 0.74 0.00 N	5.86 0.51 0.00 N	7.61 0.66 0.00 N	12.84 1.19 0.00 N	7.78 0.69 -0.63 N	9.18 0.79 -0.84 N	-2.42 -0.24 0.00 N
RAVENSWOOD_GT2_2 24245	36.83 2.71 0.00 N	31.09 2.32 0.00 N	18.95 1.34 0.00 N	17.53 1.16 0.00 N	7.04 0.48 0.00 N	4.55 0.29 0.00 N	8.97 0.63 0.00 N	20.71 1.59 0.00 N	6.81 0.59 0.00 N	14.77 1.17 0.00 N	28.52 2.36 0.00 N	33.46 2.76 0.00 N	30.21 2.55 0.00 N	21.95 1.86 0.00 N	28.38 2.33 0.00 N	30.12 2.60 0.00 N	22.43 1.95 0.00 N	8.45 0.74 0.00 N	5.86 0.51 0.00 N	7.61 0.66 0.00 N	12.84 1.19 0.00 N	7.78 0.69 -0.63 N	9.18 0.79 -0.84 N	-2.42 -0.24 0.00 N
RAVENSWOOD_GT2_3 24246	36.86 2.74 0.00 N	31.11 2.34 0.00 N	18.97 1.36 0.00 N	17.54 1.17 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	8.98 0.64 0.00 N	20.72 1.60 0.00 N	6.82 0.59 0.00 N	14.78 1.18 0.00 N	28.55 2.38 0.00 N	33.49 2.79 0.00 N	30.23 2.57 0.00 N	21.96 1.87 0.00 N	28.41 2.35 0.00 N	30.14 2.62 0.00 N	22.45 1.97 0.00 N	8.46 0.75 0.00 N	5.87 0.52 0.00 N	7.61 0.67 0.00 N	12.85 1.20 0.00 N	7.78 0.69 -0.63 N	9.19 0.79 -0.84 N	-2.43 -0.24 0.00 N
RAVENSWOOD_GT2_4 24247	36.86 2.74 0.00 N	31.11 2.34 0.00 N	18.97 1.36 0.00 N	17.54 1.17 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	8.98 0.64 0.00 N	20.72 1.60 0.00 N	6.82 0.59 0.00 N	14.78 1.18 0.00 N	28.55 2.38 0.00 N	33.49 2.79 0.00 N	30.23 2.57 0.00 N	21.96 1.87 0.00 N	28.41 2.35 0.00 N	30.14 2.62 0.00 N	22.45 1.97 0.00 N	8.46 0.75 0.00 N	5.87 0.52 0.00 N	7.61 0.67 0.00 N	12.85 1.20 0.00 N	7.78 0.69 -0.63 N	9.19 0.79 -0.84 N	-2.43 -0.24 0.00 N

23533	2.81 3.30 N	2.39 0.00 N	1.39 0.00 N	1.19 0.00 N	0.49 0.00 N	0.30 0.00 N	0.65 0.00 N	1.64 0.00 N	0.61 0.00 N	1.20 0.00 N	2.42 0.00 N	2.79 0.00 N	2.57 0.00 N	1.87 0.00 N	2.34 0.00 N	2.60 0.00 N	1.95 0.00 N	0.74 0.00 N	0.52 0.00 N	0.67 0.00 N	1.20 0.00 N	0.69 -0.63 N	0.79 -0.84 N	-0.24 0.00 N
RAVENSWOOD____2 23534	36.89 2.77 0.00 N	31.13 2.35 0.00 N	18.97 1.36 0.00 N	17.53 1.16 0.00 N	7.04 0.48 0.00 N	4.55 0.30 0.00 N	8.97 0.64 0.00 N	20.73 1.61 0.00 N	6.82 0.59 0.00 N	14.78 1.18 0.00 N	28.50 2.34 0.00 N	33.33 2.63 0.00 N	30.10 2.44 0.00 N	21.86 1.77 0.00 N	28.27 2.21 0.00 N	29.97 2.45 0.00 N	22.33 1.85 0.00 N	8.42 0.71 0.00 N	5.86 0.50 0.00 N	7.60 0.66 0.00 N	12.82 1.17 0.00 N	7.76 0.68 -0.63 N	9.17 0.78 -0.84 N	-2.43 -0.24 0.00 N
RAVENSWOOD____3 23535	36.83 2.71 0.00 N	31.09 2.32 0.00 N	18.95 1.34 0.00 N	17.53 1.16 0.00 N	7.04 0.48 0.00 N	4.55 0.30 0.00 N	8.97 0.63 0.00 N	20.71 1.59 0.00 N	6.81 0.59 0.00 N	14.77 1.17 0.00 N	28.52 2.36 0.00 N	33.47 2.76 0.00 N	30.21 2.56 0.00 N	21.95 1.86 0.00 N	28.39 2.33 0.00 N	30.12 2.60 0.00 N	22.44 1.96 0.00 N	8.45 0.74 0.00 N	5.86 0.51 0.00 N	7.61 0.66 0.00 N	12.84 1.19 0.00 N	7.78 0.69 -0.63 N	9.18 0.79 -0.84 N	-2.42 -0.24 0.00 N
RAVENSWOOD____4 23820	33.63 2.81 3.30 N	31.17 2.39 0.00 N	19.00 1.39 0.00 N	17.56 1.19 0.00 N	7.05 0.49 0.00 N	4.56 0.30 0.00 N	8.98 0.65 0.00 N	20.76 1.64 0.00 N	6.83 0.61 0.00 N	14.81 1.20 0.00 N	28.59 2.42 0.00 N	33.49 2.79 0.00 N	30.23 2.57 0.00 N	21.96 1.87 0.00 N	28.40 2.34 0.00 N	30.12 2.60 0.00 N	22.43 1.95 0.00 N	8.46 0.74 0.00 N	5.87 0.52 0.00 N	7.61 0.67 0.00 N	12.85 1.20 0.00 N	7.78 0.69 -0.63 N	9.19 0.79 -0.84 N	-2.43 -0.24 0.00 N
RCPI_TRUST____DRP 24196	36.84 2.72 0.00 N	31.09 2.32 0.00 N	18.96 1.35 0.00 N	17.53 1.16 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	8.98 0.64 0.00 N	20.72 1.60 0.00 N	6.81 0.59 0.00 N	14.77 1.17 0.00 N	28.54 2.37 0.00 N	33.49 2.79 0.00 N	30.23 2.57 0.00 N	21.97 1.88 0.00 N	28.41 2.36 0.00 N	30.15 2.63 0.00 N	22.46 1.98 0.00 N	8.46 0.75 0.00 N	5.87 0.52 0.00 N	7.61 0.67 0.00 N	12.85 1.20 0.00 N	7.78 0.69 -0.63 N	9.19 0.79 -0.84 N	-2.42 -0.23 0.00 N
RENSSELAER____COGEN 23796	35.11 0.99 0.00 N	29.76 0.99 0.00 N	18.27 0.66 0.00 N	16.96 0.59 0.00 N	6.83 0.27 0.00 N	4.42 0.15 0.00 N	8.62 0.29 0.00 N	19.67 0.55 0.00 N	6.42 0.19 0.00 N	14.00 0.39 0.00 N	26.82 0.65 0.00 N	31.23 0.53 0.00 N	28.28 0.62 0.00 N	20.60 0.51 0.00 N	26.70 0.64 0.00 N	28.16 0.64 0.00 N	20.94 0.46 0.00 N	7.90 0.19 0.00 N	5.48 0.13 0.00 N	7.10 0.15 0.00 N	11.95 0.30 0.00 N	6.66 0.20 0.00 N	7.81 0.26 0.00 N	-2.27 -0.08 0.00 N
REVERE_CPPR_DRP 24186	34.80 0.68 0.00 N	29.36 0.59 0.00 N	17.94 0.34 0.00 N	16.68 0.31 0.00 N	6.67 0.11 0.00 N	4.35 0.09 0.00 N	8.51 0.17 0.00 N	19.52 0.40 0.00 N	6.40 0.17 0.00 N	14.05 0.44 0.00 N	27.14 0.98 0.00 N	31.99 1.29 0.00 N	28.65 1.00 0.00 N	20.99 0.90 0.00 N	27.20 1.15 0.00 N	28.80 1.28 0.00 N	21.28 0.80 0.00 N	8.03 0.31 0.00 N	5.57 0.22 0.00 N	7.24 0.30 0.00 N	12.19 0.53 0.00 N	6.73 0.27 0.00 N	7.84 0.29 0.00 N	-2.28 -0.09 0.00 N
RIVERBAY____ 323610	36.88 2.75 0.00 N	31.09 2.32 0.00 N	18.96 1.35 0.00 N	17.52 1.15 0.00 N	7.04 0.48 0.00 N	4.55 0.30 0.00 N	8.97 0.63 0.00 N	20.73 1.60 0.00 N	6.82 0.59 0.00 N	14.76 1.16 0.00 N	28.55 2.38 0.00 N	33.48 2.78 0.00 N	30.22 2.56 0.00 N	21.95 1.86 0.00 N	28.40 2.34 0.00 N	30.15 2.63 0.00 N	22.46 1.98 0.00 N	8.46 0.75 0.00 N	5.86 0.51 0.00 N	7.61 0.67 0.00 N	12.85 1.20 0.00 N	7.78 0.69 -0.63 N	9.18 0.79 -0.84 N	-2.43 -0.24 0.00 N
ROCHESTER_9_IC 23652	33.52 -0.60 0.00 N	28.14 -0.63 0.00 N	17.16 -0.45 0.00 N	15.94 -0.43 0.00 N	6.33 -0.23 0.00 N	4.19 -0.07 0.00 N	8.20 -0.14 0.00 N	18.56 -0.56 0.00 N	6.12 -0.11 0.00 N	13.52 -0.09 0.00 N	26.26 0.09 0.00 N	31.34 0.63 0.00 N	28.34 0.68 0.00 N	20.91 0.82 0.00 N	27.01 0.95 0.00 N	28.49 0.97 0.00 N	21.04 0.56 0.00 N	7.97 0.26 0.00 N	5.57 0.22 0.00 N	7.20 0.26 0.00 N	11.95 0.30 0.00 N	6.55 0.10 0.00 N	7.62 0.06 0.00 N	-2.19 0.00 0.00 N
ROSETON____1 23587	36.28 2.16 0.00 N	30.64 1.87 0.00 N	18.70 1.09 0.00 N	17.31 0.94 0.00 N	6.96 0.40 0.00 N	4.50 0.24 0.00 N	8.85 0.52 0.00 N	20.41 1.29 0.00 N	6.70 0.48 0.00 N	14.55 0.94 0.00 N	28.06 1.90 0.00 N	32.91 2.21 0.00 N	29.70 2.04 0.00 N	21.58 1.49 0.00 N	27.94 1.88 0.00 N	29.61 2.08 0.00 N	22.05 1.58 0.00 N	8.31 0.60 0.00 N	5.77 0.42 0.00 N	7.49 0.54 0.00 N	12.63 0.98 0.00 N	7.63 0.57 -0.61 N	9.01 0.65 -0.81 N	-2.39 -0.20 0.00 N
ROSETON____2 23588	36.28 2.16 0.00 N	30.64 1.87 0.00 N	18.70 1.09 0.00 N	17.31 0.94 0.00 N	6.96 0.40 0.00 N	4.50 0.24 0.00 N	8.85 0.52 0.00 N	20.41 1.29 0.00 N	6.70 0.48 0.00 N	14.55 0.94 0.00 N	28.06 1.90 0.00 N	32.91 2.21 0.00 N	29.70 2.04 0.00 N	21.58 1.49 0.00 N	27.94 1.88 0.00 N	29.61 2.08 0.00 N	22.05 1.58 0.00 N	8.31 0.60 0.00 N	5.77 0.42 0.00 N	7.49 0.54 0.00 N	12.63 0.98 0.00 N	7.63 0.57 -0.61 N	9.01 0.65 -0.81 N	-2.39 -0.20 0.00 N
RUSSELL____1 23602	34.30 0.17 0.00 N	28.75 -0.02 0.00 N	17.53 -0.08 0.00 N	16.27 -0.10 0.00 N	6.45 -0.11 0.00 N	4.27 0.01 0.00 N	8.35 0.02 0.00 N	18.95 -0.17 0.00 N	6.25 0.02 0.00 N	13.81 0.21 0.00 N	27.04 0.87 0.00 N	32.38 1.67 0.00 N	29.41 1.75 0.00 N	21.53 1.43 0.00 N	27.80 1.74 0.00 N	29.39 1.87 0.00 N	21.76 1.28 0.00 N	8.24 0.52 0.00 N	5.74 0.39 0.00 N	7.40 0.46 0.00 N	12.35 0.69 0.00 N	6.76 0.30 0.00 N	7.84 0.29 0.00 N	-2.25 -0.06 0.00 N
RUSSELL____2 23532	34.30 0.17 0.00 N	28.75 -0.02 0.00 N	17.53 -0.08 0.00 N	16.27 -0.10 0.00 N	6.45 -0.11 0.00 N	4.27 0.01 0.00 N	8.35 0.02 0.00 N	18.95 -0.17 0.00 N	6.25 0.02 0.00 N	13.81 0.21 0.00 N	27.04 0.87 0.00 N	32.38 1.67 0.00 N	29.41 1.75 0.00 N	21.53 1.43 0.00 N	27.80 1.74 0.00 N	29.39 1.87 0.00 N	21.76 1.28 0.00 N	8.24 0.52 0.00 N	5.74 0.39 0.00 N	7.40 0.46 0.00 N	12.35 0.69 0.00 N	6.76 0.30 0.00 N	7.84 0.29 0.00 N	-2.25 -0.06 0.00 N
RUSSELL____3 23549	33.71 -0.42 0.00 N	28.26 -0.51 0.00 N	17.24 -0.37 0.00 N	16.01 -0.36 0.00 N	6.35 -0.21 0.00 N	4.20 -0.06 0.00 N	8.23 -0.11 0.00 N	18.64 -0.48 0.00 N	6.14 -0.08 0.00 N	13.57 -0.03 0.00 N	26.45 0.28 0.00 N	31.59 0.89 0.00 N	28.64 0.98 0.00 N	21.05 0.96 0.00 N	27.18 1.12 0.00 N	28.70 1.18 0.00 N	21.22 0.74 0.00 N	8.03 0.32 0.00 N	5.61 0.26 0.00 N	7.25 0.30 0.00 N	12.05 0.40 0.00 N	6.61 0.15 0.00 N	7.67 0.12 0.00 N	-2.20 -0.01 0.00 N

RUSSELL___4 23556	34.27 0.15 0.00 N	28.73 -0.04 0.00 N	17.52 -0.09 0.00 N	16.26 -0.11 0.00 N	6.46 -0.11 0.00 N	4.26 0.00 0.00 N	8.35 0.01 0.00 N	18.94 -0.18 0.00 N	6.25 0.02 0.00 N	13.80 0.20 0.00 N	27.02 0.86 0.00 N	32.36 1.65 0.00 N	29.39 1.73 0.00 N	21.51 1.42 0.00 N	27.78 1.72 0.00 N	29.37 1.85 0.00 N	21.74 1.26 0.00 N	8.23 0.52 0.00 N	5.74 0.39 0.00 N	7.40 0.46 0.00 N	12.34 0.68 0.00 N	6.75 0.30 0.00 N	7.84 0.29 0.00 N	-2.25 -0.06 0.00 N
RUSSELL___STATION 23914	33.71 -0.42 0.00 N	28.26 -0.51 0.00 N	17.24 -0.37 0.00 N	16.01 -0.36 0.00 N	6.35 -0.21 0.00 N	4.20 -0.06 0.00 N	8.23 -0.11 0.00 N	18.64 -0.08 0.00 N	6.14 -0.08 0.00 N	13.57 -0.03 0.00 N	26.45 0.28 0.00 N	31.59 0.89 0.00 N	28.64 0.98 0.00 N	21.05 0.96 0.00 N	27.18 1.12 0.00 N	28.70 1.18 0.00 N	21.22 0.74 0.00 N	8.03 0.32 0.00 N	5.61 0.26 0.00 N	7.25 0.30 0.00 N	12.05 0.40 0.00 N	6.61 0.15 0.00 N	7.67 0.12 0.00 N	-2.20 -0.01 0.00 N
S SALMON___HYD 24043	34.05 -0.07 0.00 N	28.68 -0.09 0.00 N	17.52 -0.09 0.00 N	16.28 -0.09 0.00 N	6.51 -0.06 0.00 N	4.25 -0.01 0.00 N	8.29 -0.05 0.00 N	18.98 -0.14 0.00 N	6.22 -0.01 0.00 N	13.67 0.06 0.00 N	26.33 0.17 0.00 N	31.09 0.39 0.00 N	27.94 0.28 0.00 N	20.44 0.35 0.00 N	26.48 0.42 0.00 N	28.01 0.49 0.00 N	20.73 0.26 0.00 N	7.81 0.09 0.00 N	5.42 0.07 0.00 N	7.11 0.17 0.00 N	12.03 0.38 0.00 N	6.74 0.29 0.00 N	7.77 0.22 0.00 N	-2.26 -0.07 0.00 N
SELKIRK___I 23801	35.03 0.91 0.00 N	29.65 0.88 0.00 N	18.18 0.57 0.00 N	16.89 0.52 0.00 N	6.80 0.24 0.00 N	4.39 0.13 0.00 N	8.57 0.23 0.00 N	19.62 0.50 0.00 N	6.41 0.18 0.00 N	13.94 0.33 0.00 N	26.79 0.62 0.00 N	31.31 0.60 0.00 N	28.27 0.61 0.00 N	20.58 0.49 0.00 N	26.68 0.62 0.00 N	28.17 0.65 0.00 N	20.95 0.47 0.00 N	7.90 0.19 0.00 N	5.48 0.13 0.00 N	7.10 0.16 0.00 N	11.97 0.32 0.00 N	6.66 0.20 0.00 N	7.80 0.25 0.00 N	-2.26 -0.07 0.00 N
SELKIRK___II 23799	35.03 0.91 0.00 N	29.65 0.88 0.00 N	18.19 0.58 0.00 N	16.90 0.53 0.00 N	6.80 0.24 0.00 N	4.40 0.14 0.00 N	8.59 0.26 0.00 N	19.65 0.53 0.00 N	6.41 0.19 0.00 N	13.91 0.31 0.00 N	26.67 0.50 0.00 N	31.07 0.37 0.00 N	28.13 0.48 0.00 N	20.47 0.38 0.00 N	26.54 0.48 0.00 N	28.01 0.49 0.00 N	20.84 0.36 0.00 N	7.87 0.15 0.00 N	5.46 0.11 0.00 N	7.07 0.12 0.00 N	11.89 0.24 0.00 N	6.61 0.17 0.02 N	7.75 0.23 0.03 N	-2.26 -0.07 0.00 N
SENECA OSWGO___HYD 24041	33.75 -0.37 0.00 N	28.46 -0.31 0.00 N	17.43 -0.18 0.00 N	16.20 -0.17 0.00 N	6.47 -0.09 0.00 N	4.23 -0.04 0.00 N	8.27 -0.07 0.00 N	18.89 -0.23 0.00 N	6.18 -0.05 0.00 N	13.54 -0.06 0.00 N	26.12 -0.04 0.00 N	30.82 0.12 0.00 N	27.67 0.01 0.00 N	20.24 0.15 0.00 N	26.23 0.17 0.00 N	27.72 0.20 0.00 N	20.48 0.00 0.00 N	7.73 0.02 0.00 N	5.37 0.02 0.00 N	6.98 0.03 0.00 N	11.74 0.10 0.00 N	6.47 0.02 0.00 N	7.54 -0.01 0.00 N	-2.18 0.01 0.00 N
SENECA___ENERGY 23797	33.71 -0.41 0.00 N	28.43 -0.34 0.00 N	17.37 -0.24 0.00 N	16.15 -0.21 0.00 N	6.45 -0.12 0.00 N	4.22 -0.04 0.00 N	8.29 -0.05 0.00 N	18.92 -0.20 0.00 N	6.21 -0.01 0.00 N	13.62 0.02 0.00 N	26.40 0.23 0.00 N	31.24 0.54 0.00 N	28.08 0.42 0.00 N	20.61 0.52 0.00 N	26.68 0.62 0.00 N	28.25 0.73 0.00 N	20.88 0.40 0.00 N	7.88 0.17 0.00 N	5.49 0.14 0.00 N	7.11 0.17 0.00 N	11.91 0.26 0.00 N	6.55 0.09 0.00 N	7.62 0.07 0.00 N	-2.19 0.00 0.00 N
SHOEMAKER___GT 23640	36.27 2.15 0.00 N	30.65 1.88 0.00 N	18.71 1.09 0.00 N	17.32 0.95 0.00 N	6.96 0.40 0.00 N	4.51 0.24 0.00 N	8.87 0.53 0.00 N	20.44 1.32 0.00 N	6.71 0.48 0.00 N	14.57 0.97 0.00 N	28.13 1.96 0.00 N	33.00 2.30 0.00 N	29.71 2.05 0.00 N	21.64 1.55 0.00 N	28.01 1.95 0.00 N	29.72 2.20 0.00 N	22.09 1.61 0.00 N	8.33 0.61 0.00 N	5.78 0.43 0.00 N	7.51 0.57 0.00 N	12.68 1.03 0.00 N	7.57 0.59 -0.52 N	8.91 0.67 -0.69 N	-2.39 -0.20 0.00 N
SHOREHAM_IC_1 23715	36.65 2.53 0.00 N	30.78 2.01 0.00 N	18.84 1.23 0.00 N	17.39 1.02 0.00 N	6.99 0.43 0.00 N	4.52 0.26 0.00 N	8.92 0.59 0.00 N	20.69 1.57 0.00 N	6.78 0.56 0.00 N	14.76 1.16 0.00 N	28.89 2.72 0.00 N	33.82 3.12 0.00 N	30.61 2.95 0.00 N	22.26 2.17 0.00 N	28.79 2.73 0.00 N	30.53 3.01 0.00 N	22.64 2.17 0.00 N	8.45 0.73 0.00 N	5.78 0.43 0.00 N	7.47 0.53 0.00 N	12.66 1.01 0.00 N	7.72 0.63 -0.63 N	9.09 0.69 -0.84 N	-2.46 -0.27 0.00 N
SHOREHAM_IC_2 23716	36.65 2.53 0.00 N	30.78 2.01 0.00 N	18.84 1.23 0.00 N	17.39 1.02 0.00 N	6.99 0.43 0.00 N	4.52 0.26 0.00 N	8.92 0.59 0.00 N	20.69 1.57 0.00 N	6.78 0.56 0.00 N	14.76 1.16 0.00 N	28.89 2.72 0.00 N	33.82 3.12 0.00 N	30.61 2.95 0.00 N	22.26 2.17 0.00 N	28.79 2.73 0.00 N	30.53 3.01 0.00 N	22.64 2.17 0.00 N	8.45 0.73 0.00 N	5.78 0.43 0.00 N	7.47 0.53 0.00 N	12.66 1.01 0.00 N	7.72 0.63 -0.63 N	9.09 0.69 -0.84 N	-2.46 -0.27 0.00 N
SISSONVILLE___ 23735	33.54 -0.58 0.00 N	28.27 -0.50 0.00 N	17.31 -0.30 0.00 N	16.09 -0.29 0.00 N	6.45 -0.11 0.00 N	4.16 -0.10 0.00 N	7.99 -0.35 0.00 N	18.49 -0.63 0.00 N	6.03 -0.19 0.00 N	13.26 -0.34 0.00 N	24.90 -1.27 0.00 N	29.16 -1.55 0.00 N	26.13 -1.53 0.00 N	18.92 -1.17 0.00 N	24.57 -1.49 0.00 N	26.02 -1.50 0.00 N	19.50 -0.98 0.00 N	7.22 -0.50 0.00 N	4.99 -0.36 0.00 N	6.52 -0.43 0.00 N	10.92 -0.73 0.00 N	6.08 -0.38 0.00 N	7.14 -0.41 0.00 N	-2.14 0.05 0.00 N
SITHE_IND_GS1 24169	33.28 -0.84 0.00 N	28.03 -0.74 0.00 N	17.15 -0.46 0.00 N	15.94 -0.43 0.00 N	6.37 -0.19 0.00 N	4.16 -0.10 0.00 N	8.13 -0.20 0.00 N	18.56 -0.56 0.00 N	6.06 -0.17 0.00 N	13.26 -0.34 0.00 N	25.58 -0.59 0.00 N	30.13 -0.58 0.00 N	27.16 -0.49 0.00 N	19.80 -0.29 0.00 N	25.66 -0.40 0.00 N	27.11 -0.42 0.00 N	20.13 -0.35 0.00 N	7.59 -0.12 0.00 N	5.27 -0.08 0.00 N	6.85 -0.10 0.00 N	11.49 -0.16 0.00 N	6.35 -0.10 0.00 N	7.41 -0.14 0.00 N	-2.14 0.05 0.00 N
SITHE_IND_GS2 24170	33.28 -0.84 0.00 N	28.03 -0.74 0.00 N	17.15 -0.46 0.00 N	15.94 -0.43 0.00 N	6.37 -0.19 0.00 N	4.16 -0.10 0.00 N	8.13 -0.20 0.00 N	18.56 -0.56 0.00 N	6.06 -0.17 0.00 N	13.26 -0.34 0.00 N	25.58 -0.59 0.00 N	30.13 -0.58 0.00 N	27.16 -0.49 0.00 N	19.80 -0.29 0.00 N	25.66 -0.40 0.00 N	27.11 -0.42 0.00 N	20.13 -0.35 0.00 N	7.59 -0.12 0.00 N	5.27 -0.08 0.00 N	6.85 -0.10 0.00 N	11.49 -0.16 0.00 N	6.35 -0.10 0.00 N	7.41 -0.14 0.00 N	-2.14 0.05 0.00 N
SITHE_IND_GS3 24171	33.28 -0.84 0.00 N	28.03 -0.74 0.00 N	17.15 -0.46 0.00 N	15.94 -0.43 0.00 N	6.37 -0.19 0.00 N	4.16 -0.10 0.00 N	8.13 -0.20 0.00 N	18.56 -0.56 0.00 N	6.06 -0.17 0.00 N	13.26 -0.34 0.00 N	25.58 -0.59 0.00 N	30.13 -0.58 0.00 N	27.16 -0.49 0.00 N	19.80 -0.29 0.00 N	25.66 -0.40 0.00 N	27.11 -0.42 0.00 N	20.13 -0.35 0.00 N	7.59 -0.12 0.00 N	5.27 -0.08 0.00 N	6.85 -0.10 0.00 N	11.49 -0.16 0.00 N	6.35 -0.10 0.00 N	7.41 -0.14 0.00 N	-2.14 0.05 0.00 N

	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
SITHE_IND_GS4 24172	33.28 -0.84 0.00 N	28.03 -0.74 0.00 N	17.15 -0.46 0.00 N	15.94 -0.43 0.00 N	6.37 -0.19 0.00 N	4.16 -0.10 0.00 N	8.13 -0.20 0.00 N	18.56 -0.56 0.00 N	6.06 -0.17 0.00 N	13.26 -0.34 0.00 N	25.58 -0.59 0.00 N	30.13 -0.58 0.00 N	27.16 -0.49 0.00 N	19.80 -0.29 0.00 N	25.66 -0.40 0.00 N	27.11 -0.42 0.00 N	20.13 -0.35 0.00 N	7.59 -0.12 0.00 N	5.27 -0.08 0.00 N	6.85 -0.10 0.00 N	11.49 -0.16 0.00 N	6.35 -0.10 0.00 N	7.41 -0.14 0.00 N	-2.14 0.05 0.00 N	
SITHE__BATAVIA 24024	32.91 -1.21 0.00 N	27.58 -1.19 0.00 N	16.80 -0.81 0.00 N	15.63 -0.74 0.00 N	6.18 -0.38 0.00 N	4.14 -0.12 0.00 N	8.11 -0.23 0.00 N	18.20 -0.92 0.00 N	6.02 -0.20 0.00 N	13.31 -0.29 0.00 N	25.97 -0.20 0.00 N	31.13 0.43 0.00 N	28.20 0.54 0.00 N	20.83 0.75 0.00 N	26.83 0.77 0.00 N	28.28 0.76 0.00 N	20.84 0.36 0.00 N	7.91 0.20 0.00 N	5.54 0.19 0.00 N	7.19 0.24 0.00 N	11.90 0.24 0.00 N	6.50 0.04 0.00 N	7.54 -0.01 0.00 N	-2.15 0.03 0.00 N	
SITHE__INDEPEND 23800	33.28 -0.84 0.00 N	28.03 -0.74 0.00 N	17.15 -0.46 0.00 N	15.94 -0.43 0.00 N	6.37 -0.19 0.00 N	4.16 -0.10 0.00 N	8.13 -0.20 0.00 N	18.56 -0.56 0.00 N	6.06 -0.17 0.00 N	13.26 -0.34 0.00 N	25.58 -0.59 0.00 N	30.13 -0.58 0.00 N	27.16 -0.49 0.00 N	19.80 -0.29 0.00 N	25.66 -0.40 0.00 N	27.11 -0.42 0.00 N	20.13 -0.35 0.00 N	7.59 -0.12 0.00 N	5.27 -0.08 0.00 N	6.85 -0.10 0.00 N	11.49 -0.16 0.00 N	6.35 -0.10 0.00 N	7.41 -0.14 0.00 N	-2.14 0.05 0.00 N	
SITHE__MASSENA 23902	33.67 -0.45 0.00 N	28.39 -0.38 0.00 N	17.38 -0.23 0.00 N	16.16 -0.21 0.00 N	6.48 -0.08 0.00 N	4.20 -0.07 0.00 N	8.15 -0.18 0.00 N	18.83 -0.29 0.00 N	6.12 -0.11 0.00 N	13.41 -0.19 0.00 N	25.43 -0.74 0.00 N	29.76 -0.94 0.00 N	26.68 -0.98 0.00 N	19.33 -0.76 0.00 N	25.11 -0.94 0.00 N	26.54 -0.99 0.00 N	19.81 -0.67 0.00 N	7.37 -0.34 0.00 N	5.10 -0.25 0.00 N	6.66 -0.29 0.00 N	11.15 -0.50 0.00 N	6.19 -0.27 0.00 N	7.25 -0.30 0.00 N	-2.13 0.06 0.00 N	
SITHE__OGDNSBRG 24021	33.90 -0.22 0.00 N	28.63 -0.14 0.00 N	17.51 -0.09 0.00 N	16.28 -0.09 0.00 N	6.53 -0.04 0.00 N	4.23 -0.04 0.00 N	8.19 -0.15 0.00 N	18.94 -0.18 0.00 N	6.17 -0.05 0.00 N	13.58 -0.03 0.00 N	25.66 -0.50 0.00 N	30.05 -0.65 0.00 N	26.85 -0.81 0.00 N	19.51 -0.59 0.00 N	25.34 -0.72 0.00 N	26.80 -0.72 0.00 N	19.96 -0.51 0.00 N	7.41 -0.30 0.00 N	5.12 -0.23 0.00 N	6.70 -0.25 0.00 N	11.24 -0.41 0.00 N	6.24 -0.22 0.00 N	7.31 -0.24 0.00 N	-2.16 0.03 0.00 N	
SITHE__STERLING 23777	34.60 0.47 0.00 N	29.16 0.39 0.00 N	17.83 0.22 0.00 N	16.58 0.21 0.00 N	6.63 0.06 0.00 N	4.32 0.06 0.00 N	8.46 0.13 0.00 N	19.40 0.27 0.00 N	6.35 0.12 0.00 N	13.93 0.32 0.00 N	26.91 0.74 0.00 N	31.72 1.01 0.00 N	28.49 0.83 0.00 N	20.83 0.74 0.00 N	26.99 0.93 0.00 N	28.58 1.06 0.00 N	21.15 0.67 0.00 N	7.98 0.27 0.00 N	5.55 0.19 0.00 N	7.20 0.25 0.00 N	12.08 0.43 0.00 N	6.68 0.22 0.00 N	7.77 0.22 0.00 N	-2.26 -0.07 0.00 N	
SOUTH CAIRO__GT 23612	36.59 2.47 0.00 N	30.92 2.15 0.00 N	18.90 1.29 0.00 N	17.53 1.16 0.00 N	7.05 0.48 0.00 N	4.56 0.30 0.00 N	8.95 0.61 0.00 N	20.58 1.45 0.00 N	6.74 0.51 0.00 N	14.68 1.08 0.00 N	28.30 2.14 0.00 N	33.15 2.44 0.00 N	29.75 2.09 0.00 N	21.71 1.61 0.00 N	28.14 2.08 0.00 N	29.72 2.20 0.00 N	22.07 1.59 0.00 N	8.33 0.62 0.00 N	5.79 0.44 0.00 N	7.52 0.57 0.00 N	12.67 1.02 0.00 N	7.17 0.59 -0.12 N	8.40 0.69 -0.17 N	-2.39 -0.20 0.00 N	
SOUTH HAMPTN__IC 23720	37.70 3.58 0.00 N	31.51 2.74 0.00 N	19.23 1.62 0.00 N	17.75 1.38 0.00 N	7.13 0.56 0.00 N	4.61 0.35 0.00 N	9.10 0.76 0.00 N	21.10 1.98 0.00 N	6.95 0.72 0.00 N	15.22 1.61 0.00 N	29.85 3.68 0.00 N	35.07 4.36 0.00 N	31.81 4.15 0.00 N	23.09 3.00 0.00 N	29.85 3.79 0.00 N	31.66 4.14 0.00 N	23.53 3.05 0.00 N	8.78 1.06 0.00 N	6.00 0.65 0.00 N	7.75 0.80 0.00 N	13.10 1.45 0.00 N	7.96 0.87 -0.63 N	9.35 0.96 -0.84 N	-2.55 -0.36 0.00 N	
SOUTHOLD__IC 23719	40.59 6.47 0.00 N	33.86 5.09 0.00 N	20.60 2.99 0.00 N	18.99 2.61 0.00 N	7.62 1.05 0.00 N	4.93 0.67 0.00 N	9.74 1.41 0.00 N	22.70 3.58 0.00 N	7.52 1.29 0.00 N	16.70 3.09 0.00 N	32.80 6.63 0.00 N	38.79 8.09 0.00 N	34.98 7.32 0.00 N	25.50 5.41 0.00 N	32.97 6.90 0.00 N	34.99 7.47 0.00 N	25.84 5.37 0.00 N	9.63 1.92 0.00 N	6.59 1.24 0.00 N	8.51 1.57 0.00 N	14.46 2.81 0.00 N	8.71 1.62 -0.63 N	10.19 1.79 -0.84 N	-2.81 -0.62 0.00 N	
ST LAWRENCE____ 23600	33.46 -0.66 0.00 N	28.22 -0.56 0.00 N	17.27 -0.34 0.00 N	16.07 -0.31 0.00 N	6.44 -0.12 0.00 N	4.17 -0.09 0.00 N	8.12 -0.22 0.00 N	18.74 -0.38 0.00 N	6.07 -0.15 0.00 N	13.32 -0.29 0.00 N	25.40 -0.76 0.00 N	29.72 -0.99 0.00 N	26.65 -1.01 0.00 N	19.31 -0.78 0.00 N	25.09 -0.97 0.00 N	26.43 -1.09 0.00 N	19.68 -0.79 0.00 N	7.37 -0.34 0.00 N	5.10 -0.25 0.00 N	6.65 -0.30 0.00 N	11.13 -0.52 0.00 N	6.18 -0.28 0.00 N	7.24 -0.31 0.00 N	-2.12 0.07 0.00 N	
STATION 5_MISC_HYD 23604	34.52 0.41 0.00 N	28.91 0.14 0.00 N	17.59 -0.02 0.00 N	16.28 -0.09 0.00 N	6.46 -0.10 0.00 N	4.25 -0.01 0.00 N	8.31 -0.03 0.00 N	18.76 -0.36 0.00 N	6.16 -0.07 0.00 N	13.68 0.08 0.00 N	26.98 0.81 0.00 N	32.54 1.84 0.00 N	29.79 2.13 0.00 N	21.88 1.80 0.00 N	28.30 2.24 0.00 N	29.98 2.47 0.00 N	22.20 1.72 0.00 N	8.41 0.69 0.00 N	5.85 0.50 0.00 N	7.52 0.58 0.00 N	12.53 0.88 0.00 N	6.82 0.37 0.00 N	7.91 0.36 0.00 N	-2.28 -0.10 0.00 N	
STEEL__WIND 323596	32.04 -2.09 0.00 N	26.87 -1.91 0.00 N	16.38 -1.23 0.00 N	15.28 -1.09 0.00 N	6.03 -0.54 0.00 N	4.05 -0.21 0.00 N	7.97 -0.37 0.00 N	17.86 -1.26 0.00 N	5.90 -0.33 0.00 N	12.99 -0.61 0.00 N	25.33 -0.83 0.00 N	30.33 -0.37 0.00 N	27.45 -0.20 0.00 N	20.26 0.17 0.00 N	26.11 0.05 0.00 N	27.61 0.09 0.00 N	20.38 -0.10 0.00 N	7.73 0.02 0.00 N	5.43 0.08 0.00 N	7.04 0.10 0.00 N	11.65 0.00 0.00 N	6.36 -0.10 0.00 N	7.38 -0.17 0.00 N	-2.09 0.10 0.00 N	
STEBEN_REC_LFGE 323667	34.23 0.11 0.00 N	28.71 -0.06 0.00 N	17.48 -0.13 0.00 N	16.30 -0.07 0.00 N	6.46 -0.10 0.00 N	4.28 0.02 0.00 N	8.47 0.13 0.00 N	19.23 0.11 0.00 N	6.37 0.14 0.00 N	13.99 0.39 0.00 N	27.21 1.04 0.00 N	32.46 1.76 0.00 N	29.30 1.64 0.00 N	21.42 1.34 0.00 N	27.69 1.63 0.00 N	29.44 1.92 0.00 N	21.90 1.42 0.00 N	8.28 0.56 0.00 N	5.80 0.45 0.00 N	7.49 0.54 0.00 N	12.45 0.80 0.00 N	6.80 0.34 0.00 N	7.87 0.32 0.00 N	-2.24 -0.05 0.00 N	
STONY__BROOK	37.05	31.18	19.08	17.62	7.08	4.58	9.04	20.96	6.88	14.92	29.04	33.89	30.63	22.30	28.84	30.57	22.67	8.46	5.80	7.50	12.71	7.74	9.12	-2.48	

24151	2.93 0.00 N	2.41 0.00 N	1.47 0.00 N	1.25 0.00 N	0.51 0.00 N	0.32 0.00 N	0.71 0.00 N	1.84 0.00 N	0.65 0.00 N	1.31 0.00 N	2.87 0.00 N	3.18 0.00 N	2.97 0.00 N	2.21 0.00 N	2.78 0.00 N	3.06 0.00 N	2.19 0.00 N	0.75 0.00 N	0.44 0.00 N	0.55 0.00 N	1.06 0.00 N	0.65 -0.63 N	0.73 -0.84 N	-0.29 0.00 N
STURGEON_POOL_HYD 23609	36.70 2.58 0.00 N	31.05 2.28 0.00 N	18.97 1.36 0.00 N	17.57 1.20 0.00 N	7.06 0.50 0.00 N	4.56 0.30 0.00 N	8.98 0.65 0.00 N	20.73 1.61 0.00 N	6.80 0.58 0.00 N	14.80 1.20 0.00 N	28.66 2.49 0.00 N	33.69 2.99 0.00 N	30.26 2.60 0.00 N	21.98 1.89 0.00 N	28.42 2.36 0.00 N	30.07 2.55 0.00 N	22.36 1.88 0.00 N	8.44 0.73 0.00 N	5.86 0.51 0.00 N	7.63 0.68 0.00 N	12.88 1.23 0.00 N	7.35 0.71 -0.18 N	8.60 0.80 -0.25 N	-2.44 -0.25 0.00 N
SYRACUSE___ENERGY_ST1 323597	33.99 -0.13 0.00 N	28.65 -0.12 0.00 N	17.52 -0.09 0.00 N	16.28 -0.09 0.00 N	6.51 -0.05 0.00 N	4.25 -0.01 0.00 N	8.32 -0.02 0.00 N	19.02 -0.10 0.00 N	6.22 0.00 0.00 N	13.62 0.02 0.00 N	26.32 0.16 0.00 N	31.04 0.34 0.00 N	27.92 0.26 0.00 N	20.42 0.32 0.00 N	26.47 0.41 0.00 N	28.00 0.48 0.00 N	20.75 0.27 0.00 N	7.83 0.11 0.00 N	5.44 0.09 0.00 N	7.05 0.11 0.00 N	11.84 0.19 0.00 N	6.53 0.07 0.00 N	7.61 0.06 0.00 N	-2.20 -0.01 0.00 N
SYRACUSE___ENERGY_ST2 323598	33.99 -0.13 0.00 N	28.65 -0.12 0.00 N	17.52 -0.09 0.00 N	16.28 -0.09 0.00 N	6.51 -0.05 0.00 N	4.25 -0.01 0.00 N	8.32 -0.02 0.00 N	19.02 -0.10 0.00 N	6.22 0.00 0.00 N	13.62 0.02 0.00 N	26.32 0.16 0.00 N	31.04 0.34 0.00 N	27.92 0.26 0.00 N	20.42 0.32 0.00 N	26.47 0.41 0.00 N	28.00 0.48 0.00 N	20.75 0.27 0.00 N	7.83 0.11 0.00 N	5.44 0.09 0.00 N	7.05 0.11 0.00 N	11.84 0.19 0.00 N	6.53 0.07 0.00 N	7.61 0.06 0.00 N	-2.20 -0.01 0.00 N
SYRACUSE___POWER 24017	34.07 -0.06 0.00 N	28.69 -0.08 0.00 N	17.54 -0.06 0.00 N	16.30 -0.07 0.00 N	6.52 -0.04 0.00 N	4.25 -0.01 0.00 N	8.33 0.00 0.00 N	19.06 -0.07 0.00 N	6.23 0.01 0.00 N	13.65 0.05 0.00 N	26.39 0.22 0.00 N	31.11 0.41 0.00 N	28.01 0.35 0.00 N	20.45 0.36 0.00 N	26.53 0.47 0.00 N	28.08 0.57 0.00 N	20.83 0.35 0.00 N	7.86 0.15 0.00 N	5.46 0.11 0.00 N	7.08 0.14 0.00 N	11.87 0.23 0.00 N	6.55 0.09 0.00 N	7.63 0.08 0.00 N	-2.21 -0.02 0.00 N
UNION___PROCESSING_DRP 323587	33.22 -0.90 0.00 N	27.87 -0.91 0.00 N	17.00 -0.61 0.00 N	15.80 -0.57 0.00 N	6.27 -0.29 0.00 N	4.15 -0.11 0.00 N	8.13 -0.21 0.00 N	18.39 -0.74 0.00 N	6.06 -0.17 0.00 N	13.37 -0.24 0.00 N	25.99 -0.17 0.00 N	31.00 0.30 0.00 N	28.08 0.42 0.00 N	20.65 0.56 0.00 N	26.66 0.60 0.00 N	28.12 0.60 0.00 N	20.80 0.32 0.00 N	7.87 0.16 0.00 N	5.50 0.15 0.00 N	7.12 0.18 0.00 N	11.83 0.17 0.00 N	6.49 0.03 0.00 N	7.54 -0.01 0.00 N	-2.17 0.02 0.00 N
UPPER HUDSON___HYD 24058	33.86 -0.26 0.00 N	28.71 -0.06 0.00 N	17.54 -0.07 0.00 N	16.23 -0.14 0.00 N	6.53 -0.03 0.00 N	4.22 -0.04 0.00 N	8.28 -0.05 0.00 N	19.20 0.08 0.00 N	6.37 0.15 0.00 N	14.02 0.42 0.00 N	26.92 0.75 0.00 N	31.59 0.89 0.00 N	28.41 0.75 0.00 N	20.56 0.47 0.00 N	26.35 0.29 0.00 N	27.55 0.03 0.00 N	20.41 -0.06 0.00 N	7.72 0.01 0.00 N	5.36 0.00 0.00 N	6.92 -0.02 0.00 N	11.69 0.04 0.00 N	6.57 0.07 -0.05 N	7.74 0.13 -0.06 N	-2.25 -0.06 0.00 N
UPPER RAQUET___HYD 24056	33.54 -0.58 0.00 N	28.27 -0.50 0.00 N	17.31 -0.30 0.00 N	16.09 -0.29 0.00 N	6.45 -0.11 0.00 N	4.16 -0.10 0.00 N	7.99 -0.35 0.00 N	18.49 -0.63 0.00 N	6.03 -0.19 0.00 N	13.26 -0.34 0.00 N	24.90 -1.27 0.00 N	29.16 -1.55 0.00 N	26.13 -1.53 0.00 N	18.92 -1.17 0.00 N	24.57 -1.49 0.00 N	26.02 -1.50 0.00 N	19.50 -0.98 0.00 N	7.22 -0.50 0.00 N	4.99 -0.36 0.00 N	6.52 -0.43 0.00 N	10.92 -0.73 0.00 N	6.08 -0.38 0.00 N	7.14 -0.41 0.00 N	-2.14 0.05 0.00 N
VISCHER___FERRY HYD 24020	35.30 1.18 0.00 N	29.94 1.17 0.00 N	18.35 0.74 0.00 N	17.02 0.65 0.00 N	6.85 0.29 0.00 N	4.43 0.17 0.00 N	8.67 0.33 0.00 N	19.85 0.73 0.00 N	6.49 0.26 0.00 N	14.20 0.59 0.00 N	27.22 1.05 0.00 N	31.82 1.12 0.00 N	28.73 1.07 0.00 N	20.87 0.78 0.00 N	27.04 0.98 0.00 N	28.45 0.93 0.00 N	21.13 0.65 0.00 N	8.00 0.29 0.00 N	5.55 0.20 0.00 N	7.18 0.23 0.00 N	12.09 0.44 0.00 N	6.76 0.28 -0.02 N	7.95 0.37 -0.03 N	-2.31 -0.12 0.00 N
WADING RIVER_IC_1 23522	36.64 2.52 0.00 N	30.78 2.01 0.00 N	18.84 1.23 0.00 N	17.39 1.02 0.00 N	6.99 0.43 0.00 N	4.52 0.26 0.00 N	8.92 0.59 0.00 N	20.68 1.56 0.00 N	6.79 0.57 0.00 N	14.77 1.17 0.00 N	28.91 2.74 0.00 N	33.85 3.15 0.00 N	30.60 2.94 0.00 N	22.27 2.18 0.00 N	28.80 2.75 0.00 N	30.54 3.02 0.00 N	22.63 2.15 0.00 N	8.45 0.73 0.00 N	5.77 0.42 0.00 N	7.47 0.52 0.00 N	12.66 1.01 0.00 N	7.72 0.63 -0.63 N	9.09 0.69 -0.84 N	-2.46 -0.27 0.00 N
WADING RIVER_IC_2 23547	36.64 2.52 0.00 N	30.78 2.01 0.00 N	18.84 1.23 0.00 N	17.39 1.02 0.00 N	6.99 0.43 0.00 N	4.52 0.26 0.00 N	8.92 0.59 0.00 N	20.68 1.56 0.00 N	6.79 0.57 0.00 N	14.77 1.17 0.00 N	28.91 2.74 0.00 N	33.85 3.15 0.00 N	30.60 2.94 0.00 N	22.27 2.18 0.00 N	28.80 2.75 0.00 N	30.54 3.02 0.00 N	22.63 2.15 0.00 N	8.45 0.73 0.00 N	5.77 0.42 0.00 N	7.47 0.52 0.00 N	12.66 1.01 0.00 N	7.72 0.63 -0.63 N	9.09 0.69 -0.84 N	-2.46 -0.27 0.00 N
WADING RIVER_IC_3 23601	36.64 2.52 0.00 N	30.78 2.01 0.00 N	18.84 1.23 0.00 N	17.39 1.02 0.00 N	6.99 0.43 0.00 N	4.52 0.26 0.00 N	8.92 0.59 0.00 N	20.68 1.56 0.00 N	6.79 0.57 0.00 N	14.77 1.17 0.00 N	28.91 2.74 0.00 N	33.85 3.15 0.00 N	30.60 2.94 0.00 N	22.27 2.18 0.00 N	28.80 2.75 0.00 N	30.54 3.02 0.00 N	22.63 2.15 0.00 N	8.45 0.73 0.00 N	5.77 0.42 0.00 N	7.47 0.52 0.00 N	12.66 1.01 0.00 N	7.72 0.63 -0.63 N	9.09 0.69 -0.84 N	-2.46 -0.27 0.00 N
WALDEN___HYDRO 24148	36.67 2.54 0.00 N	30.88 2.11 0.00 N	18.81 1.20 0.00 N	17.41 1.04 0.00 N	7.00 0.43 0.00 N	4.52 0.26 0.00 N	8.90 0.56 0.00 N	20.54 1.42 0.00 N	6.76 0.53 0.00 N	14.71 1.10 0.00 N	28.36 2.19 0.00 N	33.26 2.56 0.00 N	30.09 2.43 0.00 N	21.87 1.79 0.00 N	28.28 2.22 0.00 N	29.91 2.39 0.00 N	22.38 1.91 0.00 N	8.45 0.73 0.00 N	5.86 0.51 0.00 N	7.60 0.66 0.00 N	12.82 1.17 0.00 N	7.59 0.68 -0.45 N	8.92 0.77 -0.61 N	-2.42 -0.23 0.00 N
WARRENSBURG____ 23737	33.66 -0.46 0.00 N	28.51 -0.26 0.00 N	17.41 -0.20 0.00 N	16.10 -0.27 0.00 N	6.48 -0.08 0.00 N	4.19 -0.07 0.00 N	8.21 -0.13 0.00 N	19.06 -0.06 0.00 N	6.36 0.13 0.00 N	13.99 0.38 0.00 N	26.83 0.67 0.00 N	31.47 0.76 0.00 N	28.29 0.62 0.00 N	20.46 0.37 0.00 N	26.19 0.13 0.00 N	27.36 -0.16 0.00 N	20.26 -0.22 0.00 N	7.66 -0.05 0.00 N	5.32 -0.04 0.00 N	6.88 -0.07 0.00 N	11.62 -0.03 0.00 N	6.53 0.03 -0.05 N	7.69 0.08 -0.06 N	-2.23 -0.05 0.00 N

WATERSIDE___6 8 9 23538	33.63 2.81 3.30 N	31.17 2.39 0.00 N	19.00 1.39 0.00 N	17.56 1.19 0.00 N	7.05 0.49 0.00 N	4.56 0.30 0.00 N	8.98 0.65 0.00 N	20.76 1.64 0.00 N	6.83 0.61 0.00 N	14.81 1.20 0.00 N	28.59 2.42 0.00 N	33.49 2.79 0.00 N	30.23 2.57 0.00 N	21.96 1.87 0.00 N	28.40 2.34 0.00 N	30.12 2.60 0.00 N	22.43 1.95 0.00 N	8.46 0.74 0.00 N	5.87 0.52 0.00 N	7.61 0.67 0.00 N	12.85 1.20 0.00 N	7.78 0.69 -0.63 N	9.19 0.79 -0.84 N	-2.43 -0.24 0.00 N
WDELAWARE___HYD 323627	35.05 0.93 0.00 N	29.52 0.75 0.00 N	18.00 0.39 0.00 N	16.67 0.31 0.00 N	6.70 0.13 0.00 N	4.33 0.07 0.00 N	8.51 0.18 0.00 N	19.62 0.50 0.00 N	6.43 0.21 0.00 N	14.02 0.42 0.00 N	27.88 1.71 0.00 N	33.03 2.33 0.00 N	29.69 2.03 0.00 N	21.59 1.50 0.00 N	27.93 1.87 0.00 N	29.59 2.07 0.00 N	21.99 1.51 0.00 N	8.29 0.57 0.00 N	5.76 0.41 0.00 N	7.48 0.53 0.00 N	12.61 0.96 0.00 N	7.32 0.55 -0.32 N	8.59 0.62 -0.42 N	-2.38 -0.19 0.00 N
WEST BABYLON___IC 23714	37.66 3.54 0.00 N	31.65 2.88 0.00 N	19.34 1.73 0.00 N	17.87 1.50 0.00 N	7.18 0.62 0.00 N	4.64 0.38 0.00 N	9.16 0.82 0.00 N	21.19 2.07 0.00 N	6.94 0.72 0.00 N	15.02 1.42 0.00 N	29.23 3.07 0.00 N	34.19 3.49 0.00 N	30.85 3.20 0.00 N	22.46 2.37 0.00 N	29.06 3.00 0.00 N	30.82 3.30 0.00 N	22.86 2.39 0.00 N	8.55 0.84 0.00 N	5.88 0.53 0.00 N	7.61 0.67 0.00 N	12.90 1.25 0.00 N	7.84 0.75 -0.63 N	9.26 0.87 -0.84 N	-2.50 -0.31 0.00 N
WEST CANADA___HYD 24049	34.22 0.10 0.00 N	28.86 0.08 0.00 N	17.66 0.05 0.00 N	16.43 0.06 0.00 N	6.58 0.02 0.00 N	4.28 0.01 0.00 N	8.37 0.04 0.00 N	19.20 0.08 0.00 N	6.26 0.03 0.00 N	13.67 0.07 0.00 N	26.32 0.16 0.00 N	30.89 0.19 0.00 N	27.84 0.18 0.00 N	20.23 0.14 0.00 N	26.24 0.18 0.00 N	27.71 0.19 0.00 N	20.61 0.13 0.00 N	7.77 0.06 0.00 N	5.39 0.04 0.00 N	7.00 0.05 0.00 N	11.74 0.09 0.00 N	6.51 0.05 0.00 N	7.61 0.06 0.00 N	-2.20 -0.02 0.00 N
WESTERN_NY_WIND 24143	32.87 -1.25 0.00 N	27.55 -1.22 0.00 N	16.78 -0.83 0.00 N	15.61 -0.76 0.00 N	6.17 -0.39 0.00 N	4.14 -0.13 0.00 N	8.10 -0.23 0.00 N	18.18 -0.94 0.00 N	6.02 -0.21 0.00 N	13.29 -0.31 0.00 N	25.95 -0.22 0.00 N	31.11 0.40 0.00 N	28.18 0.52 0.00 N	20.82 0.73 0.00 N	26.80 0.74 0.00 N	28.26 0.74 0.00 N	20.82 0.34 0.00 N	7.90 0.19 0.00 N	5.54 0.19 0.00 N	7.18 0.24 0.00 N	11.89 0.23 0.00 N	6.50 0.04 0.00 N	7.54 -0.01 0.00 N	-2.15 0.04 0.00 N
WESTOVER___LESR 323668	34.21 0.09 0.00 N	28.84 0.06 0.00 N	17.64 0.03 0.00 N	16.42 0.05 0.00 N	6.56 0.00 0.00 N	4.28 0.02 0.00 N	8.46 0.12 0.00 N	19.38 0.26 0.00 N	6.35 0.12 0.00 N	13.85 0.24 0.00 N	26.82 0.65 0.00 N	31.62 0.92 0.00 N	28.44 0.78 0.00 N	20.73 0.64 0.00 N	26.92 0.86 0.00 N	28.65 1.12 0.00 N	21.29 0.81 0.00 N	8.03 0.31 0.00 N	5.60 0.24 0.00 N	7.24 0.29 0.00 N	12.14 0.49 0.00 N	6.69 0.21 -0.02 N	7.79 0.21 -0.03 N	-2.22 -0.03 0.00 N
WETHRSFD_WT_PWR 323626	32.47 -1.65 0.00 N	27.30 -1.47 0.00 N	16.61 -1.01 0.00 N	15.51 -0.86 0.00 N	6.14 -0.42 0.00 N	4.10 -0.16 0.00 N	8.07 -0.27 0.00 N	18.17 -0.95 0.00 N	6.01 -0.21 0.00 N	13.21 -0.40 0.00 N	25.73 -0.43 0.00 N	30.73 0.03 0.00 N	27.76 0.10 0.00 N	20.40 0.31 0.00 N	26.33 0.27 0.00 N	27.90 0.38 0.00 N	20.62 0.14 0.00 N	7.80 0.09 0.00 N	5.48 0.13 0.00 N	7.11 0.17 0.00 N	11.82 0.16 0.00 N	6.45 0.00 0.00 N	7.48 -0.07 0.00 N	-2.12 0.07 0.00 N
YORK___WARBASSE 23770	50.29 2.98 -13.19 N	31.31 2.53 0.00 N	19.07 1.46 0.00 N	17.62 1.25 0.00 N	7.08 0.52 0.00 N	4.58 0.32 0.00 N	9.02 0.69 0.00 N	20.85 1.73 0.00 N	6.86 0.63 0.00 N	14.86 1.26 0.00 N	28.73 2.56 0.00 N	33.61 2.90 0.00 N	30.31 2.66 0.00 N	22.01 1.92 0.00 N	28.48 2.42 0.00 N	30.24 2.71 0.00 N	22.52 2.04 0.00 N	8.49 0.77 0.00 N	5.88 0.53 0.00 N	7.63 0.68 0.00 N	12.87 1.22 0.00 N	7.80 0.71 -0.63 N	9.21 0.82 -0.84 N	-2.44 -0.25 0.00 N