

Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

Zonal Data

03/13/2012

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	21.19	20.39	19.54	15.84	15.99	19.85	22.51	23.83	23.84	20.30	21.73	18.88	28.09	24.39	22.95	22.48	19.02	17.10	16.00	17.51	18.82	21.17	20.62	19.77
61757	1.12	1.14	1.07	0.87	0.81	1.03	1.20	1.28	1.32	1.15	1.22	1.07	1.63	1.33	1.20	1.21	1.01	0.96	0.94	1.06	1.11	1.18	1.07	0.91
	0.00	0.00	0.00	0.00	-0.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
CENTRL 61754	20.24	19.38	18.56	15.03	14.60	18.76	21.37	22.74	22.86	19.41	20.83	18.01	26.74	23.33	22.04	21.46	18.12	16.24	15.24	16.71	17.99	20.36	19.88	19.03
	0.18	0.13	0.08	0.06	-0.10	-0.07	0.05	0.19	0.33	0.26	0.32	0.21	0.29	0.27	0.29	0.18	0.11	0.10	0.18	0.26	0.28	0.37	0.32	0.17
	0.00	0.00	0.00	0.00	-0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
DUNWOD 61760	21.77	20.89	20.00	16.17	16.16	20.36	23.30	24.86	25.00	21.28	22.76	19.75	29.36	25.51	24.03	23.53	19.92	17.90	16.67	18.25	19.68	22.26	21.67	20.65
	1.70	1.64	1.53	1.20	1.11	1.53	1.98	2.32	2.48	2.13	2.25	1.94	2.91	2.45	2.28	2.26	1.91	1.76	1.61	1.81	1.97	2.26	2.11	1.79
	0.00	0.00	0.00	0.00	-0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
GENESE 61753	19.86	18.99	18.15	14.75	14.31	18.45	20.93	22.24	22.39	19.02	20.40	17.64	26.13	22.86	21.64	21.02	17.78	15.90	14.92	16.35	17.66	20.00	19.47	18.62
	-0.20	-0.26	-0.32	-0.22	-0.37	-0.38	-0.39	-0.30	-0.14	-0.14	-0.11	-0.17	-0.33	-0.20	-0.11	-0.25	-0.23	-0.23	-0.14	-0.09	-0.05	0.00	-0.08	-0.24
	0.00	0.00	0.00	0.00	-0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
H Q 61844	19.66	18.85	18.13	14.70	14.35	18.45	20.67	21.93	21.81	18.56	19.89	17.28	25.66	22.41	21.16	20.71	17.57	15.72	14.64	15.93	17.18	19.39	17.51	18.49
	-0.40	-0.40	-0.34	-0.26	-0.27	-0.38	-0.50	-0.65	-0.71	-0.59	-0.62	-0.52	-0.79	-0.65	-0.59	-0.56	-0.45	-0.42	-0.42	-0.51	-0.54	-0.60	-0.52	-0.37
	0.00	0.00	0.00	0.00	0.00	0.00	-0.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.44	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
HUD VL 61758	21.78	20.92	20.03	16.20	16.18	20.39	23.30	24.81	24.93	21.21	22.69	19.69	29.27	25.45	23.99	23.48	19.87	17.84	16.63	18.24	19.66	22.20	21.60	20.58
	1.71	1.67	1.56	1.23	1.14	1.56	1.99	2.26	2.40	2.06	2.18	1.88	2.82	2.39	2.24	2.21	1.86	1.70	1.57	1.79	1.95	2.21	2.04	1.73
	0.00	0.00	0.00	0.00	-0.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
LONGIL 61762	21.92	21.05	20.15	16.29	16.33	20.60	23.64	25.19	25.11	21.76	26.52	19.34	29.40	25.53	24.05	23.55	20.09	18.04	16.77	18.31	19.98	22.61	22.03	20.94
	1.86	1.80	1.67	1.32	1.28	1.78	2.32	2.64	2.59	2.29	2.62	2.23	3.11	2.66	2.30	2.29	2.13	2.00	1.71	1.87	2.27	2.62	2.48	2.08
	0.00	0.00	0.00	0.00	-0.43	0.00	0.00	0.00	0.00	-0.33	-3.39	0.69	0.17	0.19	0.00	0.01	0.06	0.09	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
MHK VL 61756	20.51	19.66	18.84	15.27	14.93	19.21	21.94	23.34	23.36	19.87	21.30	18.46	27.37	23.84	22.46	21.87	18.47	16.56	15.49	16.95	18.27	20.54	20.01	19.25
	0.44	0.41	0.37	0.30	0.25	0.38	0.63	0.79	0.84	0.72	0.79	0.66	0.92	0.78	0.71	0.60	0.46	0.42	0.43	0.50	0.56	0.54	0.45	0.39
	0.00	0.00	0.00	0.00	-0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
MILLWD 61759	21.75	20.88	19.98	16.16	16.15	20.35	23.28	24.85	24.99	21.27	22.74	19.73	29.33	25.49	24.01	23.51	19.91	17.89	16.67	18.26	19.69	22.25	21.65	20.62
	1.69	1.63	1.51	1.19	1.10	1.52	1.97	2.30	2.46	2.11	2.23	1.93	2.88	2.43	2.26	2.24	1.90	1.75	1.60	1.81	1.97	2.26	2.09	1.76
	0.00	0.00	0.00	0.00	-0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
N.Y.C. 61761	21.86	20.95	20.06	16.21	16.21	20.44	23.41	25.36	26.24	24.04	29.06	38.56	34.58	31.07	27.79	25.81	23.83	23.07	19.81	19.53	19.79	22.41	21.83	20.79
	1.79	1.71	1.59	1.24	1.16	1.61	2.09	2.49	2.67	2.31	2.40	2.08	3.13	2.64	2.46	2.43	2.06	1.89	1.72	1.91	2.08	2.42	2.27	1.93
	0.00	0.00	0.00	0.00	-0.43	0.00	0.00	-0.32	-1.04	-2.58	-6.14	-18.67	-5.00	-5.37	-3.58	-2.12	-3.75	-5.05	-3.03	-1.17	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N

NORTH 61755	19.61 -0.45 0.00 N	18.81 -0.44 0.00 N	18.09 -0.38 0.00 N	14.67 -0.30 0.00 N	14.31 -0.31 0.00 N	18.31 -0.52 0.00 N	20.66 -0.65 0.00 N	21.72 -0.83 0.00 N	21.63 -0.89 0.00 N	18.39 -0.77 0.00 N	19.71 -0.80 0.00 N	17.13 -0.68 0.00 N	25.43 -1.02 0.00 N	22.15 -0.90 0.00 N	20.90 -0.84 0.00 N	20.57 -0.70 0.00 N	17.50 -0.51 0.00 N	15.70 -0.43 0.00 N	14.64 -0.42 0.00 N	15.81 -0.63 0.00 N	17.08 -0.63 0.00 N	19.23 -0.76 0.00 N	18.92 -0.64 0.00 N	18.45 -0.41 0.00 N
NPX 61845	21.37 1.30 0.00 N	20.57 1.32 0.00 N	19.71 1.25 0.00 N	15.97 1.01 0.00 N	16.05 0.92 -0.51 N	18.32 0.94 -2.26 N	19.20 1.09 -1.20 N	25.38 1.36 -3.19 N	24.13 1.60 0.00 N	20.52 1.37 0.00 N	21.95 1.44 0.00 N	19.07 1.27 0.00 N	28.41 1.96 0.00 N	24.64 1.58 0.00 N	23.19 1.44 0.00 N	22.75 1.48 0.00 N	19.26 1.24 0.00 N	17.31 1.17 0.00 N	16.15 1.09 0.00 N	17.67 1.23 0.00 N	19.01 1.30 0.00 N	21.40 1.41 0.00 N	20.90 1.34 0.00 N	22.24 1.29 -1.44 N
O H 61846	19.44 -0.62 0.00 N	18.57 -0.68 0.00 N	17.73 -0.74 0.00 N	14.43 -0.54 0.00 N	14.00 -0.70 -0.08 N	16.63 -0.74 -2.25 N	17.46 -0.66 -1.20 N	16.30 -1.44 3.09 N	21.45 -1.08 0.00 N	18.18 -0.97 0.00 N	19.45 -1.06 0.00 N	16.78 -1.02 0.00 N	24.90 -1.55 0.00 N	21.86 -1.20 0.00 N	20.78 -0.97 0.00 N	20.14 -1.13 0.00 N	17.01 -1.00 0.00 N	15.18 -0.96 0.00 N	14.24 -0.82 0.00 N	15.55 -0.89 0.00 N	16.80 -0.91 0.00 N	19.20 -0.79 0.00 N	18.82 -0.74 0.00 N	19.85 -1.11 -1.44 N
PJM 61847	21.08 1.01 0.00 N	20.21 0.96 0.00 N	19.34 0.87 0.00 N	15.63 0.66 0.00 N	15.48 0.56 -0.31 N	18.00 0.61 -2.25 N	19.00 0.88 -1.20 N	22.00 0.95 -0.22 N	23.98 1.46 0.00 N	20.36 1.21 0.00 N	22.35 1.26 -0.57 N	21.04 1.05 -2.18 N	28.57 1.59 -0.53 N	25.05 1.39 -0.61 N	23.08 1.34 0.00 N	22.55 1.25 -0.04 N	19.19 1.00 -0.18 N	17.35 0.90 -0.32 N	15.92 0.85 0.00 N	17.45 1.00 0.00 N	18.79 1.08 0.00 N	21.33 1.34 0.00 N	20.81 1.25 0.00 N	22.00 1.05 -1.44 N
WEST 61752	19.70 -0.37 0.00 N	18.78 -0.47 0.00 N	17.92 -0.55 0.00 N	14.58 -0.39 0.00 N	14.15 -0.55 -0.08 N	18.13 -0.70 0.00 N	20.36 -0.96 0.00 N	21.58 -0.97 0.00 N	21.73 -0.80 0.00 N	18.42 -0.73 0.00 N	19.74 -0.77 0.00 N	17.01 -0.79 0.00 N	25.22 -1.24 0.00 N	22.15 -0.91 0.00 N	21.06 -0.69 0.00 N	20.37 -0.90 0.00 N	17.19 -0.82 0.00 N	15.32 -0.82 0.00 N	14.37 -0.70 0.00 N	15.71 -0.73 0.00 N	17.00 -0.71 0.00 N	19.46 -0.54 0.00 N	19.13 -0.43 0.00 N	18.34 -0.52 0.00 N