

Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

Zonal Data

03/18/2012

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	9.88	12.60	9.49	5.37	8.11	-7.67	-2.03	5.28	13.05	19.79	19.29	20.33	20.13	21.36	20.45	18.96	19.03	19.99	20.99	22.62	26.69	24.18	22.80	21.95
61757	0.56	0.76	0.59	0.33	0.50	-0.41	-0.10	0.25	0.65	1.05	1.08	1.13	0.99	1.05	0.99	0.86	0.88	0.96	1.03	1.28	1.50	1.21	1.14	1.05
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
CENTRL	9.39	11.95	8.99	5.11	7.71	-7.39	-1.93	5.11	12.58	19.06	18.60	19.59	19.52	20.68	19.82	18.44	18.48	19.43	20.37	21.76	25.65	23.45	22.08	21.19
61754	0.07	0.12	0.08	0.08	0.10	-0.13	-0.01	0.08	0.18	0.32	0.38	0.39	0.38	0.37	0.35	0.35	0.34	0.39	0.40	0.42	0.46	0.48	0.41	0.30
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
DUNWOD	10.24	12.95	9.73	5.49	8.31	-7.88	-2.07	5.46	13.48	20.47	20.04	21.13	21.00	22.29	21.36	19.79	19.85	20.89	21.94	23.54	27.87	25.39	23.89	22.85
61760	0.92	1.12	0.82	0.45	0.69	-0.62	-0.15	0.43	1.08	1.74	1.83	1.93	1.86	1.98	1.89	1.70	1.70	1.85	1.98	2.21	2.68	2.41	2.23	1.96
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
GENESE	9.24	11.74	8.84	5.05	7.59	-7.36	-1.94	5.07	12.38	18.75	18.30	19.25	19.21	20.31	19.47	18.18	18.21	19.13	20.01	21.29	25.10	23.05	21.70	20.81
61753	-0.08	-0.10	-0.06	0.01	-0.02	-0.10	-0.02	0.04	-0.03	0.02	0.09	0.05	0.06	0.00	0.00	0.09	0.06	0.09	0.05	-0.04	-0.09	0.08	0.04	-0.08
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
H Q	9.06	11.50	8.66	4.89	7.40	-7.08	-1.89	4.91	12.10	18.27	17.57	18.53	18.54	19.69	18.90	17.59	17.64	18.45	19.34	20.57	24.30	22.22	21.20	20.38
61844	-0.26	-0.34	-0.24	-0.14	-0.21	0.18	0.04	-0.12	-0.30	-0.54	-0.63	-0.67	-0.60	-0.62	-0.57	-0.51	-0.51	-0.59	-0.63	-0.77	-0.88	-0.75	-0.67	-0.51
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
HUD VL	10.17	12.92	9.71	5.48	8.29	-7.87	-2.08	5.45	13.48	20.46	20.01	21.09	20.96	22.23	21.30	19.74	19.81	20.83	21.89	23.50	27.74	25.24	23.76	22.78
61758	0.86	1.08	0.81	0.45	0.68	-0.61	-0.15	0.43	1.08	1.72	1.80	1.89	1.82	1.92	1.83	1.64	1.66	1.79	1.92	2.17	2.55	2.27	2.09	1.89
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
LONGIL	10.32	12.98	9.73	5.49	8.31	-7.89	-2.08	5.47	13.40	20.38	20.16	21.21	21.10	22.37	21.42	19.87	19.93	20.99	21.96	23.59	27.89	25.58	24.16	22.99
61762	1.00	1.14	0.83	0.45	0.69	-0.63	-0.16	0.44	1.00	1.64	1.95	2.01	1.96	2.05	1.95	1.77	1.78	1.95	2.00	2.26	2.70	2.61	2.49	2.09
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
MHK VL	9.43	11.99	9.03	5.11	7.72	-7.40	-1.96	5.12	12.66	19.19	18.67	19.68	19.59	20.77	19.91	18.49	18.54	19.45	20.40	21.87	25.82	23.50	22.07	21.27
61756	0.12	0.16	0.13	0.08	0.11	-0.14	-0.04	0.09	0.26	0.45	0.46	0.48	0.44	0.46	0.44	0.40	0.39	0.42	0.44	0.53	0.64	0.53	0.40	0.38
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
MILLWD	10.21	12.94	9.72	5.48	8.29	-7.86	-2.07	5.46	13.49	20.48	20.05	21.14	21.00	22.28	21.34	19.77	19.84	20.87	21.92	23.55	27.83	25.32	23.83	22.81
61759	0.89	1.11	0.82	0.44	0.68	-0.60	-0.15	0.43	1.09	1.74	1.84	1.94	1.86	1.97	1.87	1.68	1.69	1.83	1.96	2.21	2.64	2.35	2.16	1.92
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
N.Y.C.	10.32	13.03	9.79	5.52	8.35	-7.92	-2.08	5.50	13.57	20.62	20.17	21.29	21.16	22.46	21.52	19.96	20.01	21.05	22.13	23.71	28.53	25.93	26.28	23.03
61761	1.00	1.20	0.89	0.48	0.74	-0.66	-0.16	0.47	1.17	1.88	1.96	2.09	2.01	2.15	2.06	1.86	1.86	2.01	2.16	2.37	2.93	2.64	2.43	2.13
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.41	-0.31	-2.18	-0.01
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N

NORTH 61755	8.96 -0.36 0.00 N	11.37 -0.47 0.00 N	8.56 -0.34 0.00 N	4.84 -0.20 0.00 N	7.32 -0.29 0.00 N	-7.03 0.24 0.00 N	-1.89 0.04 0.00 N	4.85 -0.17 0.00 N	11.99 -0.42 0.00 N	18.07 -0.67 0.00 N	17.37 -0.84 0.00 N	18.31 -0.89 0.00 N	18.31 -0.84 0.00 N	19.50 -0.81 0.00 N	18.74 -0.73 0.00 N	17.47 -0.63 0.00 N	17.51 -0.64 0.00 N	18.23 -0.81 0.00 N	19.11 -0.86 0.00 N	20.32 -1.02 0.00 N	24.01 -1.17 0.00 N	21.92 -1.05 0.00 N	20.69 -0.97 0.00 N	20.23 -0.66 0.00 N
NPX 61845	9.99 0.68 0.00 N	12.73 0.89 0.00 N	9.59 0.69 0.00 N	5.41 0.38 0.00 N	8.19 0.58 0.00 N	-7.75 -0.48 0.00 N	-2.05 -0.13 0.00 N	5.34 0.31 0.00 N	13.20 0.80 0.00 N	15.51 1.02 -0.55 N	19.54 1.33 0.00 N	20.59 1.39 0.00 N	20.38 1.24 0.00 N	21.64 1.33 0.00 N	20.72 1.25 0.00 N	19.18 1.08 0.00 N	19.25 1.10 0.00 N	20.23 1.19 0.00 N	21.24 1.27 0.00 N	22.88 1.54 0.00 N	26.99 1.80 0.00 N	24.47 1.50 0.00 N	25.15 1.59 0.26 N	22.23 1.34 0.00 N
O H 61846	9.09 -0.22 0.00 N	11.62 -0.22 0.00 N	8.76 -0.15 0.00 N	5.04 0.00 0.00 N	7.55 -0.06 0.00 N	-7.34 -0.07 0.00 N	-1.91 0.01 0.00 N	5.03 0.00 0.00 N	12.18 -0.22 0.00 N	14.20 -0.30 -0.55 N	17.95 -0.27 0.00 N	18.87 -0.33 0.00 N	18.82 -0.32 0.00 N	19.89 -0.43 0.00 N	19.07 -0.40 0.00 N	17.86 -0.24 0.00 N	17.85 -0.30 0.00 N	18.72 -0.31 0.00 N	19.55 -0.42 0.00 N	20.67 -0.67 0.00 N	24.28 -0.91 0.00 N	22.46 -0.51 0.00 N	22.76 -0.80 0.26 N	20.45 -0.44 0.00 N
PJM 61847	9.84 0.52 0.00 N	12.52 0.68 0.00 N	9.40 0.50 0.00 N	5.34 0.30 0.00 N	8.06 0.45 0.00 N	-7.68 -0.41 0.00 N	-2.00 -0.08 0.00 N	5.31 0.28 0.00 N	13.07 0.68 0.00 N	15.33 0.84 -0.55 N	19.36 1.15 0.00 N	20.40 1.20 0.00 N	20.31 1.17 0.00 N	21.54 1.22 0.00 N	20.65 1.18 0.00 N	19.18 1.08 0.00 N	19.22 1.07 0.00 N	20.22 1.18 0.00 N	21.20 1.24 0.00 N	22.66 1.32 0.00 N	26.75 1.56 0.00 N	24.46 1.49 0.00 N	25.00 1.44 0.26 N	22.10 1.21 0.00 N
WEST 61752	9.17 -0.15 0.00 N	11.71 -0.13 0.00 N	8.83 -0.08 0.00 N	5.08 0.04 0.00 N	7.61 0.00 0.00 N	-7.42 -0.15 0.00 N	-1.94 -0.02 0.00 N	5.08 0.05 0.00 N	12.29 -0.11 0.00 N	18.60 -0.14 0.00 N	18.16 -0.05 0.00 N	19.09 -0.11 0.00 N	19.04 -0.10 0.00 N	20.13 -0.19 0.00 N	19.30 -0.17 0.00 N	18.08 -0.01 0.00 N	18.06 -0.09 0.00 N	18.96 -0.08 0.00 N	19.80 -0.17 0.00 N	20.95 -0.38 0.00 N	24.68 -0.50 0.00 N	22.84 -0.13 0.00 N	21.65 -0.01 0.00 N	20.75 -0.14 0.00 N