

Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

Zonal Data

03/21/2012

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	
CAPITL	50.25	26.84	15.37	9.63	13.47	16.05	18.81	16.45	13.23	20.98	22.30	14.52	15.20	20.04	20.10	21.04	19.85	30.76	16.73	34.48	23.17	22.94	19.53	16.98
61757	2.25	1.24	0.72	0.43	0.67	0.75	0.84	0.68	0.47	0.67	0.76	0.50	0.47	0.65	0.70	0.73	0.60	0.98	0.54	1.46	1.03	0.85	0.68	0.62
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
CENTRL 61754	48.30	25.58	14.67	9.22	12.83	15.45	18.24	16.12	13.07	20.80	21.96	14.32	15.05	19.77	19.77	20.82	19.81	30.69	16.72	34.01	22.75	22.73	19.34	16.67
	0.31	-0.01	0.01	0.02	0.02	0.15	0.26	0.35	0.32	0.49	0.42	0.30	0.32	0.37	0.37	0.50	0.56	0.90	0.53	0.98	0.59	0.64	0.49	0.32
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
DUNWOD 61760	52.05	27.84	15.96	9.99	13.97	16.72	19.80	17.36	13.95	22.32	23.75	15.47	16.18	21.28	21.32	22.32	21.15	32.76	17.79	36.32	24.54	24.30	20.64	17.91
	4.06	2.25	1.30	0.79	1.17	1.43	1.82	1.58	1.20	2.01	2.21	1.45	1.45	1.88	1.93	2.00	1.90	2.97	1.60	3.29	2.39	2.20	1.79	1.56
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
GENESE 61753	47.37	24.92	14.26	8.97	12.48	15.05	17.85	15.86	12.93	20.55	21.64	14.13	14.91	19.52	19.55	20.65	19.66	30.43	16.65	33.91	22.54	22.59	19.25	16.56
	-0.63	-0.67	-0.39	-0.22	-0.32	-0.25	-0.13	0.09	0.18	0.24	0.10	0.11	0.18	0.13	0.15	0.33	0.41	0.64	0.46	0.89	0.39	0.50	0.40	0.20
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
H Q 61844	47.66	21.87	14.00	9.13	12.62	16.20	17.50	15.40	12.47	19.86	21.05	13.68	14.40	19.00	18.97	19.83	18.78	29.02	15.77	32.16	21.54	21.56	18.43	16.02
	-0.33	-0.15	-0.10	-0.06	-0.18	-0.29	-0.41	-0.37	-0.28	-0.45	-0.49	-0.34	-0.33	-0.39	-0.42	-0.48	-0.47	-0.76	-0.42	-0.86	-0.61	-0.54	-0.42	-0.33
	0.00	0.00	-0.32	0.00	0.00	-1.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
HUD VL 61758	52.03	27.85	15.96	10.00	13.98	16.73	19.81	17.36	13.98	22.34	23.76	15.49	16.20	21.31	21.34	22.34	21.19	32.79	17.81	36.40	24.58	24.33	20.65	17.90
	4.04	2.26	1.30	0.80	1.17	1.44	1.83	1.59	1.23	2.04	2.22	1.47	1.47	1.91	1.95	2.02	1.94	3.01	1.62	3.38	2.43	2.24	1.80	1.54
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
LONGIL 61762	63.71	28.38	17.44	21.08	20.93	42.35	20.15	15.58	12.24	22.25	23.72	14.93	15.62	21.17	21.49	22.42	21.35	33.27	18.08	36.61	24.83	24.52	20.91	18.17
	4.93	2.76	1.62	1.01	1.47	1.77	2.17	1.96	1.42	2.17	2.53	1.69	1.72	2.21	2.25	2.30	2.32	3.53	1.94	3.59	2.69	2.43	2.06	1.82
	-10.79	-0.03	-1.16	-10.88	-6.65	-25.28	0.00	2.15	1.93	0.22	0.35	0.79	0.83	0.43	0.17	0.20	0.22	0.04	0.04	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
MHK VL 61756	47.80	25.42	14.54	9.12	12.83	15.59	18.48	16.33	13.19	20.92	22.14	14.42	15.10	19.99	19.98	20.93	19.85	30.71	16.70	34.13	22.91	22.79	19.31	16.63
	-0.20	-0.17	-0.12	-0.08	0.03	0.30	0.51	0.56	0.44	0.61	0.60	0.40	0.37	0.59	0.58	0.61	0.60	0.92	0.51	1.11	0.76	0.69	0.46	0.27
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
MILLWD 61759	52.01	27.82	15.95	9.98	13.96	16.71	19.78	17.35	13.96	22.32	23.75	15.48	16.18	21.29	21.33	22.31	21.15	32.76	17.79	36.36	24.55	24.31	20.63	17.89
	4.02	2.23	1.29	0.79	1.16	1.41	1.81	1.58	1.21	2.01	2.21	1.46	1.45	1.89	1.93	2.00	1.90	2.97	1.61	3.33	2.41	2.22	1.78	1.54
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
N.Y.C. 61761	52.34	27.99	16.05	10.06	14.07	16.84	19.95	117.13	64.73	28.44	32.90	35.94	37.97	32.72	25.77	27.63	26.99	34.13	22.63	36.60	24.75	24.46	20.79	18.18
	4.35	2.40	1.40	0.86	1.26	1.55	1.98	1.69	1.30	2.18	2.36	1.54	1.54	2.02	2.06	2.14	2.04	3.18	1.71	3.51	2.55	2.37	1.94	1.71
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-99.66	-50.68	-5.96	-9.00	-20.38	-21.70	-11.31	-4.30	-5.17	-5.70	-1.17	-4.73	-0.07	0.00	0.00	0.00	-0.11
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N

NORTH 61755	41.27	21.80	12.33	7.64	11.52	14.79	17.39	15.24	12.38	19.73	20.86	13.54	14.25	18.99	18.87	19.66	18.59	28.61	15.54	31.85	21.26	21.38	18.22	15.81
	-6.72	-3.79	-2.33	-1.55	-1.29	-0.51	-0.58	-0.53	-0.37	-0.58	-0.68	-0.48	-0.48	-0.41	-0.53	-0.66	-0.66	-1.17	-0.65	-1.17	-0.89	-0.72	-0.63	-0.54
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
NPX 61845	50.87	27.20	11.99	9.74	13.65	17.17	15.00	16.63	13.36	21.29	22.65	14.75	15.42	20.33	20.39	21.32	20.12	31.18	16.91	34.76	23.41	23.18	19.78	17.24
	2.88	1.61	0.71	0.54	0.85	0.72	0.96	0.86	0.61	0.98	1.11	0.73	0.69	0.94	0.99	1.01	0.87	1.39	0.72	1.73	1.26	1.09	0.93	0.89
	0.00	0.00	-0.32	0.00	0.00	-4.78	0.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
O H 61846	46.47	24.32	15.75	8.80	12.20	15.98	13.58	15.37	12.55	19.89	20.81	13.62	14.38	18.78	18.79	19.94	19.08	29.59	54.62	33.01	21.82	22.00	18.90	16.31
	-1.53	-1.27	-0.34	-0.40	-0.60	-0.47	-0.46	-0.40	-0.20	-0.41	-0.73	-0.40	-0.35	-0.62	-0.61	-0.37	-0.17	-0.19	0.51	-0.01	-0.34	-0.09	0.05	-0.04
	0.00	0.00	-5.13	0.00	0.00	-4.78	0.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-24.60	0.00	0.00	0.00	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
PJM 61847	50.32	26.72	11.79	9.61	13.41	17.02	14.94	28.94	19.71	22.30	23.93	17.41	18.25	21.85	21.00	22.15	21.17	31.86	17.85	35.18	23.69	23.56	20.04	17.35
	2.33	1.13	0.51	0.42	0.60	0.58	0.90	0.97	0.77	1.27	1.28	0.86	0.86	1.06	1.07	1.20	1.21	1.93	1.08	2.15	1.53	1.47	1.19	1.01
	0.00	0.00	-0.32	0.00	0.00	-4.78	0.90	-12.20	-6.20	-0.73	-1.12	-2.53	-2.67	-1.40	-0.53	-0.64	-0.70	-0.15	-0.58	-0.01	-0.01	0.00	0.00	0.01
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
WEST 61752	46.96	24.55	14.08	8.87	12.31	14.84	17.50	15.64	12.80	20.29	21.21	13.88	14.65	19.13	19.15	20.32	19.44	30.12	16.58	33.65	22.23	22.41	19.22	16.56
	-1.03	-1.04	-0.57	-0.32	-0.50	-0.46	-0.48	-0.13	0.05	-0.02	-0.33	-0.14	-0.08	-0.27	-0.25	0.01	0.19	0.33	0.40	0.62	0.08	0.32	0.37	0.20
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N