

Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

Zonal Data

03/22/2012

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	11.13	10.52	11.28	6.63	0.32	0.49	13.99	12.06	20.65	20.98	19.88	19.27	19.55	20.92	18.19	20.85	24.80	23.51	13.97	20.56	47.29	20.69	18.62	20.18
61757	0.53	0.53	0.56	0.33	0.01	0.00	0.64	0.60	0.92	0.86	0.81	0.75	0.79	0.79	0.70	0.77	0.89	0.82	0.54	0.75	1.80	0.66	0.63	0.66
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
CENTRL	10.83	10.17	10.89	6.40	0.28	0.50	13.65	11.84	20.51	20.87	19.77	19.20	19.50	20.92	18.07	20.72	24.70	23.43	13.83	20.38	46.90	20.61	18.46	19.90
61754	0.23	0.19	0.17	0.09	-0.03	0.01	0.31	0.38	0.78	0.75	0.70	0.68	0.73	0.79	0.58	0.64	0.78	0.74	0.39	0.57	1.42	0.58	0.46	0.37
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
DUNWOD	11.58	10.92	11.69	6.88	0.36	0.53	14.61	12.64	21.74	22.12	20.98	20.37	20.62	22.03	19.15	21.99	26.23	24.90	14.71	21.71	49.82	21.94	19.74	21.14
61760	0.98	0.94	0.98	0.57	0.05	0.05	1.26	1.18	2.01	2.00	1.91	1.85	1.85	1.90	1.67	1.91	2.32	2.21	1.28	1.91	4.33	1.91	1.75	1.61
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
GENESE	10.78	10.10	10.76	6.31	0.26	0.50	13.52	11.79	20.43	20.77	19.64	19.14	19.48	20.92	18.09	20.71	24.64	23.34	13.78	20.26	46.75	20.54	18.28	19.66
61753	0.18	0.12	0.05	0.00	-0.05	0.02	0.17	0.33	0.71	0.65	0.57	0.62	0.71	0.80	0.60	0.63	0.73	0.64	0.35	0.45	1.26	0.51	0.29	0.13
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
H Q	10.34	9.74	10.47	6.17	0.31	0.48	13.59	11.11	19.08	19.54	18.51	17.98	18.19	19.53	17.00	19.55	23.28	22.09	13.08	19.29	45.20	19.57	17.55	19.15
61844	-0.26	-0.25	-0.24	-0.14	0.00	0.00	-0.31	-0.37	-0.64	-0.59	-0.57	-0.54	-0.58	-0.60	-0.49	-0.53	-0.64	-0.60	-0.35	-0.52	-1.25	-0.46	-0.44	-0.38
	0.00	0.00	0.00	0.00	0.00	0.00	-0.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
HUD VL	11.58	10.93	11.70	6.88	0.36	0.54	14.65	12.65	21.76	22.13	21.00	20.38	20.62	22.06	19.18	22.01	26.28	24.95	14.74	21.77	49.99	21.97	19.75	21.16
61758	0.98	0.94	0.98	0.57	0.05	0.05	1.30	1.19	2.03	2.00	1.93	1.86	1.86	1.94	1.69	1.93	2.37	2.26	1.31	1.97	4.50	1.94	1.76	1.64
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
LONGIL	11.61	11.01	11.82	6.97	0.43	0.59	14.63	12.61	21.76	22.18	20.92	20.35	20.53	21.53	18.80	21.69	26.02	24.82	14.70	21.78	49.99	22.25	20.05	21.31
61762	1.01	1.03	1.11	0.66	0.12	0.11	1.28	1.15	2.03	2.06	1.85	1.83	1.84	1.89	1.72	2.01	2.29	2.15	1.27	1.98	4.50	2.22	2.06	1.78
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.50	0.41	0.41	0.18	0.02	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
MHK VL	10.74	10.12	10.86	6.38	0.30	0.50	13.69	11.81	20.40	20.77	19.71	19.13	19.38	20.81	18.06	20.75	24.61	23.30	13.78	20.29	46.83	20.62	18.39	19.85
61756	0.14	0.13	0.14	0.08	-0.01	0.02	0.34	0.36	0.67	0.65	0.63	0.61	0.61	0.68	0.58	0.67	0.69	0.61	0.35	0.48	1.34	0.58	0.39	0.32
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
MILLWD	11.56	10.91	11.67	6.86	0.36	0.53	14.60	12.63	21.73	22.12	20.97	20.36	20.61	22.03	19.15	21.98	26.22	24.90	14.71	21.72	49.86	21.94	19.73	21.12
61759	0.96	0.92	0.96	0.56	0.05	0.05	1.25	1.18	2.01	1.99	1.90	1.84	1.85	1.90	1.67	1.90	2.31	2.21	1.28	1.92	4.37	1.91	1.73	1.59
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
N.Y.C.	11.66	11.00	11.77	6.92	0.37	0.53	14.71	12.73	21.91	22.30	21.16	20.54	22.80	35.24	29.99	32.93	31.29	25.54	14.78	21.82	50.01	22.07	19.87	21.27
61761	1.06	1.01	1.05	0.61	0.06	0.05	1.36	1.27	2.18	2.18	2.09	2.02	2.01	2.06	1.81	2.07	2.50	2.38	1.35	2.01	4.52	2.03	1.88	1.75
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.02	-13.05	-10.70	-10.78	-4.87	-0.47	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N

NORTH 61755	10.13 -0.47 0.00 N	9.53 -0.46 0.00 N	10.29 -0.43 0.00 N	6.05 -0.25 0.00 N	0.32 0.01 0.00 N	0.48 0.00 0.00 N	12.81 -0.54 0.00 N	10.82 -0.64 0.00 N	18.63 -1.10 0.00 N	19.14 -0.98 0.00 N	18.11 -0.96 0.00 N	17.58 -0.94 0.00 N	17.82 -0.95 0.00 N	19.18 -0.94 0.00 N	16.77 -0.71 0.00 N	19.28 -0.81 0.00 N	22.95 -0.96 0.00 N	21.74 -0.95 0.00 N	12.93 -0.50 0.00 N	19.05 -0.76 0.00 N	43.74 -1.74 0.00 N	19.41 -0.62 0.00 N	17.24 -0.76 0.00 N	18.94 -0.58 0.00 N
NPX 61845	11.25 0.64 0.00 N	10.63 0.64 0.00 N	11.40 0.69 0.00 N	6.71 0.40 0.00 N	0.34 0.03 0.00 N	0.50 0.01 0.00 N	11.97 0.56 -2.88 N	10.83 0.72 0.55 N	20.95 1.13 -1.47 N	21.24 1.12 0.00 N	20.13 1.05 0.00 N	19.49 0.97 0.00 N	19.78 1.01 0.00 N	21.15 1.02 0.00 N	18.40 0.92 0.00 N	21.07 0.99 0.00 N	25.05 1.14 0.00 N	23.75 1.06 0.00 N	14.08 0.65 0.00 N	20.75 0.95 0.00 N	25.51 1.05 -3.56 N	23.13 1.01 2.39 N	18.88 0.88 0.00 N	20.44 0.91 0.00 N
O H 61846	10.70 0.10 0.00 N	10.04 0.05 0.00 N	10.68 -0.03 0.00 N	6.25 -0.05 0.00 N	0.24 -0.07 0.00 N	0.47 -0.02 0.00 N	11.31 -0.10 -2.88 N	10.00 -0.11 0.55 N	20.01 0.18 -1.47 N	20.26 0.14 0.00 N	19.12 0.05 0.00 N	18.59 0.08 0.00 N	18.95 0.19 0.00 N	20.35 0.22 0.00 N	25.95 0.18 -6.75 N	20.43 -0.09 -3.11 N	23.90 -0.02 0.00 N	22.70 0.01 0.00 N	38.86 -0.05 -11.18 N	19.67 -0.13 0.00 N	24.43 -0.04 -3.56 N	19.98 -0.05 0.00 N	17.89 -0.10 0.00 N	19.27 -0.26 0.00 N
PJM 61847	11.26 0.66 0.00 N	10.61 0.62 0.00 N	11.35 0.64 0.00 N	6.67 0.36 0.00 N	0.32 0.01 0.00 N	0.51 0.03 0.00 N	11.92 0.52 -2.88 N	10.85 0.74 0.55 N	21.18 1.36 -1.47 N	21.55 1.43 0.00 N	20.41 1.34 0.00 N	19.79 1.27 0.00 N	20.29 1.28 -0.25 N	23.06 1.34 -1.60 N	19.86 1.07 -1.31 N	22.63 1.23 -1.32 N	26.07 1.56 -0.60 N	24.25 1.50 -0.06 N	14.27 0.84 0.00 N	21.05 1.25 0.00 N	25.84 1.38 -3.56 N	21.29 1.26 0.00 N	19.14 1.15 0.00 N	20.51 0.99 0.00 N
WEST 61752	10.86 0.26 0.00 N	10.18 0.19 0.00 N	10.82 0.10 0.00 N	6.33 0.02 0.00 N	0.23 -0.08 0.00 N	0.49 0.00 0.00 N	13.40 0.05 0.00 N	11.73 0.27 0.00 N	20.38 0.65 0.00 N	20.67 0.54 0.00 N	19.52 0.44 0.00 N	18.99 0.47 0.00 N	19.36 0.60 0.00 N	20.80 0.67 0.00 N	17.90 0.42 0.00 N	20.49 0.41 0.00 N	24.40 0.48 0.00 N	23.17 0.47 0.00 N	13.71 0.27 0.00 N	20.07 0.27 0.00 N	46.33 0.84 0.00 N	20.40 0.37 0.00 N	18.21 0.22 0.00 N	19.56 0.04 0.00 N