

Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

Zonal Data

04/08/2012

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	20.63	24.20	18.06	18.64	18.15	16.45	19.39	19.08	19.61	18.56	14.26	20.11	19.85	18.81	15.66	15.46	14.44	13.85	12.97	11.88	17.12	21.81	22.00	14.16
61757	1.21	1.23	0.95	0.98	0.98	0.90	1.04	1.02	1.16	1.10	0.88	1.19	1.18	1.16	0.95	0.93	0.88	0.88	0.84	0.75	0.99	1.25	1.03	0.66
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
CENTRL 61754	19.59	23.16	17.22	17.75	17.26	15.67	18.52	18.27	18.73	17.72	13.63	19.27	18.92	17.87	14.91	14.66	13.65	13.08	12.23	11.27	16.33	20.83	19.00	13.72
	0.16	0.19	0.12	0.09	0.09	0.12	0.17	0.21	0.27	0.25	0.24	0.35	0.26	0.22	0.20	0.13	0.09	0.11	0.10	0.15	0.20	0.27	0.24	0.21
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
DUNWOD 61760	20.83	24.38	18.18	18.72	18.23	16.54	19.51	19.27	19.83	18.77	14.44	20.36	20.11	19.06	15.86	15.71	14.59	14.01	13.09	12.04	17.46	22.16	20.14	14.39
	1.40	1.41	1.08	1.07	1.06	0.99	1.16	1.22	1.38	1.30	1.06	1.45	1.44	1.41	1.16	1.19	1.03	1.04	0.96	0.91	1.32	1.60	1.38	0.89
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
GENESE 61753	19.12	22.49	16.71	17.23	16.79	15.26	18.01	17.68	18.13	17.18	13.23	18.73	18.46	17.43	14.60	14.35	13.32	12.77	11.95	11.00	15.87	20.20	18.43	13.37
	-0.31	-0.48	-0.39	-0.43	-0.38	-0.29	-0.34	-0.38	-0.33	-0.29	-0.16	-0.18	-0.21	-0.22	-0.11	-0.18	-0.24	-0.20	-0.18	-0.13	-0.26	-0.36	-0.33	-0.14
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
H Q 61844	19.04	22.65	16.85	17.43	16.91	15.28	18.03	17.59	18.04	17.08	13.05	18.45	18.23	17.23	14.36	14.20	13.29	12.68	13.17	10.85	15.75	20.07	18.33	13.22
	-0.39	-0.32	-0.26	-0.23	-0.26	-0.27	-0.32	-0.34	-0.41	-0.39	-0.34	-0.46	-0.44	-0.42	-0.35	-0.33	-0.27	-0.29	-0.30	-0.26	-0.38	-0.49	-0.43	-0.28
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
HUD VL 61758	20.88	24.48	18.25	18.80	18.31	16.61	19.60	19.37	19.92	18.86	14.50	20.44	20.18	19.12	15.91	15.74	14.63	14.04	13.13	12.07	17.51	22.23	20.19	14.44
	1.46	1.51	1.15	1.14	1.14	1.06	1.25	1.31	1.47	1.39	1.11	1.53	1.51	1.47	1.20	1.22	1.07	1.07	1.00	0.95	1.38	1.67	1.43	0.94
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
LONGIL 61762	21.29	24.80	19.27	19.19	18.70	17.00	20.80	20.19	20.32	19.24	14.82	20.86	20.59	19.57	16.25	16.12	14.94	14.63	13.37	12.30	17.79	22.60	20.72	14.87
	1.86	1.83	1.56	1.53	1.54	1.44	1.67	1.69	1.86	1.77	1.43	1.94	1.93	1.92	1.55	1.60	1.39	1.40	1.25	1.18	1.66	2.05	1.87	1.23
	0.00	0.00	-0.61	0.00	0.00	-0.01	-0.78	-0.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.26	0.00	0.00	0.00	0.00	-0.08	-0.13
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
MHK VL 61756	19.95	23.61	17.54	18.13	17.63	15.97	18.88	18.64	19.14	18.11	13.87	19.56	19.27	18.15	15.10	14.86	13.87	13.28	12.43	11.46	16.64	21.17	19.26	13.85
	0.52	0.64	0.44	0.47	0.46	0.42	0.53	0.59	0.68	0.64	0.49	0.65	0.60	0.51	0.39	0.34	0.31	0.31	0.31	0.34	0.51	0.61	0.50	0.35
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
MILLWD 61759	20.83	24.39	18.18	18.73	18.24	16.55	19.53	19.29	19.86	18.80	14.47	20.39	20.13	19.08	15.87	15.71	14.59	14.00	13.09	12.04	17.46	22.17	20.15	14.39
	1.41	1.41	1.08	1.07	1.07	1.00	1.18	1.24	1.40	1.34	1.08	1.48	1.47	1.43	1.17	1.19	1.03	1.04	0.97	0.91	1.33	1.61	1.39	0.89
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
N.Y.C. 61761	22.73	25.35	19.84	20.06	19.58	18.11	20.42	20.12	19.95	19.44	16.38	21.47	21.27	20.39	17.67	17.55	16.59	16.09	15.35	14.92	19.75	23.62	21.70	16.72
	1.50	1.49	1.16	1.14	1.13	1.06	1.25	1.30	1.46	1.39	1.13	1.54	1.54	1.52	1.25	1.30	1.12	1.13	1.05	0.99	1.45	1.74	1.50	0.96
	-1.80	-0.89	-1.58	-1.26	-1.28	-1.49	-0.82	-0.76	-0.04	-0.59	-1.87	-1.02	-1.06	-1.22	-1.71	-1.73	-1.91	-2.00	-2.18	-2.81	-2.17	-1.32	-1.44	-2.26
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N

NORTH 61755	18.96	22.71	16.80	17.47	16.89	15.17	17.91	17.60	18.05	17.06	12.99	18.34	18.10	17.07	14.24	14.03	13.19	12.59	11.75	10.77	15.65	19.92	18.19	13.16
	-0.46	-0.26	-0.31	-0.19	-0.28	-0.38	-0.44	-0.46	-0.41	-0.41	-0.40	-0.57	-0.57	-0.58	-0.47	-0.49	-0.37	-0.37	-0.38	-0.36	-0.48	-0.63	-0.56	-0.34
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
NPX 61845	20.64	24.20	18.08	18.66	18.17	16.45	19.40	22.10	19.68	18.61	14.30	20.15	19.91	18.87	15.70	15.51	14.47	13.90	23.76	20.46	17.16	21.91	19.89	14.20
	1.21	1.23	0.97	1.01	1.00	0.90	1.05	1.15	1.22	1.14	0.91	1.24	1.25	1.22	0.99	0.99	0.91	0.93	1.26	0.92	1.03	1.35	1.13	0.69
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-4.74	-6.07	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
O H 61846	18.64	21.98	16.34	16.83	16.42	14.93	17.58	19.90	17.57	16.61	12.84	18.23	17.92	16.94	14.26	14.00	12.98	12.45	21.75	18.99	15.23	19.41	17.78	13.01
	-0.79	-0.99	-0.77	-0.83	-0.75	-0.62	-0.77	-1.05	-0.88	-0.86	-0.55	-0.68	-0.74	-0.71	-0.44	-0.53	-0.58	-0.52	-0.74	-0.55	-0.90	-1.14	-0.98	-0.49
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-4.74	-6.07	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
PJM 61847	20.14	23.71	17.65	18.18	17.70	16.07	18.96	21.55	19.22	18.13	13.98	19.75	19.44	18.41	15.38	15.17	14.10	13.53	23.27	20.13	16.80	21.35	19.45	14.00
	0.71	0.74	0.54	0.52	0.53	0.52	0.61	0.61	0.76	0.66	0.59	0.84	0.77	0.76	0.67	0.64	0.54	0.56	0.77	0.58	0.67	0.80	0.69	0.49
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-4.74	-6.07	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
WEST 61752	18.90	22.24	16.52	17.02	16.60	15.10	17.79	17.41	17.81	16.87	13.03	18.49	18.15	17.13	14.42	14.13	13.10	12.57	11.73	10.77	15.42	19.69	18.00	13.15
	-0.53	-0.73	-0.58	-0.64	-0.56	-0.45	-0.55	-0.65	-0.64	-0.60	-0.36	-0.42	-0.52	-0.52	-0.28	-0.39	-0.46	-0.40	-0.40	-0.35	-0.71	-0.87	-0.76	-0.35
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N