

# Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

### --- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

## Zonal Data

04/10/2012

Name	00:00 EDT	01:00 EDT	02:00 EDT	03:00 EDT	04:00 EDT	05:00 EDT	06:00 EDT	07:00 EDT	08:00 EDT	09:00 EDT	10:00 EDT	11:00 EDT	12:00 EDT	13:00 EDT	14:00 EDT	15:00 EDT	16:00 EDT	17:00 EDT	18:00 EDT	19:00 EDT	20:00 EDT	21:00 EDT	22:00 EDT	23:00 EDT
PTID CAPITL 61757	26.34 0.96 0.00 N	21.56 0.78 0.00 N	20.36 0.72 0.00 N	19.82 0.69 0.00 N	20.18 0.72 0.00 N	18.55 0.64 0.00 N	19.35 0.55 0.00 N	24.46 0.72 0.00 N	57.47 1.81 0.00 N	32.26 1.12 0.00 N	29.56 1.07 0.00 N	27.15 1.00 0.00 N	26.44 0.97 0.00 N	27.72 1.03 0.00 N	27.05 1.01 0.00 N	22.57 0.82 0.00 N	23.06 0.81 0.00 N	29.78 1.13 0.00 N	36.79 1.49 0.00 N	40.90 1.68 0.00 N	26.18 0.99 0.00 N	22.25 0.78 0.00 N	22.37 0.78 0.00 N	18.96 0.59 0.00 N
CENTRL 61754	25.52 0.14 0.00 N	20.90 0.11 0.00 N	19.75 0.12 0.00 N	19.21 0.10 0.00 N	19.54 0.08 0.00 N	18.01 0.11 0.00 N	19.00 0.20 0.00 N	23.99 0.25 0.00 N	56.46 0.80 0.00 N	31.34 0.20 0.00 N	28.59 0.09 0.00 N	26.22 0.07 0.00 N	25.53 0.07 0.00 N	26.75 0.06 0.00 N	26.06 0.02 0.00 N	21.79 0.04 0.00 N	22.31 0.07 0.00 N	28.73 0.08 0.00 N	35.44 0.13 0.00 N	39.49 0.27 0.00 N	25.34 0.14 0.00 N	21.56 0.09 0.00 N	21.71 0.13 0.00 N	18.52 0.15 0.00 N
DUNWOD 61760	26.45 1.06 0.00 N	21.66 0.88 0.00 N	20.41 0.77 0.00 N	19.92 0.79 0.00 N	20.28 0.81 0.00 N	18.67 0.77 0.00 N	19.70 0.89 0.00 N	25.05 1.31 0.00 N	58.64 2.97 0.00 N	32.98 1.85 0.00 N	30.21 1.72 0.00 N	27.80 1.66 0.00 N	27.15 1.68 0.00 N	28.54 1.84 0.00 N	27.87 1.83 0.00 N	23.27 1.52 0.00 N	23.76 1.52 0.00 N	30.53 1.88 0.00 N	37.49 2.19 0.00 N	41.44 2.21 0.00 N	26.56 1.37 0.00 N	22.72 1.26 0.00 N	22.84 1.26 0.00 N	19.36 0.99 0.00 N
GENESE 61753	25.00 -0.38 0.00 N	20.41 -0.37 0.00 N	19.28 -0.35 0.00 N	18.73 -0.40 0.00 N	19.03 -0.44 0.00 N	17.53 -0.37 0.00 N	18.48 -0.33 0.00 N	23.21 -0.53 0.00 N	54.78 -0.88 0.00 N	30.31 -0.83 0.00 N	27.66 -0.83 0.00 N	25.33 -0.81 0.00 N	24.59 -0.88 0.00 N	25.69 -1.00 0.00 N	25.03 -1.02 0.00 N	20.93 -0.82 0.00 N	21.44 -0.81 0.00 N	27.62 -1.04 0.00 N	34.06 -1.24 0.00 N	38.11 -1.11 0.00 N	24.57 -0.63 0.00 N	20.86 -0.61 0.00 N	21.03 -0.55 0.00 N	18.02 -0.35 0.00 N
H Q 61844	25.38 0.00 0.00 N	20.78 0.00 0.00 N	19.63 0.00 0.00 N	19.13 0.00 0.00 N	19.46 0.00 0.00 N	17.90 0.00 0.00 N	18.81 0.00 0.00 N	23.74 0.00 0.00 N	55.66 0.00 0.00 N	31.14 0.00 0.00 N	28.49 0.00 0.00 N	26.15 0.00 0.00 N	25.47 0.00 0.00 N	26.69 0.00 0.00 N	26.04 0.00 0.00 N	21.75 0.00 0.00 N	22.25 0.00 0.00 N	28.65 0.00 0.00 N	35.30 0.00 0.00 N	39.22 0.00 0.00 N	25.20 0.00 0.00 N	21.46 0.00 0.00 N	21.59 0.00 0.00 N	18.37 0.00 0.00 N
HUD VL 61758	26.60 1.22 0.00 N	21.78 1.00 0.00 N	20.53 0.89 0.00 N	20.02 0.90 0.00 N	20.39 0.93 0.00 N	18.79 0.89 0.00 N	19.83 1.03 0.00 N	25.24 1.49 0.00 N	59.18 3.52 0.00 N	33.21 2.08 0.00 N	30.38 1.89 0.00 N	27.90 1.76 0.00 N	27.24 1.77 0.00 N	28.60 1.90 0.00 N	27.92 1.88 0.00 N	23.31 1.56 0.00 N	23.79 1.54 0.00 N	30.59 1.94 0.00 N	37.61 2.31 0.00 N	41.68 2.45 0.00 N	26.73 1.54 0.00 N	22.81 1.35 0.00 N	22.95 1.37 0.00 N	19.46 1.09 0.00 N
LONGIL 61762	26.95 1.57 0.00 N	22.08 1.30 0.00 N	20.90 1.27 0.00 N	20.42 1.30 0.00 N	20.76 1.29 0.00 N	18.94 1.04 0.00 N	19.92 1.12 0.00 N	25.16 1.42 0.00 N	58.06 2.40 0.00 N	32.71 1.57 0.00 N	30.26 1.77 0.00 N	28.22 2.07 0.00 N	27.46 1.99 0.00 N	29.07 2.38 0.00 N	28.31 2.25 -0.02 N	23.94 2.09 -0.09 N	24.41 2.09 -0.08 N	30.90 2.27 0.02 N	37.86 2.56 0.00 N	41.53 2.31 0.00 N	26.45 1.25 0.00 N	22.92 1.46 0.00 N	23.09 1.51 0.00 N	19.69 1.32 0.00 N
MHK VL 61756	25.98 0.59 0.00 N	21.27 0.48 0.00 N	20.06 0.42 0.00 N	19.54 0.42 0.00 N	19.90 0.44 0.00 N	18.38 0.47 0.00 N	19.42 0.61 0.00 N	24.55 0.81 0.00 N	57.48 1.82 0.00 N	32.00 0.87 0.00 N	29.24 0.74 0.00 N	26.82 0.67 0.00 N	26.13 0.66 0.00 N	27.39 0.70 0.00 N	26.66 0.62 0.00 N	21.73 0.49 0.51 N	22.79 0.54 0.00 N	29.35 0.70 0.00 N	36.15 0.85 0.00 N	40.32 1.09 0.00 N	26.00 0.80 0.00 N	22.10 0.64 0.00 N	22.11 0.52 0.00 N	18.81 0.44 0.00 N
MILLWD 61759	26.46 1.08 0.00 N	21.68 0.89 0.00 N	20.42 0.79 0.00 N	19.92 0.80 0.00 N	20.29 0.82 0.00 N	18.69 0.79 0.00 N	19.74 0.93 0.00 N	25.12 1.38 0.00 N	58.86 3.19 0.00 N	33.08 1.94 0.00 N	30.26 1.78 0.00 N	27.83 1.68 0.00 N	27.18 1.71 0.00 N	28.54 1.85 0.00 N	27.88 1.83 0.00 N	23.28 1.53 0.00 N	23.77 1.52 0.00 N	30.55 1.90 0.00 N	37.52 2.22 0.00 N	41.52 2.30 0.00 N	26.62 1.43 0.00 N	22.76 1.29 0.00 N	22.88 1.29 0.00 N	19.39 1.01 0.00 N
N.Y.C. 61761	27.95 1.20 -1.36 N	21.77 0.99 0.00 N	20.50 0.86 0.00 N	20.00 0.88 0.00 N	20.36 0.90 0.00 N	18.77 0.87 0.00 N	20.21 1.00 -0.41 N	26.14 1.46 -0.94 N	58.58 3.30 0.39 N	33.20 2.07 0.00 N	30.82 1.94 -0.39 N	28.87 1.87 -0.86 N	28.35 1.90 -0.98 N	29.29 2.08 -0.52 N	28.86 2.05 -0.77 N	27.01 1.71 -3.55 N	27.74 1.70 -3.80 N	31.55 2.10 -0.80 N	37.72 2.41 -0.01 N	41.60 2.38 0.00 N	26.67 1.47 0.00 N	22.86 1.40 0.00 N	22.99 1.41 0.00 N	19.48 1.11 0.00 N

NORTH 61755	23.40 <span>-1.98</span> 0.00 N	18.84 <span>-1.94</span> 0.00 N	17.65 <span>-1.99</span> 0.00 N	17.05 <span>-2.07</span> 0.00 N	17.30 <span>-2.16</span> 0.00 N	15.93 <span>-1.98</span> 0.00 N	16.53 <span>-2.28</span> 0.00 N	20.17 <span>-3.57</span> 0.00 N	46.23 <span>-9.44</span> 0.00 N	25.74 <span>-5.39</span> 0.00 N	23.55 <span>-4.94</span> 0.00 N	21.62 <span>-4.53</span> 0.00 N	21.24 <span>-4.22</span> 0.01 N	22.27 <span>-4.41</span> 0.01 N	21.54 <span>-4.50</span> 0.00 N	10.72 <span>-3.75</span> 7.28 N	18.53 <span>-3.72</span> 0.00 N	23.97 <span>-4.68</span> 0.00 N	29.49 <span>-5.81</span> 0.00 N	32.78 <span>-6.44</span> 0.00 N	21.66 <span>-3.54</span> 0.00 N	18.35 <span>-3.11</span> 0.00 N	18.35 <span>-3.23</span> 0.00 N	16.07 <span>-2.30</span> 0.00 N
NPX 61845	26.29 <span>0.91</span> 0.00 N	21.53 <span>0.75</span> 0.00 N	20.30 <span>0.67</span> 0.00 N	19.80 <span>0.67</span> 0.00 N	20.16 <span>0.70</span> 0.00 N	18.52 <span>0.61</span> 0.00 N	19.39 <span>0.58</span> 0.00 N	24.53 <span>0.78</span> 0.00 N	57.53 <span>1.87</span> 0.00 N	32.37 <span>1.24</span> 0.00 N	29.72 <span>1.23</span> 0.00 N	27.30 <span>1.15</span> 0.00 N	26.59 <span>1.12</span> 0.00 N	27.84 <span>1.15</span> 0.00 N	27.25 <span>1.20</span> 0.00 N	22.74 <span>0.99</span> 0.00 N	23.21 <span>0.96</span> 0.00 N	29.93 <span>1.28</span> 0.00 N	36.90 <span>1.60</span> 0.00 N	40.94 <span>1.71</span> 0.00 N	26.18 <span>0.98</span> 0.00 N	22.27 <span>0.81</span> 0.00 N	22.41 <span>0.82</span> 0.00 N	19.00 <span>0.63</span> 0.00 N
O H 61846	24.28 <span>-1.10</span> 0.00 N	19.89 <span>-0.89</span> 0.00 N	18.81 <span>-0.82</span> 0.00 N	18.25 <span>-0.88</span> 0.00 N	18.49 <span>-0.97</span> 0.00 N	17.00 <span>-0.90</span> 0.00 N	17.78 <span>-1.02</span> 0.00 N	22.15 <span>-1.59</span> 0.00 N	52.27 <span>-3.39</span> 0.00 N	28.71 <span>-2.42</span> 0.00 N	26.07 <span>-2.42</span> 0.00 N	23.88 <span>-2.26</span> 0.00 N	23.20 <span>-2.21</span> 0.08 N	24.23 <span>-2.47</span> 0.00 N	23.60 <span>-2.44</span> 0.00 N	19.78 <span>-1.97</span> 0.00 N	20.31 <span>-1.94</span> 0.00 N	23.20 <span>-2.50</span> 3.17 N	32.32 <span>-2.98</span> 0.00 N	36.11 <span>-3.11</span> 0.00 N	23.19 <span>-2.01</span> 0.00 N	19.78 <span>-1.68</span> 0.00 N	20.14 <span>-1.44</span> 0.00 N	17.44 <span>-0.94</span> 0.00 N
PJM 61847	25.80 <span>0.42</span> 0.00 N	21.14 <span>0.36</span> 0.00 N	19.94 <span>0.30</span> 0.00 N	19.42 <span>0.30</span> 0.00 N	19.75 <span>0.29</span> 0.00 N	18.21 <span>0.30</span> 0.00 N	19.19 <span>0.38</span> 0.00 N	24.30 <span>0.56</span> 0.00 N	56.33 <span>1.40</span> 0.73 N	31.81 <span>0.67</span> 0.00 N	29.01 <span>0.52</span> 0.00 N	26.66 <span>0.51</span> 0.00 N	26.03 <span>0.56</span> 0.00 N	27.34 <span>0.64</span> 0.00 N	26.78 <span>0.62</span> -0.11 N	22.81 <span>0.54</span> -0.51 N	23.37 <span>0.57</span> -0.55 N	29.50 <span>0.73</span> -0.12 N	36.12 <span>0.81</span> 0.00 N	39.99 <span>0.77</span> 0.00 N	25.61 <span>0.42</span> 0.00 N	21.88 <span>0.41</span> 0.00 N	22.08 <span>0.50</span> 0.00 N	18.82 <span>0.45</span> 0.00 N
WEST 61752	24.69 <span>-0.69</span> 0.00 N	20.20 <span>-0.58</span> 0.00 N	19.10 <span>-0.53</span> 0.00 N	18.51 <span>-0.61</span> 0.00 N	18.76 <span>-0.70</span> 0.00 N	17.26 <span>-0.64</span> 0.00 N	18.07 <span>-0.74</span> 0.00 N	22.52 <span>-1.22</span> 0.00 N	53.23 <span>-2.43</span> 0.00 N	29.19 <span>-1.94</span> 0.00 N	26.49 <span>-2.00</span> 0.00 N	24.24 <span>-1.91</span> 0.00 N	23.49 <span>-1.98</span> 0.00 N	24.54 <span>-2.16</span> 0.00 N	23.89 <span>-2.15</span> 0.00 N	20.01 <span>-1.75</span> 0.00 N	20.54 <span>-1.71</span> 0.00 N	26.47 <span>-2.18</span> 0.00 N	32.70 <span>-2.61</span> 0.00 N	36.63 <span>-2.59</span> 0.00 N	23.56 <span>-1.64</span> 0.00 N	20.14 <span>-1.32</span> 0.00 N	20.53 <span>-1.06</span> 0.00 N	17.75 <span>-0.62</span> 0.00 N