

Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

Zonal Data

04/14/2012

Name PTID CAPITL	00:00 EDT	01:00 EDT	02:00 EDT	03:00 EDT	04:00 EDT	05:00 EDT	06:00 EDT	07:00 EDT	08:00 EDT	09:00 EDT	10:00 EDT	11:00 EDT	12:00 EDT	13:00 EDT	14:00 EDT	15:00 EDT	16:00 EDT	17:00 EDT	18:00 EDT	19:00 EDT	20:00 EDT	21:00 EDT	22:00 EDT	23:00 EDT
61757	16.41 0.93 0.00 N	22.59 1.23 0.00 N	21.53 1.12 0.00 N	18.93 0.98 0.00 N	20.66 1.03 0.00 N	18.98 0.89 0.00 N	13.63 0.64 0.00 N	22.46 1.08 0.00 N	19.88 1.03 0.00 N	22.44 1.22 0.00 N	34.59 1.89 0.00 N	25.20 1.34 0.00 N	22.38 1.21 0.00 N	24.54 1.26 0.00 N	19.82 1.01 0.00 N	18.37 0.94 0.00 N	18.99 0.96 0.00 N	20.62 1.07 0.00 N	19.50 0.98 0.00 N	51.80 2.70 0.00 N	40.87 2.14 0.00 N	23.94 1.26 0.00 N	23.97 1.19 0.00 N	21.14 1.02 0.00 N
CENTRL 61754	15.83 0.34 0.00 N	21.89 0.53 0.00 N	20.86 0.46 0.00 N	18.34 0.38 0.00 N	20.06 0.44 0.00 N	18.50 0.40 0.00 N	13.38 0.39 0.00 N	22.08 0.70 0.00 N	19.44 0.58 0.00 N	21.85 0.63 0.00 N	33.69 0.99 0.00 N	24.53 0.67 0.00 N	21.68 0.51 0.00 N	23.92 0.64 0.00 N	19.28 0.47 0.00 N	17.84 0.41 0.00 N	18.45 0.42 0.00 N	19.96 0.41 0.00 N	18.94 0.42 0.00 N	50.14 1.04 0.00 N	39.58 0.85 0.00 N	23.26 0.57 0.00 N	23.43 0.64 0.00 N	20.65 0.53 0.00 N
DUNWOD 61760	16.61 1.12 0.00 N	22.73 1.37 0.00 N	21.61 1.20 0.00 N	18.98 1.03 0.00 N	20.69 1.06 0.00 N	19.08 0.98 0.00 N	13.76 0.76 0.00 N	22.76 1.38 0.00 N	20.22 1.37 0.00 N	22.74 1.53 0.00 N	34.96 2.26 0.00 N	25.58 1.72 0.00 N	22.78 1.62 0.00 N	25.05 1.77 0.00 N	20.27 1.46 0.00 N	18.81 1.39 0.00 N	19.48 1.46 0.00 N	21.12 1.57 0.00 N	20.02 1.50 0.00 N	53.11 4.01 0.00 N	41.79 3.06 0.00 N	24.52 1.83 0.00 N	24.58 1.79 0.00 N	21.66 1.55 0.00 N
GENESE 61753	15.46 -0.02 0.00 N	21.44 0.08 0.00 N	20.38 -0.02 0.00 N	17.88 -0.07 0.00 N	19.55 -0.07 0.00 N	18.06 -0.04 0.00 N	13.15 0.16 0.00 N	21.66 0.28 0.00 N	19.02 0.17 0.00 N	21.37 0.15 0.00 N	32.89 0.20 0.00 N	23.98 0.12 0.00 N	21.12 -0.05 0.00 N	23.29 0.01 0.00 N	18.76 -0.05 0.00 N	17.36 -0.07 0.00 N	17.92 -0.11 0.00 N	19.37 -0.18 0.00 N	18.38 -0.14 0.00 N	48.50 -0.59 0.00 N	38.48 -0.25 0.00 N	22.69 0.01 0.00 N	23.01 0.22 0.00 N	20.23 0.11 0.00 N
H Q 61844	15.09 -0.39 0.00 N	20.87 -0.49 0.00 N	20.01 -0.40 0.00 N	17.61 -0.34 0.00 N	19.28 -0.35 0.00 N	17.78 -0.32 0.00 N	12.71 -0.28 0.00 N	19.64 -0.47 0.16 N	18.13 -0.53 0.00 N	20.64 -0.58 0.00 N	31.18 -0.86 -0.35 N	23.23 -0.63 -0.56 N	20.60 -0.64 0.00 N	22.64 -0.52 0.00 N	18.29 -0.48 0.00 N	16.95 -0.51 0.00 N	17.52 -0.54 0.00 N	19.01 -0.51 0.00 N	17.86 -1.33 0.00 N	47.77 -1.04 0.00 N	37.69 -0.62 0.00 N	22.06 -0.62 0.00 N	22.17 -0.52 0.00 N	19.60 -0.52 0.00 N
HUD VL 61758	16.64 1.16 0.00 N	22.81 1.45 0.00 N	21.71 1.30 0.00 N	19.07 1.12 0.00 N	20.80 1.17 0.00 N	19.19 1.09 0.00 N	13.84 0.85 0.00 N	22.90 1.52 0.00 N	20.33 1.48 0.00 N	22.87 1.65 0.00 N	35.18 2.48 0.00 N	25.71 1.84 0.00 N	22.88 1.71 0.00 N	25.15 1.87 0.00 N	20.35 1.54 0.00 N	18.88 1.45 0.00 N	19.54 1.52 0.00 N	21.19 1.64 0.00 N	20.09 1.57 0.00 N	53.32 4.22 0.00 N	41.98 3.25 0.00 N	24.60 1.92 0.00 N	24.65 1.87 0.00 N	21.71 1.59 0.00 N
LONGIL 61762	16.95 1.41 -0.05 N	23.06 1.70 0.00 N	21.89 1.49 0.00 N	19.23 1.27 0.00 N	21.11 1.48 0.00 N	19.48 1.39 0.00 N	13.87 0.88 0.00 N	23.12 1.74 0.00 N	20.40 1.54 0.00 N	22.91 1.69 0.00 N	34.83 2.13 0.00 N	25.64 1.77 0.00 N	22.98 1.81 0.00 N	25.44 2.16 0.00 N	20.51 1.71 0.00 N	19.13 1.70 0.00 N	19.78 1.75 0.00 N	21.41 1.86 0.00 N	20.37 1.85 0.00 N	53.67 4.57 0.00 N	41.90 3.19 0.01 N	24.75 2.07 0.00 N	24.94 2.15 0.00 N	22.05 1.93 0.00 N
MHK VL 61756	15.95 0.46 0.00 N	22.04 0.68 0.00 N	21.01 0.60 0.00 N	18.49 0.53 0.00 N	20.20 0.58 0.00 N	18.68 0.58 0.00 N	13.47 0.48 0.00 N	22.21 0.83 0.00 N	19.60 0.75 0.00 N	22.09 0.87 0.00 N	34.04 1.35 0.00 N	24.82 0.96 0.00 N	21.97 0.81 0.00 N	24.15 0.88 0.00 N	19.49 0.68 0.00 N	18.04 0.60 0.00 N	18.66 0.63 0.00 N	20.17 0.62 0.00 N	19.16 0.64 0.00 N	50.88 1.78 0.00 N	40.21 1.48 0.00 N	23.49 0.80 0.00 N	23.57 0.79 0.00 N	20.74 0.62 0.00 N
MILLWD 61759	16.60 1.12 0.00 N	22.72 1.36 0.00 N	21.61 1.20 0.00 N	18.98 1.03 0.00 N	20.69 1.07 0.00 N	19.09 0.99 0.00 N	13.77 0.78 0.00 N	22.79 1.41 0.00 N	20.25 1.40 0.00 N	22.78 1.56 0.00 N	35.03 2.33 0.00 N	25.62 1.75 0.00 N	22.80 1.63 0.00 N	25.06 1.79 0.00 N	20.28 1.47 0.00 N	18.82 1.39 0.00 N	19.48 1.46 0.00 N	21.13 1.58 0.00 N	20.02 1.50 0.00 N	53.14 4.05 0.00 N	41.83 3.11 0.00 N	24.54 1.86 0.00 N	24.59 1.80 0.00 N	21.66 1.54 0.00 N
N.Y.C. 61761	18.76 1.24 -2.03 N	22.83 1.48 0.00 N	21.70 1.30 0.00 N	19.06 1.11 0.00 N	20.77 1.15 0.00 N	19.16 1.07 0.00 N	14.65 0.85 -0.81 N	23.77 1.51 -0.88 N	22.06 1.50 -1.71 N	25.52 1.66 -2.64 N	35.76 2.47 -0.60 N	27.93 1.89 -2.17 N	25.56 1.78 -2.61 N	27.45 1.94 -2.23 N	23.42 1.61 -3.00 N	21.71 1.53 -2.76 N	19.64 1.61 0.00 N	21.30 1.74 0.00 N	20.17 1.64 0.00 N	53.49 4.39 0.00 N	42.53 3.38 -0.42 N	24.72 2.03 0.00 N	25.38 1.98 -0.61 N	21.80 1.67 0.00 N

NORTH 61755	14.93	20.74	19.90	17.53	19.19	17.70	12.71	20.78	18.10	20.41	31.48	23.03	20.42	22.40	18.10	16.75	17.29	18.75	17.77	47.25	37.33	21.80	21.94	19.40
	-0.55	-0.62	-0.51	-0.42	-0.44	-0.40	-0.28	-0.60	-0.75	-0.81	-1.21	-0.83	-0.74	-0.88	-0.71	-0.68	-0.74	-0.80	-0.75	-1.84	-1.40	-0.88	-0.84	-0.71
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
NPX 61845	16.41	22.55	21.47	18.88	20.58	22.40	13.62	25.00	16.88	22.46	27.00	25.23	22.46	24.65	19.94	18.49	19.11	20.74	21.01	52.00	40.99	24.03	24.07	21.24
	0.92	1.19	1.07	0.93	0.95	0.90	0.63	1.18	0.81	1.24	1.52	1.37	1.29	1.37	1.13	1.06	1.09	1.19	1.08	2.91	2.26	1.34	1.28	1.13
	0.00	0.00	0.00	0.00	0.00	-2.08	0.00	-1.22	-0.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.14	0.00	0.00	0.00	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
O H 61846	15.19	21.16	20.10	17.61	19.27	21.20	12.97	23.17	15.85	20.88	24.97	23.40	20.54	22.75	18.32	16.95	17.48	18.83	19.32	46.97	37.23	22.10	22.56	19.91
	-0.29	-0.20	-0.31	-0.34	-0.36	-0.30	-0.02	-0.65	-0.21	-0.34	-0.51	-0.47	-0.63	-0.53	-0.49	-0.48	-0.55	-0.72	-0.60	-2.13	-1.50	-0.58	-0.23	-0.21
	0.00	0.00	0.00	0.00	0.00	-2.08	0.00	-1.22	-0.79	0.00	-0.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.14	0.00	0.00	0.00	0.00	
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
PJM 61847	16.06	21.94	20.89	18.34	20.07	22.00	13.41	24.06	16.52	21.80	26.12	24.42	21.59	23.94	19.33	17.87	18.48	19.97	20.37	49.76	39.21	23.18	23.43	20.70
	0.31	0.58	0.49	0.39	0.44	0.50	0.42	0.24	0.46	0.58	0.64	0.56	0.43	0.66	0.52	0.44	0.46	0.42	0.44	0.66	0.47	0.49	0.64	0.58
	-0.26	0.00	0.00	0.00	0.00	-2.08	0.00	-1.22	-0.79	0.00	-0.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.14	0.00	-0.02	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
WEST 61752	15.42	21.47	20.37	17.85	19.53	18.01	13.18	21.68	18.95	21.27	32.75	23.81	20.85	23.10	18.57	17.15	17.68	19.02	18.12	47.60	37.81	22.45	22.92	20.20
	-0.06	0.11	-0.04	-0.10	-0.10	-0.09	0.19	0.31	0.09	0.05	0.05	-0.05	-0.31	-0.18	-0.24	-0.28	-0.35	-0.53	-0.41	-1.50	-0.92	-0.23	0.13	0.08
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N