

# Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

## Zonal Data

04/25/2012

Name PTID CAPITL	00:00 EDT	01:00 EDT	02:00 EDT	03:00 EDT	04:00 EDT	05:00 EDT	06:00 EDT	07:00 EDT	08:00 EDT	09:00 EDT	10:00 EDT	11:00 EDT	12:00 EDT	13:00 EDT	14:00 EDT	15:00 EDT	16:00 EDT	17:00 EDT	18:00 EDT	19:00 EDT	20:00 EDT	21:00 EDT	22:00 EDT	23:00 EDT
61757	23.06 1.23 0.00 N	20.45 1.02 0.00 N	17.74 0.87 0.00 N	20.52 0.95 0.00 N	21.20 1.04 0.00 N	27.63 1.45 0.00 N	24.49 1.41 0.00 N	32.19 1.86 0.00 N	28.04 1.69 0.00 N	29.91 1.78 0.00 N	32.40 1.94 0.00 N	33.05 2.02 0.00 N	29.60 1.83 0.00 N	27.84 1.73 0.00 N	27.75 1.75 0.00 N	29.85 1.81 0.00 N	29.41 1.78 0.00 N	29.31 1.86 0.00 N	26.65 1.69 0.00 N	22.63 1.41 0.00 N	70.57 4.20 0.00 N	80.20 4.76 0.00 N	24.23 1.34 0.00 N	15.35 0.82 0.00 N
CENTRL 61754	22.38 0.55 0.00 N	19.92 0.50 0.00 N	17.30 0.42 0.00 N	19.95 0.38 0.00 N	20.69 0.54 0.00 N	26.91 0.73 0.00 N	23.72 0.63 0.00 N	31.21 0.88 0.00 N	27.04 0.68 0.00 N	28.82 0.70 0.00 N	31.22 0.76 0.00 N	31.76 0.73 0.00 N	28.33 0.57 0.00 N	26.62 0.51 0.00 N	26.49 0.49 0.00 N	28.66 0.62 0.00 N	28.17 0.54 0.00 N	27.93 0.48 0.00 N	25.45 0.49 0.00 N	21.66 0.43 0.00 N	68.12 1.75 0.00 N	77.38 1.94 0.00 N	23.49 0.60 0.00 N	14.87 0.34 0.00 N
DUNWOD 61760	23.38 1.56 0.00 N	20.69 1.26 0.00 N	17.90 1.03 0.00 N	20.65 1.08 0.00 N	21.37 1.22 0.00 N	27.87 1.68 0.00 N	24.75 1.66 0.00 N	32.68 2.35 0.00 N	28.51 2.16 0.00 N	30.43 2.30 0.00 N	32.90 2.44 0.00 N	33.56 2.53 0.00 N	30.17 2.40 0.00 N	28.37 2.26 0.00 N	28.34 2.34 0.00 N	30.48 2.44 0.00 N	29.99 2.36 0.00 N	29.78 2.33 0.00 N	26.98 2.01 0.00 N	22.91 1.68 0.00 N	71.30 4.94 0.00 N	81.35 5.90 0.00 N	24.66 1.78 0.00 N	15.54 1.02 0.00 N
GENESE 61753	22.03 0.20 0.00 N	19.62 0.19 0.00 N	17.04 0.17 0.00 N	19.61 0.04 0.00 N	20.37 0.22 0.00 N	26.58 0.40 0.00 N	23.21 0.13 0.00 N	30.46 0.13 0.00 N	26.30 -0.05 0.00 N	28.09 -0.04 0.00 N	30.45 -0.01 0.00 N	30.88 -0.16 0.00 N	27.46 -0.30 0.00 N	25.81 -0.31 0.00 N	25.57 -0.42 0.00 N	27.71 -0.33 0.00 N	27.20 -0.43 0.00 N	26.90 -0.55 0.00 N	24.53 -0.43 0.00 N	20.87 -0.35 0.00 N	65.85 -0.52 0.00 N	74.72 -0.72 0.00 N	22.73 -0.15 0.00 N	14.47 -0.06 0.00 N
H Q 61844	21.31 -0.52 0.00 N	19.00 -0.43 0.00 N	16.53 -0.34 0.00 N	19.27 -0.30 0.00 N	19.75 -0.41 0.00 N	25.27 -0.57 0.00 N	23.45 -0.56 0.00 N	29.56 -0.77 0.00 N	25.65 -0.70 0.00 N	27.39 -0.73 0.00 N	29.67 -0.79 0.00 N	30.23 -0.80 0.00 N	27.02 -0.75 0.00 N	25.41 -0.71 0.00 N	25.26 -0.74 0.00 N	27.55 -0.80 0.10 N	26.90 -0.73 0.00 N	26.72 -0.72 0.00 N	24.30 -0.66 0.00 N	20.66 -0.56 0.00 N	64.64 -1.73 0.00 N	73.42 -2.02 0.00 N	22.30 -0.59 0.00 N	14.18 -0.35 0.00 N
HUD VL 61758	23.43 1.60 0.00 N	20.74 1.31 0.00 N	17.96 1.08 0.00 N	20.73 1.16 0.00 N	21.45 1.30 0.00 N	27.97 1.79 0.00 N	24.84 1.75 0.00 N	32.78 2.45 0.00 N	28.60 2.25 0.00 N	30.52 2.40 0.00 N	33.03 2.57 0.00 N	33.68 2.65 0.00 N	30.24 2.48 0.00 N	28.44 2.32 0.00 N	28.39 2.40 0.00 N	30.54 2.51 0.00 N	30.06 2.43 0.00 N	29.84 2.39 0.00 N	27.06 2.10 0.00 N	22.99 1.77 0.00 N	71.66 5.30 0.00 N	81.70 6.25 0.00 N	24.72 1.83 0.00 N	15.59 1.06 0.00 N
LONGIL 61762	33.63 2.10 -9.70 N	21.04 1.61 0.00 N	18.21 1.34 0.00 N	21.01 1.44 0.00 N	21.78 1.62 -0.01 N	37.72 2.21 -9.32 N	28.16 2.14 -2.93 N	33.23 2.90 0.00 N	28.89 2.54 0.00 N	30.83 2.71 0.00 N	33.30 2.84 0.00 N	33.94 2.90 0.00 N	30.57 2.80 0.00 N	28.75 2.63 0.00 N	28.63 2.64 0.00 N	30.66 2.62 0.00 N	30.20 2.57 0.00 N	30.01 2.57 0.00 N	27.30 2.34 0.00 N	23.37 2.15 0.00 N	72.05 5.68 0.00 N	194.90 7.03 -112.41 N	157.52 2.43 -132.20 N	15.80 1.27 0.00 N
MHK VL 61756	22.28 0.45 0.00 N	19.84 0.41 0.00 N	17.24 0.36 0.00 N	19.95 0.37 0.00 N	20.58 0.43 0.00 N	26.85 0.67 0.00 N	23.88 0.79 0.00 N	31.48 1.15 0.00 N	27.34 0.99 0.00 N	29.12 0.99 0.00 N	31.53 1.07 0.00 N	32.15 1.12 0.00 N	28.74 0.97 0.00 N	26.96 0.85 0.00 N	26.89 0.89 0.00 N	28.97 0.93 0.00 N	28.57 0.94 0.00 N	28.35 0.90 0.00 N	25.81 0.85 0.00 N	22.01 0.79 0.00 N	68.86 2.50 0.00 N	78.18 2.74 0.00 N	23.65 0.76 0.00 N	14.94 0.41 0.00 N
MILLWD 61759	23.37 1.54 0.00 N	20.67 1.25 0.00 N	17.89 1.02 0.00 N	20.65 1.08 0.00 N	21.37 1.22 0.00 N	27.87 1.68 0.00 N	24.76 1.68 0.00 N	32.71 2.38 0.00 N	28.54 2.18 0.00 N	30.45 2.33 0.00 N	32.93 2.47 0.00 N	33.59 2.55 0.00 N	30.17 2.40 0.00 N	28.37 2.26 0.00 N	28.33 2.34 0.00 N	30.47 2.43 0.00 N	29.99 2.36 0.00 N	29.77 2.33 0.00 N	26.99 2.03 0.00 N	22.93 1.70 0.00 N	71.37 5.01 0.00 N	81.40 5.96 0.00 N	24.66 1.78 0.00 N	15.55 1.02 0.00 N
N.Y.C. 61761	23.51 1.68 0.00 N	20.78 1.35 0.00 N	17.98 1.10 0.00 N	20.74 1.17 0.00 N	21.45 1.30 0.00 N	27.97 1.79 0.00 N	24.86 1.77 0.00 N	32.83 2.51 0.00 N	28.96 2.31 -0.30 N	31.03 2.47 -0.44 N	35.49 2.61 -2.42 N	36.17 2.71 -2.43 N	32.71 2.58 -2.36 N	30.65 2.42 -2.11 N	28.54 2.54 0.00 N	30.68 2.64 0.00 N	30.19 2.56 0.00 N	29.95 2.50 0.00 N	27.09 2.13 0.00 N	23.01 1.78 0.00 N	71.54 5.17 0.00 N	81.76 6.32 0.00 N	24.96 1.91 -0.16 N	16.87 1.08 -1.26 N

NORTH 61755		21.03 <b>-0.80</b> 0.00 N	18.81 <b>-0.61</b> 0.00 N	16.41 <b>-0.47</b> 0.00 N	19.15 <b>-0.41</b> 0.00 N	19.65 <b>-0.51</b> 0.00 N	25.44 <b>-0.74</b> 0.00 N	22.40 <b>-0.69</b> 0.00 N	29.31 <b>-1.02</b> 0.00 N	25.41 <b>-0.94</b> 0.00 N	27.16 <b>-0.96</b> 0.00 N	29.40 <b>-1.06</b> 0.00 N	29.96 <b>-1.07</b> 0.00 N	26.73 <b>-1.04</b> 0.00 N	25.13 <b>-0.98</b> 0.00 N	24.90 <b>-1.10</b> 0.00 N	26.86 <b>-1.18</b> 0.00 N	26.60 <b>-1.03</b> 0.00 N	26.42 <b>-1.03</b> 0.00 N	24.03 <b>-0.94</b> 0.00 N	20.43 <b>-0.79</b> 0.00 N	64.03 <b>-2.34</b> 0.00 N	72.63 <b>-2.82</b> 0.00 N	22.10 <b>-0.79</b> 0.00 N	14.03 <b>-0.50</b> 0.00 N
NPX 61845		23.01 <b>1.18</b> 0.00 N	20.39 <b>0.97</b> 0.00 N	17.69 <b>0.81</b> 0.00 N	20.44 <b>0.86</b> 0.00 N	21.11 <b>0.96</b> 0.00 N	27.68 <b>1.21</b> -0.52 N	31.98 <b>1.77</b> 0.73 N	31.90 <b>1.57</b> 0.00 N	27.84 <b>1.49</b> 0.00 N	29.70 <b>1.57</b> 0.00 N	32.17 <b>1.71</b> 0.00 N	32.82 <b>1.79</b> 0.00 N	29.45 <b>1.68</b> 0.00 N	27.72 <b>1.61</b> 0.00 N	27.66 <b>1.67</b> 0.00 N	30.00 <b>1.63</b> -1.66 N	29.28 <b>1.65</b> 0.00 N	29.16 <b>1.71</b> 0.00 N	26.49 <b>1.53</b> 0.00 N	22.47 <b>1.24</b> 0.00 N	69.90 <b>3.53</b> 0.00 N	79.59 <b>4.15</b> 0.00 N	24.11 <b>1.22</b> 0.00 N	15.30 <b>0.76</b> 0.00 N
O H 61846		21.68 <b>-0.16</b> 0.00 N	19.36 <b>-0.07</b> 0.00 N	16.83 <b>-0.05</b> 0.00 N	19.29 <b>-0.28</b> 0.00 N	20.11 <b>-0.04</b> 0.00 N	43.09 <b>-0.22</b> -17.37 N	28.46 <b>-1.75</b> 0.73 N	29.30 <b>-1.03</b> 0.00 N	25.22 <b>-1.14</b> 0.00 N	26.91 <b>-1.22</b> 0.00 N	29.17 <b>-1.28</b> 0.00 N	29.55 <b>-1.48</b> 0.00 N	26.24 <b>-1.53</b> 0.00 N	24.70 <b>-1.41</b> 0.00 N	24.51 <b>-1.49</b> 0.00 N	29.20 <b>-1.17</b> -3.66 N	26.26 <b>-1.37</b> 0.00 N	25.94 <b>-1.51</b> 0.00 N	23.73 <b>-1.23</b> 0.00 N	20.16 <b>-1.07</b> 0.00 N	63.73 <b>-2.64</b> 0.00 N	72.30 <b>-3.14</b> 0.00 N	22.15 <b>-0.74</b> 0.00 N	14.18 <b>-0.35</b> 0.00 N
PJM 61847		22.33 <b>0.50</b> 0.00 N	19.92 <b>0.49</b> 0.00 N	17.28 <b>0.40</b> 0.00 N	19.84 <b>0.27</b> 0.00 N	20.67 <b>0.52</b> 0.00 N	27.00 <b>0.53</b> -0.52 N	30.00 <b>-0.21</b> 0.73 N	30.74 <b>0.41</b> 0.00 N	26.58 <b>0.23</b> 0.00 N	28.28 <b>0.15</b> 0.00 N	30.65 <b>0.19</b> 0.00 N	31.20 <b>0.16</b> 0.00 N	27.80 <b>0.04</b> 0.00 N	26.14 <b>0.02</b> 0.00 N	26.06 <b>0.07</b> 0.00 N	28.60 <b>0.23</b> -1.66 N	27.81 <b>0.18</b> 0.00 N	27.48 <b>0.03</b> 0.00 N	25.09 <b>0.12</b> 0.00 N	21.27 <b>0.04</b> 0.00 N	66.94 <b>0.58</b> 0.00 N	76.23 <b>0.79</b> 0.00 N	23.26 <b>0.37</b> 0.00 N	14.74 <b>0.21</b> 0.00 N
WEST 61752		22.03 <b>0.20</b> 0.00 N	19.67 <b>0.24</b> 0.00 N	17.09 <b>0.21</b> 0.00 N	19.58 <b>0.01</b> 0.00 N	20.44 <b>0.29</b> 0.00 N	26.58 <b>0.40</b> 0.00 N	22.87 <b>-0.22</b> 0.00 N	29.87 <b>-0.46</b> 0.00 N	25.70 <b>-0.65</b> 0.00 N	27.39 <b>-0.74</b> 0.00 N	29.67 <b>-0.79</b> 0.00 N	29.99 <b>-1.04</b> 0.00 N	26.58 <b>-1.19</b> 0.00 N	25.02 <b>-1.09</b> 0.00 N	24.81 <b>-1.19</b> 0.00 N	27.11 <b>-0.93</b> 0.00 N	26.60 <b>-1.03</b> 0.00 N	26.26 <b>-1.18</b> 0.00 N	24.06 <b>-0.91</b> 0.00 N	20.44 <b>-0.79</b> 0.00 N	64.72 <b>-1.65</b> 0.00 N	73.46 <b>-1.99</b> 0.00 N	22.54 <b>-0.35</b> 0.00 N	14.42 <b>-0.11</b> 0.00 N