

# Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

## Zonal Data

09/24/2012

Name PTID CAPITL	00:00 EDT	01:00 EDT	02:00 EDT	03:00 EDT	04:00 EDT	05:00 EDT	06:00 EDT	07:00 EDT	08:00 EDT	09:00 EDT	10:00 EDT	11:00 EDT	12:00 EDT	13:00 EDT	14:00 EDT	15:00 EDT	16:00 EDT	17:00 EDT	18:00 EDT	19:00 EDT	20:00 EDT	21:00 EDT	22:00 EDT	23:00 EDT
61757	24.21 1.12 0.00 N	21.05 1.03 0.00 N	16.44 0.69 0.00 N	26.32 0.92 0.00 N	18.74 0.72 0.00 N	16.33 0.72 0.00 N	31.19 1.23 0.00 N	32.64 1.94 0.00 N	31.51 2.12 0.00 N	28.35 1.61 0.00 N	28.18 1.55 0.00 N	28.74 1.64 0.00 N	34.06 1.95 0.00 N	31.56 1.82 0.00 N	33.95 1.92 0.00 N	33.24 1.92 0.00 N	30.32 1.80 0.00 N	32.34 2.01 0.00 N	26.96 1.72 0.00 N	32.66 1.78 0.00 N	29.31 1.73 0.00 N	21.19 1.18 0.00 N	19.95 1.03 0.00 N	14.97 0.76 0.00 N
CENTRL 61754	23.60 0.51 0.00 N	20.41 0.40 0.00 N	16.08 0.34 0.00 N	25.80 0.40 0.00 N	18.33 0.31 0.00 N	15.97 0.36 0.00 N	30.91 0.95 0.00 N	32.19 1.50 0.00 N	30.78 1.39 0.00 N	27.88 1.14 0.00 N	27.73 1.10 0.00 N	28.30 1.19 0.00 N	33.42 1.31 0.00 N	30.93 1.19 0.00 N	33.29 1.27 0.00 N	32.51 1.19 0.00 N	29.61 1.09 0.00 N	31.57 1.24 0.00 N	26.31 1.07 0.00 N	31.77 0.88 0.00 N	28.51 0.93 0.00 N	20.59 0.58 0.00 N	19.46 0.54 0.00 N	14.56 0.35 0.00 N
DUNWOD 61760	24.49 1.40 0.00 N	21.23 1.21 0.00 N	16.49 0.75 0.00 N	26.29 0.89 0.00 N	18.80 0.78 0.00 N	16.51 0.90 0.00 N	31.58 1.62 0.00 N	33.15 2.45 0.00 N	32.12 2.73 0.00 N	28.78 2.04 0.00 N	28.70 2.07 0.00 N	29.29 2.19 0.00 N	34.82 2.71 0.00 N	32.25 2.51 0.00 N	34.81 2.79 0.00 N	34.11 2.79 0.00 N	31.11 2.59 0.00 N	33.15 2.82 0.00 N	27.47 2.23 0.00 N	33.30 2.41 0.00 N	29.98 2.40 0.00 N	21.67 1.66 0.00 N	20.36 1.44 0.00 N	15.19 0.99 0.00 N
GENESE 61753	23.38 0.30 0.00 N	20.22 0.20 0.00 N	15.95 0.21 0.00 N	25.55 0.15 0.00 N	18.19 0.17 0.00 N	15.91 0.30 0.00 N	30.83 0.86 0.00 N	31.95 1.26 0.00 N	30.38 0.99 0.00 N	27.46 0.73 0.00 N	27.30 0.68 0.00 N	27.83 0.73 0.00 N	32.78 0.67 0.00 N	30.34 0.59 0.00 N	32.70 0.67 0.00 N	31.91 0.59 0.00 N	28.98 0.45 0.00 N	30.87 0.54 0.00 N	25.78 0.53 0.00 N	31.23 0.35 0.00 N	28.10 0.52 0.00 N	20.29 0.27 0.00 N	19.34 0.42 0.00 N	14.46 0.25 0.00 N
H Q 61844	22.72 -0.37 0.00 N	19.67 -0.35 0.00 N	15.51 -0.23 0.00 N	22.46 -0.17 0.91 N	19.20 -0.20 0.09 N	19.73 -0.34 0.19 N	29.38 -0.58 0.00 N	29.45 -0.68 0.50 N	30.12 -0.74 0.30 N	26.08 -0.65 0.00 N	25.91 -0.72 0.00 N	26.32 -0.78 0.00 N	31.18 -0.93 0.00 N	28.88 -0.87 0.00 N	31.08 -0.94 0.00 N	30.40 -0.93 0.00 N	27.64 -0.87 0.00 N	29.32 -1.01 0.00 N	24.41 -0.84 0.00 N	29.92 -0.97 0.00 N	26.75 -0.83 0.00 N	19.49 -0.52 0.00 N	18.48 -0.44 0.00 N	13.91 -0.29 0.00 N
HUD VL 61758	24.59 1.51 0.00 N	21.34 1.32 0.00 N	16.60 0.86 0.00 N	26.49 1.09 0.00 N	18.92 0.90 0.00 N	16.60 1.00 0.00 N	31.77 1.80 0.00 N	33.30 2.60 0.00 N	32.21 2.82 0.00 N	28.83 2.09 0.00 N	28.70 2.07 0.00 N	29.30 2.20 0.00 N	34.80 2.69 0.00 N	32.23 2.49 0.00 N	34.77 2.74 0.00 N	34.04 2.72 0.00 N	31.05 2.53 0.00 N	33.09 2.76 0.00 N	27.46 2.21 0.00 N	33.31 2.43 0.00 N	30.03 2.45 0.00 N	21.69 1.68 0.00 N	20.38 1.46 0.00 N	15.21 1.01 0.00 N
LONGIL 61762	24.58 1.48 0.00 N	21.47 1.46 0.00 N	16.76 1.02 0.00 N	26.30 0.90 0.00 N	18.96 0.94 0.00 N	16.70 1.09 0.00 N	31.97 2.01 0.00 N	33.38 2.68 0.00 N	32.31 2.92 0.00 N	28.93 2.20 0.00 N	28.86 2.23 0.00 N	29.47 2.37 0.00 N	35.01 2.90 0.00 N	32.51 2.77 0.00 N	35.18 3.16 0.00 N	35.61 3.15 -1.14 N	31.45 2.93 0.00 N	33.53 3.20 0.00 N	27.98 2.54 -0.20 N	35.57 2.82 -1.87 N	32.58 2.67 -2.32 N	23.69 2.03 -1.64 N	20.95 1.82 -0.21 N	15.45 1.24 0.00 N
MHK VL 61756	24.07 0.98 0.00 N	20.81 0.80 0.00 N	16.35 0.61 0.00 N	26.29 0.89 0.00 N	18.68 0.66 0.00 N	16.32 0.71 0.00 N	31.22 1.26 0.00 N	32.66 1.96 0.00 N	31.34 1.95 0.00 N	28.33 1.60 0.00 N	28.15 1.52 0.00 N	28.61 1.51 0.00 N	33.79 1.68 0.00 N	31.29 1.54 0.00 N	33.64 1.62 0.00 N	32.84 1.52 0.00 N	29.85 1.33 0.00 N	31.95 1.62 0.00 N	26.61 1.36 0.00 N	32.17 1.28 0.00 N	28.84 1.26 0.00 N	20.83 0.82 0.00 N	19.63 0.71 0.00 N	14.72 0.52 0.00 N
MILLWD 61759	24.47 1.38 0.00 N	21.22 1.20 0.00 N	16.48 0.74 0.00 N	26.29 0.88 0.00 N	18.79 0.77 0.00 N	16.50 0.89 0.00 N	31.58 1.61 0.00 N	33.14 2.44 0.00 N	32.10 2.71 0.00 N	28.76 2.03 0.00 N	28.68 2.06 0.00 N	29.28 2.18 0.00 N	34.79 2.69 0.00 N	32.23 2.49 0.00 N	34.78 2.75 0.00 N	34.07 2.75 0.00 N	31.08 2.56 0.00 N	33.11 2.78 0.00 N	27.46 2.21 0.00 N	33.31 2.42 0.00 N	30.00 2.41 0.00 N	21.67 1.66 0.00 N	20.35 1.43 0.00 N	15.18 0.98 0.00 N
N.Y.C. 61761	24.64 1.55 0.00 N	21.31 1.30 0.00 N	16.53 0.79 0.00 N	26.37 0.97 0.00 N	18.88 0.85 0.00 N	16.58 0.97 0.00 N	31.74 1.78 0.00 N	33.37 2.67 0.00 N	32.35 2.96 0.00 N	28.99 2.26 0.00 N	28.91 2.29 0.00 N	29.51 2.41 0.00 N	35.08 2.97 0.00 N	32.48 2.73 0.00 N	35.08 3.05 0.00 N	34.37 3.04 0.00 N	31.34 2.82 0.00 N	33.39 3.07 0.00 N	27.66 2.41 0.00 N	33.49 2.60 0.00 N	30.16 2.58 0.00 N	21.80 1.79 0.00 N	20.48 1.56 0.00 N	15.28 1.07 0.00 N

NORTH 61755	22.96 <span>-0.13</span> 0.00 N	19.79 <span>-0.22</span> 0.00 N	15.58 <span>-0.17</span> 0.00 N	25.30 <span>-0.10</span> 0.00 N	17.90 <span>-0.12</span> 0.00 N	15.47 <span>-0.14</span> 0.00 N	29.45 <span>-0.51</span> 0.00 N	30.06 <span>-0.64</span> 0.00 N	28.62 <span>-0.76</span> 0.00 N	26.05 <span>-0.69</span> 0.00 N	25.76 <span>-0.87</span> 0.00 N	26.06 <span>-1.04</span> 0.00 N	30.89 <span>-1.22</span> 0.00 N	28.61 <span>-1.14</span> 0.00 N	30.75 <span>-1.28</span> 0.00 N	30.03 <span>-1.29</span> 0.00 N	27.21 <span>-1.31</span> 0.00 N	28.67 <span>-1.66</span> 0.00 N	23.85 <span>-1.39</span> 0.00 N	29.32 <span>-1.57</span> 0.00 N	26.28 <span>-1.30</span> 0.00 N	19.20 <span>-0.82</span> 0.00 N	18.27 <span>-0.65</span> 0.00 N	13.87 <span>-0.33</span> 0.00 N
NPX 61845	24.26 <span>1.17</span> 0.00 N	21.09 <span>1.08</span> 0.00 N	16.41 <span>0.67</span> 0.00 N	26.20 <span>0.80</span> 0.00 N	18.69 <span>0.67</span> 0.00 N	16.31 <span>0.70</span> 0.00 N	31.12 <span>1.15</span> 0.00 N	30.46 <span>1.55</span> -0.40 N	38.48 <span>1.97</span> -1.17 N	28.26 <span>1.53</span> 0.00 N	28.19 <span>1.57</span> 0.00 N	28.78 <span>1.68</span> 0.00 N	34.17 <span>2.06</span> 0.00 N	31.67 <span>1.93</span> 0.00 N	34.09 <span>2.07</span> 0.00 N	33.41 <span>2.08</span> 0.00 N	30.47 <span>1.95</span> 0.00 N	32.49 <span>2.16</span> 0.00 N	26.98 <span>1.74</span> 0.00 N	32.69 <span>1.81</span> 0.00 N	29.39 <span>1.81</span> 0.00 N	21.27 <span>1.26</span> 0.00 N	20.05 <span>1.13</span> 0.00 N	15.03 <span>0.82</span> 0.00 N
O H 61846	22.89 <span>-0.20</span> 0.00 N	19.77 <span>-0.24</span> 0.00 N	15.68 <span>-0.06</span> 0.00 N	25.02 <span>-0.38</span> 0.00 N	17.79 <span>-0.23</span> 0.00 N	15.48 <span>-0.13</span> 0.00 N	29.94 <span>-0.02</span> 0.00 N	38.88 <span>-0.38</span> -10.75 N	34.87 <span>-1.63</span> -1.17 N	26.24 <span>-0.49</span> 0.00 N	26.01 <span>-0.61</span> 0.00 N	26.56 <span>-0.54</span> 0.00 N	31.23 <span>-0.88</span> 0.00 N	28.85 <span>-0.89</span> 0.00 N	31.16 <span>-0.86</span> 0.00 N	30.40 <span>-0.92</span> 0.00 N	27.58 <span>-0.94</span> 0.00 N	29.39 <span>-0.94</span> 0.00 N	24.55 <span>-0.69</span> 0.00 N	29.61 <span>-1.28</span> 0.00 N	26.80 <span>-0.79</span> 0.00 N	19.41 <span>-0.60</span> 0.00 N	18.72 <span>-0.20</span> 0.00 N	14.08 <span>-0.13</span> 0.00 N
PJM 61847	23.47 <span>0.37</span> 0.00 N	20.27 <span>0.25</span> 0.00 N	15.97 <span>0.22</span> 0.00 N	22.63 <span>0.00</span> 0.91 N	18.10 <span>0.08</span> 0.00 N	15.78 <span>0.17</span> 0.00 N	30.53 <span>0.57</span> 0.00 N	31.19 <span>0.89</span> -0.40 N	30.39 <span>1.00</span> 0.00 N	27.34 <span>0.61</span> 0.00 N	27.16 <span>0.53</span> 0.00 N	27.84 <span>0.73</span> 0.00 N	32.88 <span>0.78</span> 0.00 N	30.40 <span>0.66</span> 0.00 N	32.84 <span>0.82</span> 0.00 N	32.10 <span>0.78</span> 0.00 N	29.23 <span>0.71</span> 0.00 N	31.17 <span>0.84</span> 0.00 N	25.94 <span>0.69</span> 0.00 N	31.24 <span>0.35</span> 0.00 N	28.22 <span>0.64</span> 0.00 N	20.42 <span>0.41</span> 0.00 N	19.38 <span>0.46</span> 0.00 N	14.54 <span>0.33</span> 0.00 N
WEST 61752	23.23 <span>0.14</span> 0.00 N	20.11 <span>0.09</span> 0.00 N	15.95 <span>0.21</span> 0.00 N	25.44 <span>0.04</span> 0.00 N	18.09 <span>0.07</span> 0.00 N	15.78 <span>0.17</span> 0.00 N	30.48 <span>0.51</span> 0.00 N	31.40 <span>0.70</span> 0.00 N	29.65 <span>0.26</span> 0.00 N	26.74 <span>0.01</span> 0.00 N	26.52 <span>-0.11</span> 0.00 N	27.05 <span>-0.05</span> 0.00 N	31.79 <span>-0.31</span> 0.00 N	29.33 <span>-0.41</span> 0.00 N	31.69 <span>-0.33</span> 0.00 N	30.93 <span>-0.39</span> 0.00 N	28.05 <span>-0.46</span> 0.00 N	29.88 <span>-0.45</span> 0.00 N	24.96 <span>-0.28</span> 0.00 N	30.14 <span>-0.75</span> 0.00 N	27.27 <span>-0.31</span> 0.00 N	19.74 <span>-0.27</span> 0.00 N	19.05 <span>0.13</span> 0.00 N	14.29 <span>0.09</span> 0.00 N