

Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

Zonal Data

09/16/2012

Name PTID CAPITL	00:00 EDT	01:00 EDT	02:00 EDT	03:00 EDT	04:00 EDT	05:00 EDT	06:00 EDT	07:00 EDT	08:00 EDT	09:00 EDT	10:00 EDT	11:00 EDT	12:00 EDT	13:00 EDT	14:00 EDT	15:00 EDT	16:00 EDT	17:00 EDT	18:00 EDT	19:00 EDT	20:00 EDT	21:00 EDT	22:00 EDT	23:00 EDT
61757	30.49 1.60 0.00 N	32.08 1.74 0.00 N	30.23 1.71 0.00 N	25.06 1.43 0.00 N	24.55 1.25 0.00 N	27.18 1.37 0.00 N	18.51 1.02 0.00 N	19.29 1.11 0.00 N	25.49 1.43 0.00 N	28.41 1.68 0.00 N	28.52 1.68 0.00 N	28.57 1.63 0.00 N	30.51 1.72 0.00 N	30.20 1.68 0.00 N	28.97 1.58 0.00 N	28.58 1.62 0.00 N	29.88 1.67 0.00 N	32.41 1.85 0.00 N	29.81 1.74 0.00 N	27.69 1.52 0.00 N	35.05 2.02 0.00 N	28.15 1.61 0.00 N	29.23 1.45 0.00 N	25.02 1.26 0.00 N
CENTRL 61754	29.57 0.67 0.00 N	30.99 0.64 0.00 N	29.02 0.51 0.00 N	24.00 0.38 0.00 N	23.52 0.21 0.00 N	25.96 0.14 0.00 N	17.69 0.20 0.00 N	18.41 0.23 0.00 N	24.59 0.53 0.00 N	27.31 0.58 0.00 N	27.57 0.73 0.00 N	27.65 0.72 0.00 N	29.53 0.75 0.00 N	29.26 0.75 0.00 N	28.18 0.79 0.00 N	27.67 0.71 0.00 N	29.01 0.80 0.00 N	31.32 0.76 0.00 N	28.73 0.66 0.00 N	26.77 0.60 0.00 N	33.69 0.66 0.00 N	27.06 0.53 0.00 N	28.50 0.72 0.00 N	24.35 0.59 0.00 N
DUNWOD 61760	30.45 1.56 0.00 N	31.99 1.64 0.00 N	30.06 1.55 0.00 N	24.88 1.26 0.00 N	24.30 0.99 0.00 N	26.90 1.08 0.00 N	18.36 0.87 0.00 N	19.22 1.05 0.00 N	25.52 1.46 0.00 N	28.51 1.78 0.00 N	28.81 1.97 0.00 N	29.00 2.06 0.00 N	31.11 2.34 0.00 N	30.86 2.35 0.00 N	29.67 2.28 0.00 N	29.26 2.30 0.00 N	30.56 2.35 0.00 N	33.13 2.57 0.00 N	30.36 2.29 0.00 N	28.21 2.04 0.00 N	35.61 2.58 0.00 N	28.71 2.17 0.00 N	29.79 2.01 0.00 N	25.48 1.72 0.00 N
GENESE 61753	29.58 0.69 0.00 N	30.88 0.53 0.00 N	28.80 0.29 0.00 N	23.81 0.18 0.00 N	23.23 -0.07 0.00 N	25.63 -0.18 0.00 N	17.49 0.00 0.00 N	18.12 -0.06 0.00 N	24.32 0.26 0.00 N	27.02 0.29 0.00 N	27.40 0.56 0.00 N	27.50 0.56 0.00 N	29.28 0.50 0.00 N	29.07 0.55 0.00 N	28.01 0.62 0.00 N	27.43 0.47 0.00 N	28.75 0.54 0.00 N	30.98 0.43 0.00 N	28.44 0.37 0.00 N	26.65 0.48 0.00 N	33.54 0.52 0.00 N	26.92 0.38 0.00 N	28.67 0.90 0.00 N	24.46 0.70 0.00 N
H Q 61844	30.83 -0.44 0.00 N	29.90 -0.45 0.00 N	28.10 -0.41 0.00 N	23.30 -0.33 0.00 N	23.14 -0.17 0.00 N	25.64 -0.17 0.00 N	17.29 -0.20 0.00 N	17.95 -0.23 0.00 N	23.70 -0.36 0.00 N	26.32 -0.41 0.00 N	26.30 -0.54 0.00 N	26.37 -0.57 0.00 N	28.15 -0.63 0.00 N	27.88 -0.63 0.00 N	26.76 -0.63 0.00 N	26.34 -0.62 0.00 N	27.56 -0.65 0.00 N	29.89 -0.67 0.00 N	27.48 -0.59 0.00 N	25.68 -0.49 0.00 N	32.44 -0.59 0.00 N	26.06 -0.48 0.00 N	27.34 -0.44 0.00 N	23.37 -0.39 0.00 N
HUD VL 61758	30.56 1.67 0.00 N	32.11 1.76 0.00 N	30.17 1.66 0.00 N	24.98 1.36 0.00 N	24.42 1.11 0.00 N	27.03 1.22 0.00 N	18.46 0.97 0.00 N	19.32 1.13 0.00 N	25.64 1.57 0.00 N	28.63 1.91 0.00 N	28.93 2.09 0.00 N	29.10 2.16 0.00 N	31.21 2.43 0.00 N	30.94 2.43 0.00 N	29.74 2.35 0.00 N	29.31 2.35 0.00 N	30.63 2.42 0.00 N	33.21 2.65 0.00 N	30.44 2.37 0.00 N	28.30 2.13 0.00 N	35.72 2.70 0.00 N	28.76 2.22 0.00 N	29.85 2.07 0.00 N	25.51 1.76 0.00 N
LONGIL 61762	30.74 1.85 0.00 N	32.38 2.03 0.00 N	30.70 2.19 0.00 N	25.41 1.79 0.00 N	24.77 1.47 0.00 N	27.47 1.66 0.00 N	18.64 1.15 0.00 N	19.61 1.43 0.00 N	25.96 1.90 0.00 N	29.26 2.42 -0.12 N	30.56 2.78 -0.94 N	30.58 2.87 -0.78 N	31.89 3.10 0.00 N	32.54 3.19 -0.84 N	31.84 3.04 -1.40 N	31.97 3.01 -2.00 N	45.65 3.07 -14.37 N	35.33 3.41 -1.36 N	31.54 3.00 -0.46 N	29.47 2.69 -0.61 N	36.33 3.28 -0.03 N	33.53 2.90 -4.10 N	30.62 2.68 -0.16 N	25.92 2.16 0.00 N
MHK VL 61756	29.92 1.03 0.00 N	31.40 1.05 0.00 N	29.46 0.95 0.00 N	24.40 0.78 0.00 N	24.01 0.71 0.00 N	26.61 0.79 0.00 N	18.09 0.60 0.00 N	18.85 0.68 0.00 N	25.10 1.04 0.00 N	27.92 1.19 0.00 N	28.00 1.16 0.00 N	28.08 1.15 0.00 N	29.99 1.21 0.00 N	29.69 1.18 0.00 N	28.49 1.10 0.00 N	28.02 1.06 0.00 N	29.34 1.13 0.00 N	31.82 1.26 0.00 N	29.31 1.23 0.00 N	27.38 1.21 0.00 N	34.55 1.52 0.00 N	27.69 1.15 0.00 N	28.95 1.17 0.00 N	24.66 0.90 0.00 N
MILLWD 61759	30.42 1.53 0.00 N	31.96 1.61 0.00 N	30.03 1.52 0.00 N	24.85 1.23 0.00 N	24.27 0.97 0.00 N	26.87 1.06 0.00 N	18.35 0.86 0.00 N	19.21 1.03 0.00 N	25.50 1.44 0.00 N	28.51 1.78 0.00 N	28.82 1.97 0.00 N	29.01 2.07 0.00 N	31.12 2.34 0.00 N	30.86 2.34 0.00 N	29.66 2.27 0.00 N	29.23 2.27 0.00 N	30.55 2.34 0.00 N	33.13 2.57 0.00 N	30.36 2.29 0.00 N	28.22 2.05 0.00 N	35.62 2.59 0.00 N	28.70 2.16 0.00 N	29.77 1.99 0.00 N	25.45 1.69 0.00 N
N.Y.C. 61761	30.60 1.71 0.00 N	32.14 1.79 0.00 N	30.19 1.68 0.00 N	25.00 1.37 0.00 N	24.39 1.09 0.00 N	27.01 1.20 0.00 N	18.46 0.97 0.00 N	19.32 1.14 0.00 N	25.64 1.58 0.00 N	28.67 1.94 0.00 N	28.99 2.15 0.00 N	29.18 2.25 0.00 N	31.30 2.52 0.00 N	31.08 2.56 0.00 N	29.89 2.50 0.00 N	29.47 2.51 0.00 N	30.77 2.56 0.00 N	33.33 2.77 0.00 N	30.53 2.46 0.00 N	28.37 2.20 0.00 N	35.80 2.77 0.00 N	28.88 2.35 0.00 N	29.97 2.19 0.00 N	25.65 1.89 0.00 N

NORTH 61755	28.85	30.24	28.43	23.58	23.44	26.00	17.52	18.15	23.93	26.55	26.27	26.33	28.05	27.76	26.60	26.18	27.38	29.73	27.44	25.73	32.57	26.19	27.62	23.56
	-0.04	-0.11	-0.08	-0.05	0.14	0.19	0.03	-0.03	-0.13	-0.18	-0.57	-0.60	-0.73	-0.76	-0.79	-0.79	-0.83	-0.83	-0.63	-0.44	-0.46	-0.34	-0.16	-0.20
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
NPX 61845	33.30	31.73	29.94	24.83	24.28	26.85	18.31	19.15	25.28	28.14	28.30	28.39	30.40	30.11	28.88	28.52	29.79	32.29	29.66	27.53	34.81	28.05	29.10	24.96
	1.31	1.38	1.42	1.20	0.97	1.03	0.82	0.97	1.22	1.41	1.46	1.46	1.62	1.59	1.49	1.56	1.57	1.73	1.59	1.36	1.78	1.51	1.32	1.20
	1.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
O H 61846	32.79	30.60	28.51	23.52	22.84	25.17	17.25	17.87	24.04	26.58	26.97	27.02	28.70	28.47	36.61	26.86	28.15	30.18	27.65	25.84	32.39	26.16	28.29	24.28
	0.80	0.25	0.00	-0.11	-0.47	-0.64	-0.24	-0.31	-0.02	-0.15	0.13	0.09	-0.08	-0.04	0.25	-0.11	-0.06	-0.38	-0.42	-0.33	-0.64	-0.38	0.51	0.52
	1.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-8.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
PJM 61847	32.01	31.01	29.04	23.95	23.33	25.77	17.65	18.45	24.67	27.40	27.70	27.81	29.73	29.45	28.43	27.87	29.22	31.47	28.79	26.72	33.56	27.12	28.72	24.63
	0.75	0.66	0.52	0.32	0.03	-0.05	0.16	0.26	0.61	0.67	0.86	0.87	0.95	0.93	1.04	0.91	1.01	0.91	0.72	0.55	0.54	0.58	0.94	0.87
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
WEST 61752	29.86	31.14	29.00	23.92	23.21	25.58	17.54	18.12	24.42	27.00	27.45	27.49	29.19	28.97	27.98	27.30	28.62	30.66	28.11	26.29	32.96	26.62	28.83	24.68
	0.97	0.79	0.49	0.29	-0.10	-0.23	0.05	-0.06	0.35	0.27	0.61	0.55	0.40	0.46	0.59	0.34	0.41	0.10	0.03	0.12	-0.07	0.08	1.06	0.93
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N