

Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

Zonal Data

07/19/2014

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	31.07	24.94	23.40	22.02	20.96	22.02	24.52	21.48	22.21	25.04	30.19	30.89	30.05	23.98	21.18	21.32	17.00	20.35	21.47	23.73	25.85	29.43	23.28	14.70
61757	1.14	1.07	1.02	0.94	0.90	0.90	1.00	0.94	1.03	1.16	1.42	1.50	1.59	1.29	1.13	1.12	0.95	1.10	1.06	1.11	1.21	1.49	1.04	0.67
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CENTRL	30.48	24.23	22.77	21.44	20.42	21.54	23.99	20.97	21.57	24.33	29.38	30.05	29.11	23.22	20.53	20.67	16.40	19.68	20.83	23.00	25.11	28.51	22.61	14.23
61754	0.55	0.36	0.39	0.36	0.36	0.41	0.47	0.43	0.40	0.46	0.61	0.66	0.65	0.53	0.48	0.48	0.35	0.43	0.42	0.38	0.46	0.56	0.38	0.21
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DUNWOD	31.98	25.56	23.87	22.45	21.33	22.45	25.11	21.99	22.67	25.58	30.82	31.52	30.76	24.61	21.75	21.87	17.39	20.85	22.02	24.20	26.30	29.98	23.72	15.01
61760	2.05	1.69	1.50	1.38	1.27	1.32	1.59	1.45	1.50	1.70	2.05	2.14	2.30	1.91	1.70	1.68	1.35	1.60	1.60	1.58	1.65	2.03	1.49	0.99
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GENESE	30.05	23.82	22.42	21.05	20.09	21.22	23.58	20.59	21.15	23.84	28.76	29.44	28.49	22.69	20.10	20.26	16.05	19.26	20.40	22.49	24.56	27.90	22.30	14.00
61753	0.12	-0.05	0.05	-0.03	0.02	0.10	0.06	0.05	-0.02	-0.04	-0.01	0.05	0.03	0.00	0.05	0.07	0.00	0.01	-0.02	-0.13	-0.08	-0.04	0.06	-0.02
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H Q	29.44	23.45	21.97	20.73	19.72	20.76	23.08	20.09	20.71	23.36	28.13	28.68	27.67	22.00	19.42	19.57	15.53	18.66	19.87	22.13	24.14	33.58	15.52	13.76
61844	-0.49	-0.41	-0.40	-0.35	-0.34	-0.36	-0.44	-0.44	-0.46	-0.52	-0.64	-0.71	-0.79	-0.69	-0.63	-0.62	-0.52	-0.60	-0.54	-0.49	-0.50	-0.64	-0.41	-0.27
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-6.27	6.31	0.00
HUD VL	31.99	25.57	23.90	22.48	21.37	22.49	25.14	22.03	22.74	25.67	30.96	31.69	30.90	24.71	21.84	21.96	17.47	20.94	22.13	24.34	26.45	30.12	23.82	15.04
61758	2.06	1.71	1.53	1.41	1.31	1.37	1.62	1.50	1.56	1.79	2.19	2.30	2.44	2.02	1.79	1.77	1.42	1.70	1.71	1.71	1.80	2.17	1.58	1.02
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LONGIL	32.29	25.82	24.01	22.64	21.52	22.63	25.33	22.15	22.76	25.69	31.11	31.90	31.17	24.88	21.97	22.07	17.55	20.99	22.12	24.32	26.44	30.20	23.90	15.15
61762	2.36	1.95	1.64	1.56	1.45	1.51	1.81	1.61	1.59	1.81	2.33	2.52	2.71	2.19	1.92	1.88	1.50	1.74	1.70	1.70	1.80	2.25	1.66	1.13
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MHK VL	30.81	24.50	22.94	21.60	20.56	21.65	24.15	21.15	21.87	24.72	29.82	30.46	29.50	23.47	20.74	20.84	16.55	19.87	21.12	23.37	25.48	28.92	22.93	14.41
61756	0.88	0.63	0.57	0.52	0.50	0.52	0.62	0.62	0.69	0.84	1.05	1.07	1.05	0.77	0.69	0.65	0.50	0.62	0.70	0.75	0.84	0.97	0.69	0.39
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MILLWD	31.99	25.55	23.87	22.44	21.33	22.44	25.11	22.00	22.69	25.61	30.88	31.60	30.84	24.66	21.80	21.91	17.43	20.90	22.08	24.26	26.36	30.03	23.75	15.01
61759	2.06	1.68	1.49	1.37	1.27	1.32	1.59	1.46	1.51	1.73	2.11	2.21	2.38	1.97	1.75	1.72	1.39	1.65	1.66	1.64	1.72	2.09	1.52	0.99
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
N.Y.C.	33.04	27.36	25.74	24.41	23.39	24.43	26.92	24.14	24.85	27.63	32.48	33.11	32.41	26.73	24.02	23.79	17.69	21.72	22.15	24.32	26.41	30.11	23.86	15.10
61761	2.28	1.89	1.67	1.54	1.42	1.49	1.79	1.63	1.66	1.89	2.25	2.30	2.49	2.06	1.84	1.81	1.45	1.72	1.73	1.70	1.76	2.17	1.63	1.08
	-0.83	-1.60	-1.70	-1.80	-1.91	-1.82	-1.61	-1.97	-2.02	-1.86	-1.46	-1.42	-1.47	-1.97	-2.13	-1.80	-0.20	-0.75	0.00	0.00	0.00	0.00	0.00	0.00
NORTH	29.65	23.61	22.11	20.86	19.84	20.89	23.22	20.16	20.82	23.52	28.32	28.87	27.83	21.97	19.37	19.52	15.47	18.58	19.89	22.21	24.30	27.55	22.02	13.86
61755	-0.28	-0.26	-0.26	-0.22	-0.22	-0.23	-0.30	-0.38	-0.35	-0.36	-0.45	-0.52	-0.63	-0.72	-0.67	-0.67	-0.58	-0.67	-0.52	-0.42	-0.35	-0.40	-0.22	-0.16
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NPX	31.20	25.03	23.49	22.08	21.02	22.10	24.66	21.57	22.27	25.07	30.21	30.91	30.11	24.06	21.25	21.39	17.05	20.41	21.54	23.76	25.84	29.44	16.98	14.71
61845	1.27	1.16	1.12	1.01	0.95	0.98	1.15	1.04	1.10	1.19	1.44	1.52	1.65	1.36	1.20	1.20	1.00	1.15	1.12	1.14	1.20	1.49	1.02	0.69
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.27	0.00	0.00

O H 61846	29.65 <u>-0.28</u> 0.00	23.49 <u>-0.38</u> 0.00	22.24 <u>-0.13</u> 0.00	20.88 <u>-0.20</u> 0.00	19.95 <u>-0.11</u> 0.00	21.10 <u>-0.02</u> 0.00	23.38 <u>-0.14</u> 0.00	20.30 <u>-0.24</u> 0.00	20.66 <u>-0.52</u> 0.00	23.14 <u>-0.74</u> 0.00	27.90 <u>-0.88</u> 0.00	28.49 <u>-0.90</u> 0.00	27.52 <u>-0.94</u> 0.00	21.92 <u>-0.78</u> 0.00	19.43 <u>-0.62</u> 0.00	19.57 <u>-0.61</u> 0.00	15.48 <u>-0.57</u> 0.00	18.60 <u>-0.65</u> 0.00	19.72 <u>-0.69</u> 0.00	21.72 <u>-0.90</u> 0.00	23.73 <u>-0.91</u> 0.00	26.97 <u>-0.98</u> 0.00	15.38 <u>-0.58</u> 6.27	13.65 <u>-0.37</u> 0.00
PJM 61847	31.07 <u>1.13</u> 0.00	24.73 <u>0.86</u> 0.00	23.22 <u>0.85</u> 0.00	21.86 <u>0.78</u> 0.00	20.81 <u>0.74</u> 0.00	21.92 <u>0.79</u> 0.00	24.47 <u>0.95</u> 0.00	21.38 <u>0.84</u> 0.00	21.94 <u>0.77</u> 0.00	24.68 <u>0.80</u> 0.00	29.79 <u>1.02</u> 0.00	30.47 <u>1.08</u> 0.00	29.64 <u>1.18</u> 0.00	23.67 <u>0.97</u> 0.00	20.93 <u>0.88</u> 0.00	21.03 <u>0.83</u> 0.00	16.69 <u>0.64</u> 0.00	20.03 <u>0.77</u> 0.00	21.19 <u>0.77</u> 0.00	23.31 <u>0.69</u> 0.00	25.39 <u>0.74</u> 0.00	35.17 <u>0.95</u> -6.27	16.57 <u>0.64</u> 6.31	14.46 <u>0.44</u> 0.00
WEST 61752	30.14 <u>0.21</u> 0.00	23.84 <u>-0.03</u> 0.00	22.54 <u>0.16</u> 0.00	21.13 <u>0.05</u> 0.00	20.18 <u>0.12</u> 0.00	21.34 <u>0.22</u> 0.00	23.67 <u>0.15</u> 0.00	20.54 <u>0.00</u> 0.00	20.89 <u>-0.28</u> 0.00	23.40 <u>-0.47</u> 0.00	28.23 <u>-0.54</u> 0.00	28.85 <u>-0.54</u> 0.00	27.88 <u>-0.58</u> 0.00	22.20 <u>-0.50</u> 0.00	19.69 <u>-0.36</u> 0.00	19.82 <u>-0.37</u> 0.00	15.66 <u>-0.39</u> 0.00	18.81 <u>-0.44</u> 0.00	19.94 <u>-0.47</u> 0.00	21.95 <u>-0.67</u> 0.00	23.99 <u>-0.65</u> 0.00	27.29 <u>-0.65</u> 0.00	21.99 <u>-0.24</u> 0.00	13.84 <u>-0.18</u> 0.00