

# Time Weighted/Integrated Real Time LBMP - Zonal

---		--- Marginal Cost of Losses										--- Marginal Cost of Congestion										--- Scarcity Pricing In Effect (Y/N)									
Zonal Data		02/08/2015																													
Name	PTID	00:00 EST	01:00 EST	02:00 EST	03:00 EST	04:00 EST	05:00 EST	06:00 EST	07:00 EST	08:00 EST	09:00 EST	10:00 EST	11:00 EST	12:00 EST	13:00 EST	14:00 EST	15:00 EST	16:00 EST	17:00 EST	18:00 EST	19:00 EST	20:00 EST	21:00 EST	22:00 EST	23:00 EST						
CAPITL 61757		40.12	36.10	34.21	35.16	35.28	33.62	28.91	28.24	37.90	43.54	41.51	46.41	45.64	41.74	50.59	44.02	65.48	100.90	60.60	157.00	52.43	72.80	45.36	44.91						
		2.86	2.59	2.47	2.47	2.57	2.47	2.08	1.99	2.63	3.11	2.97	3.38	3.44	3.24	3.63	3.28	4.56	6.77	3.92	10.74	3.82	5.22	3.22	3.08						
		0.00	0.00	-0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-1.18	0.00	0.00	0.00	-3.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
CENTRL 61754		37.22	33.35	31.60	32.45	32.63	31.20	26.90	26.34	35.14	40.16	37.16	42.61	41.94	38.30	43.25	40.50	60.19	92.89	56.16	145.60	48.39	67.51	42.25	41.94						
		-0.05	-0.15	-0.09	-0.24	-0.08	0.05	0.07	0.09	-0.13	-0.27	-0.34	-0.43	-0.26	-0.21	-0.21	-0.24	-0.73	-1.25	-0.52	-0.66	-0.22	-0.06	0.11	0.10						
		0.00	0.00	-0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.14	0.00	0.00	0.00	-0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
DUNWOD 61760		39.72	35.70	33.76	34.63	34.77	33.27	28.87	28.14	37.73	43.25	40.89	45.90	45.18	41.29	49.17	43.58	64.72	99.65	59.93	155.21	52.11	72.39	45.13	44.72						
		2.46	2.20	2.04	1.94	2.05	2.12	2.04	1.89	2.46	2.82	2.64	2.87	2.97	2.78	3.16	2.84	3.80	5.52	3.25	8.95	3.51	4.81	2.99	2.89						
		0.00	0.00	-0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.90	0.00	0.00	0.00	-3.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
GENESE 61753		36.56	32.67	31.03	31.83	32.11	30.80	26.43	25.79	34.02	38.83	35.79	41.06	40.59	37.12	41.85	39.23	58.22	89.79	54.62	141.32	46.69	65.60	41.34	41.28						
		-0.70	-0.83	-0.66	-0.86	-0.61	-0.35	-0.40	-0.46	-1.25	-1.60	-1.68	-1.98	-1.62	-1.39	-1.53	-1.51	-2.70	-4.34	-2.06	-4.95	-1.91	-1.98	-0.80	-0.55						
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.11	0.00	0.00	0.00	-0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
H Q 61844		36.76	33.02	31.20	32.29	32.15	30.54	26.29	24.93	35.32	39.95	36.90	42.61	41.60	37.95	42.37	40.21	60.49	93.75	56.39	144.92	47.89	66.53	41.41	41.14						
		-0.51	-0.48	-0.49	-0.40	-0.56	-0.61	-0.54	-0.48	-0.46	-0.49	-0.45	-0.42	-0.52	-0.55	-0.63	-0.53	-0.43	-0.38	-0.29	-1.35	-0.72	-1.04	-0.73	-0.69						
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.83	-0.51	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
HUD VL 61758		39.84	35.79	33.86	34.77	34.89	33.38	28.91	28.21	37.87	43.43	41.05	46.11	45.35	41.45	49.32	43.76	65.03	100.25	60.29	156.05	52.30	72.60	45.25	44.81						
		2.57	2.29	2.13	2.07	2.18	2.23	2.08	1.96	2.60	3.00	2.81	3.08	3.15	2.95	3.34	3.02	4.11	6.12	3.61	9.79	3.70	5.02	3.11	2.97						
		0.00	0.00	-0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.89	0.00	0.00	0.00	-2.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
LONGIL 61762		40.81	36.57	34.54	35.42	35.56	34.26	34.81	29.02	38.98	49.38	63.24	59.83	56.44	72.22	51.17	87.13	66.75	102.38	61.44	159.05	53.72	74.69	47.19	46.11						
		3.54	3.07	2.82	2.72	2.85	3.11	3.01	2.77	3.71	4.24	4.00	4.41	4.49	4.15	4.73	4.29	5.84	8.25	4.76	12.79	5.12	7.11	4.55	4.28						
		0.00	0.00	-0.04	0.00	0.00	0.00	-4.97	0.00	0.00	-4.70	-21.89	-12.39	-9.74	-29.56	-3.44	-42.10	0.00	0.00	0.00	0.00	0.00	0.00	-0.50	0.00						
MHK VL 61756		38.60	34.57	32.72	33.71	33.76	32.21	27.75	27.17	36.55	41.93	38.90	44.63	43.89	40.05	45.22	42.28	63.15	97.58	58.80	152.04	50.57	70.27	43.72	43.31						
		1.33	1.08	1.03	1.01	1.04	1.06	0.92	0.93	1.28	1.50	1.39	1.60	1.69	1.55	1.72	1.54	2.23	3.45	2.12	5.78	1.96	2.69	1.58	1.48						
		0.00	0.00	-0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.16	0.00	0.00	0.00	-0.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
MILLWD 61759		39.84	35.79	33.84	34.72	34.86	33.36	28.93	28.21	37.86	43.42	41.05	46.09	45.34	41.44	49.36	43.75	65.00	100.17	60.23	155.97	52.34	72.67	45.29	44.85						
		2.57	2.29	2.12	2.03	2.14	2.21	2.10	1.97	2.59	2.99	2.80	3.06	3.14	2.93	3.34	3.01	4.09	6.04	3.56	9.71	3.73	5.09	3.15	3.02						
		0.00	0.00	-0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.90	0.00	0.00	0.00	-3.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
N.Y.C. 61761		39.75	35.79	33.82	34.67	34.79	33.31	28.94	28.20	37.78	43.30	40.94	45.96	45.27	41.37	49.26	43.66	64.80	99.75	59.97	155.12	52.16	72.44	45.21	44.82						
		2.48	2.29	2.10	1.97	2.08	2.16	2.11	1.96	2.51	2.87	2.69	2.93	3.07	2.87	3.25	2.92	3.88	5.61	3.29	8.85	3.56	4.87	3.07	2.98						
		0.00	0.00	-0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.90	0.00	0.00	0.00	-3.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
NORTH 61755		37.53	33.53	31.56	32.72	32.51	30.84	26.53	26.00	35.33	40.64	37.40	43.50	42.81	38.92	43.36	40.95	61.31	94.92	57.16	146.96	48.70	68.09	42.18	41.91						
		0.26	0.04	-0.12	0.02	-0.21	-0.31	-0.29	-0.25	0.06	0.21	0.05	0.47	0.60	0.41	0.37	0.21	0.39	0.79	0.48	0.70	0.10	0.51	0.04	0.07						
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
NPX 61845		71.41	57.71	46.00	44.49	73.52	47.17	73.58	78.87	74.99	70.76	64.17	61.04	62.33	79.46	56.33	64.24	100.15	100.06	60.05	155.99	63.74	83.22	66.61	64.70						
		2.79	2.54	2.44	2.41	2.51	2.45	2.16	2.04	2.64	3.07	2.90	3.22	3.25	3.09	3.48	3.14	4.21	5.93	3.38	9.73	3.67	5.09	3.17	3.09						
		-31.35	-21.67	-11.87	-9.38	-38.30	-13.57	-44.59	-50.58	-37.08	-27.26	-23.92	-14.79	-16.87	-37.86	-9.85	-20.36	-35.02	0.00	0.00	0.00	-11.47	-10.55	-21.30	-19.78						

H 61846		35.36 <span>-1.91</span> <span>0.00</span>	31.53 <span>-1.96</span> <span>0.00</span>	30.02 <span>-1.67</span> <span>-0.01</span>	30.71 <span>-1.99</span> <span>0.00</span>	31.08 <span>-1.64</span> <span>0.00</span>	29.83 <span>-1.32</span> <span>0.00</span>	25.46 <span>-1.37</span> <span>0.00</span>	24.82 <span>-1.43</span> <span>0.00</span>	32.90 <span>-2.79</span> <span>-0.42</span>	36.99 <span>-3.44</span> <span>0.00</span>	33.93 <span>-3.57</span> <span>-0.15</span>	38.94 <span>-4.10</span> <span>0.00</span>	38.59 <span>-3.62</span> <span>0.00</span>	35.29 <span>-3.21</span> <span>0.00</span>	40.04 <span>-3.46</span> <span>-0.50</span>	37.29 <span>-3.45</span> <span>0.00</span>	54.89 <span>-6.02</span> <span>0.00</span>	83.91 <span>-10.22</span> <span>0.00</span>	51.08 <span>-5.59</span> <span>0.00</span>	132.90 <span>-13.36</span> <span>0.00</span>	45.08 <span>-4.69</span> <span>-1.16</span>	62.36 <span>-5.22</span> <span>0.00</span>	39.64 <span>-2.50</span> <span>0.00</span>	40.18 <span>-1.99</span> <span>-0.33</span>
PJM 61847		37.68 <span>0.41</span> <span>0.00</span>	33.78 <span>0.28</span> <span>0.00</span>	32.03 <span>0.31</span> <span>-0.03</span>	32.79 <span>0.09</span> <span>0.00</span>	33.01 <span>0.30</span> <span>0.00</span>	31.61 <span>0.47</span> <span>0.00</span>	27.34 <span>0.51</span> <span>0.00</span>	25.89 <span>0.48</span> <span>0.83</span>	36.20 <span>0.42</span> <span>-0.51</span>	40.77 <span>0.34</span> <span>0.00</span>	38.12 <span>0.17</span> <span>-0.60</span>	43.10 <span>0.07</span> <span>0.00</span>	42.40 <span>0.27</span> <span>0.08</span>	38.80 <span>0.30</span> <span>0.00</span>	45.46 <span>0.45</span> <span>-2.01</span>	41.00 <span>0.26</span> <span>0.00</span>	60.65 <span>-0.27</span> <span>0.00</span>	92.56 <span>-1.03</span> <span>0.54</span>	56.07 <span>-0.60</span> <span>0.00</span>	145.78 <span>-0.48</span> <span>0.00</span>	48.75 <span>0.14</span> <span>0.00</span>	68.13 <span>0.55</span> <span>0.00</span>	42.66 <span>0.52</span> <span>0.00</span>	42.39 <span>0.56</span> <span>0.00</span>
WEST 61752		36.06 <span>-1.21</span> <span>0.00</span>	32.12 <span>-1.37</span> <span>0.00</span>	30.56 <span>-1.13</span> <span>-0.01</span>	31.24 <span>-1.46</span> <span>0.00</span>	31.62 <span>-1.09</span> <span>0.00</span>	30.37 <span>-0.78</span> <span>0.00</span>	25.90 <span>-0.93</span> <span>0.00</span>	25.24 <span>-1.01</span> <span>0.00</span>	32.93 <span>-2.34</span> <span>0.00</span>	37.54 <span>-2.89</span> <span>0.00</span>	34.42 <span>-3.07</span> <span>-0.14</span>	39.56 <span>-3.47</span> <span>0.00</span>	39.24 <span>-2.96</span> <span>0.00</span>	35.91 <span>-2.60</span> <span>0.00</span>	40.70 <span>-2.78</span> <span>-0.48</span>	37.92 <span>-2.82</span> <span>0.00</span>	55.78 <span>-5.14</span> <span>0.00</span>	85.32 <span>-8.81</span> <span>0.00</span>	52.05 <span>-4.62</span> <span>0.00</span>	135.29 <span>-10.98</span> <span>0.00</span>	44.67 <span>-3.93</span> <span>0.00</span>	63.54 <span>-4.04</span> <span>0.00</span>	40.41 <span>-1.73</span> <span>0.00</span>	40.66 <span>-1.18</span> <span>0.00</span>