

Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

Zonal Data

09/26/2015

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	17.20	13.51	14.11	14.54	15.20	13.93	12.97	12.03	18.21	18.26	17.26	18.65	18.82	17.97	16.78	14.99	14.27	14.57	14.43	15.78	7.74	7.22	9.88	6.03
61757	0.99	0.85	0.90	0.93	0.97	0.90	0.87	0.86	1.38	1.37	1.21	1.31	1.33	1.17	1.05	0.98	0.96	1.00	1.02	1.06	0.51	0.46	0.68	0.40
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CENTRL																								
61754	16.60	12.97	13.53	13.93	14.57	13.38	12.43	11.44	17.24	17.38	16.56	17.91	18.04	17.37	16.27	14.45	13.72	13.99	13.82	15.19	7.47	6.98	9.45	5.79
	0.39	0.31	0.31	0.32	0.34	0.34	0.33	0.27	0.42	0.49	0.50	0.56	0.54	0.57	0.53	0.44	0.41	0.43	0.41	0.47	0.25	0.22	0.25	0.17
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DUNWOD																								
61760	17.87	13.95	14.47	14.87	15.56	14.31	13.35	12.28	18.54	18.68	17.74	19.07	19.19	18.45	17.37	15.37	14.63	14.88	14.73	16.23	7.92	7.41	10.12	6.23
	1.66	1.29	1.26	1.26	1.34	1.28	1.24	1.11	1.71	1.78	1.69	1.72	1.69	1.64	1.63	1.36	1.32	1.31	1.31	1.51	0.69	0.65	0.93	0.61
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GENESE																								
61753	16.64	12.97	13.52	13.90	14.55	13.41	12.50	11.45	17.20	17.37	16.63	18.06	18.17	17.53	16.39	14.55	13.78	14.06	13.87	15.26	7.54	7.01	9.45	5.79
	0.43	0.31	0.30	0.29	0.32	0.38	0.39	0.28	0.37	0.47	0.57	0.71	0.67	0.73	0.65	0.53	0.47	0.49	0.46	0.55	0.31	0.26	0.25	0.17
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H Q																								
61844	15.80	12.34	12.89	13.28	13.89	12.72	11.81	10.90	16.40	16.42	15.60	16.86	12.79	16.35	11.37	10.28	12.95	9.89	13.06	10.82	7.05	6.60	8.99	5.48
	-0.41	-0.32	-0.33	-0.33	-0.33	-0.32	-0.30	-0.27	-0.43	-0.48	-0.46	-0.49	-0.47	-0.45	-0.44	-0.37	-0.36	-0.37	-0.36	-0.39	-0.18	-0.15	-0.21	-0.14
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.23	0.00	3.93	3.37	0.00	3.31	0.00	3.50	0.00	0.00	0.00	0.00
HUD VL																								
61758	17.85	13.95	14.49	14.88	15.57	14.32	13.34	12.28	18.56	18.70	17.76	19.11	19.25	18.49	17.40	15.41	14.66	14.91	14.76	16.27	7.94	7.43	10.14	6.23
	1.64	1.29	1.27	1.27	1.35	1.28	1.24	1.12	1.74	1.80	1.71	1.76	1.75	1.69	1.66	1.39	1.35	1.34	1.35	1.55	0.72	0.67	0.94	0.61
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LONGIL																								
61762	18.04	14.06	14.51	14.80	15.54	14.29	13.48	12.51	18.87	19.06	18.00	19.29	19.42	18.67	17.55	15.52	14.78	15.02	14.89	16.51	8.05	7.50	10.78	6.28
	1.83	1.40	1.29	1.19	1.31	1.25	1.38	1.35	2.04	2.16	1.95	1.95	1.92	1.87	1.81	1.51	1.47	1.45	1.47	1.79	0.82	0.74	1.02	0.66
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.56	0.00
MHK VL																								
61756	16.80	13.12	13.69	14.10	14.73	13.52	12.56	11.62	17.58	17.67	16.79	18.12	18.26	17.54	16.41	14.59	13.86	14.12	13.97	15.37	7.54	7.05	9.57	5.83
	0.60	0.46	0.47	0.49	0.51	0.48	0.46	0.46	0.75	0.77	0.74	0.78	0.76	0.73	0.67	0.58	0.55	0.56	0.56	0.65	0.32	0.30	0.37	0.21
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MILLWD																								
61759	17.87	13.95	14.47	14.87	15.56	14.31	13.34	12.27	18.55	18.69	17.77	19.10	19.22	18.47	17.39	15.39	14.65	14.90	14.75	16.25	7.93	7.42	10.13	6.23
	1.66	1.29	1.26	1.26	1.33	1.27	1.23	1.11	1.72	1.80	1.72	1.75	1.72	1.67	1.65	1.38	1.34	1.33	1.33	1.54	0.71	0.67	0.94	0.61
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
N.Y.C.																								
61761	18.67	14.01	14.55	14.95	15.65	14.40	13.43	14.53	19.93	20.97	20.43	21.71	21.90	21.27	20.37	18.66	18.01	18.22	18.09	19.41	12.19	11.77	14.12	10.75
	1.73	1.36	1.33	1.34	1.43	1.36	1.33	1.18	1.81	1.88	1.78	1.80	1.77	1.72	1.72	1.43	1.40	1.39	1.38	1.59	0.73	0.68	0.97	0.64
	-0.73	0.00	0.00	0.00	0.00	0.00	0.00	-2.19	-1.30	-2.20	-2.59	-2.56	-2.63	-2.74	-2.92	-3.22	-3.30	-3.27	-3.29	-3.10	-4.24	-4.34	-3.95	-4.49
NORTH																								
61755	15.77	12.34	12.86	13.26	13.89	12.74	11.79	10.91	16.43	16.35	15.52	16.80	16.99	16.30	15.24	13.63	12.92	13.15	13.00	14.28	7.04	6.63	9.03	5.47
	-0.44	-0.32	-0.36	-0.35	-0.33	-0.30	-0.32	-0.26	-0.39	-0.54	-0.53	-0.55	-0.51	-0.51	-0.50	-0.38	-0.39	-0.42	-0.41	-0.44	-0.18	-0.12	-0.17	-0.15
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NPX																								
61845	17.10	13.45	14.07	14.51	15.18	13.91	12.92	12.00	18.15	18.16	17.14	18.55	18.79	17.91	16.73	14.99	14.24	14.53	14.35	15.67	7.67	7.18	9.87	6.03
	0.89	0.79	0.85	0.90	0.96	0.88	0.81	0.83	1.32	1.26	1.08	1.21	1.29	1.11	0.99	0.98	0.92	0.97	0.94	0.95	0.45	0.42	0.67	0.41
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

O H 61846	16.66 0.46 0.00	13.04 0.37 0.00	13.60 0.39 0.00	14.00 0.39 0.00	14.68 0.45 0.00	13.53 0.49 0.00	12.57 0.46 0.00	11.44 0.28 0.00	17.07 0.24 0.00	17.23 0.34 0.00	16.52 0.47 0.00	17.96 0.62 0.00	18.04 0.54 0.00	17.46 0.66 0.00	16.30 0.56 0.00	14.44 0.43 0.00	13.66 0.35 0.00	13.94 0.38 0.00	13.74 0.33 0.00	15.06 0.35 0.00	7.48 0.26 0.00	6.99 0.24 0.00	9.39 0.19 0.00	5.82 0.20 0.00
PJM 61847	17.39 1.19 0.00	13.61 0.95 0.00	14.16 0.94 0.00	14.57 0.97 0.00	15.27 1.05 0.00	14.05 1.01 0.00	13.05 0.94 0.00	11.97 0.80 0.00	17.99 1.17 0.00	18.15 1.25 0.00	17.29 1.23 0.00	18.65 1.30 0.00	18.76 1.26 0.00	18.08 1.28 0.00	16.99 1.24 0.00	15.03 1.01 0.00	14.28 0.97 0.00	14.54 0.97 0.00	14.37 0.96 0.00	15.79 1.07 0.00	7.75 0.53 0.00	8.46 0.51 -1.20	8.71 0.66 1.15	7.00 0.47 -0.91
WEST 61752	16.87 0.67 0.00	13.19 0.53 0.00	13.76 0.55 0.00	14.15 0.55 0.00	14.84 0.62 0.00	13.69 0.65 0.00	12.74 0.63 0.00	11.59 0.43 0.00	17.28 0.45 0.00	17.47 0.57 0.00	16.77 0.72 0.00	18.24 0.90 0.00	18.31 0.81 0.00	17.73 0.93 0.00	16.55 0.81 0.00	14.67 0.65 0.00	13.87 0.56 0.00	14.15 0.59 0.00	13.95 0.53 0.00	15.29 0.58 0.00	7.60 0.38 0.00	7.09 0.33 0.00	9.50 0.30 0.00	5.89 0.27 0.00