

Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

--- Scarcity Pricing In Effect (Y/N)

Zonal Data

06/03/2016

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	30.12	24.63	24.47	24.79	26.28	24.68	24.16	25.36	28.40	25.67	24.21	24.07	24.62	24.91	23.24	20.81	20.69	20.80	21.73	20.05	19.99	21.74	17.94	20.99
61757	2.33	1.90	1.85	1.81	1.89	1.68	1.60	1.68	1.91	1.73	1.61	1.58	1.59	1.55	1.50	1.32	1.31	1.35	1.38	1.35	1.41	1.47	1.17	1.43
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CENTRL	28.37	23.19	23.09	23.41	24.87	23.57	23.13	24.36	27.33	24.75	23.39	23.26	23.87	24.21	22.46	20.14	20.11	20.20	21.10	19.33	19.12	20.90	17.24	19.99
61754	0.58	0.46	0.46	0.42	0.48	0.57	0.57	0.68	0.84	0.81	0.79	0.78	0.84	0.84	0.71	0.64	0.73	0.75	0.74	0.63	0.55	0.63	0.46	0.44
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DUNWOD	30.74	25.11	24.79	25.06	26.59	25.14	24.71	26.00	29.04	26.16	24.71	24.59	25.10	25.44	23.82	21.44	21.20	21.31	22.25	20.47	20.42	22.29	18.47	21.56
61760	2.95	2.38	2.16	2.07	2.20	2.13	2.14	2.32	2.55	2.21	2.11	2.11	2.08	2.07	2.08	1.95	1.82	1.85	1.89	1.77	1.85	2.02	1.69	2.01
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GENESE	28.16	22.99	22.92	23.19	24.63	23.41	22.89	24.06	27.05	24.57	23.26	23.06	23.70	24.12	22.29	19.98	19.97	20.03	20.85	19.10	18.82	20.59	16.99	19.64
61753	0.37	0.26	0.30	0.20	0.24	0.41	0.33	0.38	0.56	0.63	0.66	0.57	0.68	0.75	0.54	0.49	0.59	0.57	0.50	0.39	0.25	0.31	0.21	0.08
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H Q	26.85	21.97	21.90	22.28	23.62	22.30	21.88	22.91	25.62	23.13	21.80	21.71	22.24	22.60	20.99	18.81	18.73	18.78	19.66	18.07	17.94	20.20	15.81	18.94
61844	-0.93	-0.76	-0.72	-0.71	-0.76	-0.71	-0.68	-0.77	-0.87	-0.81	-0.80	-0.78	-0.78	-0.77	-0.75	-0.68	-0.65	-0.68	-0.69	-0.63	-0.63	-0.67	-0.54	-0.61
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.59	0.43	0.00
HUD VL	30.69	25.06	24.77	25.05	26.57	25.10	24.69	25.98	29.04	26.18	24.73	24.62	25.15	25.49	23.85	21.44	21.24	21.34	22.28	20.51	20.45	22.31	18.47	21.54
61758	2.90	2.33	2.14	2.07	2.18	2.10	2.13	2.30	2.55	2.24	2.14	2.13	2.12	2.12	2.10	1.95	1.85	1.88	1.93	1.80	1.87	2.04	1.70	1.99
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LONGIL	30.79	25.19	24.80	25.04	26.97	25.46	24.85	26.12	29.42	26.40	24.91	24.73	25.31	25.55	23.87	21.58	21.16	21.24	22.20	20.55	20.57	22.44	18.44	21.46
61762	3.01	2.46	2.17	2.05	2.58	2.45	2.29	2.44	2.93	2.46	2.31	2.24	2.29	2.18	2.13	2.09	1.78	1.78	1.85	1.85	1.99	2.17	1.67	1.91
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MHK VL	28.88	23.61	23.49	23.85	25.33	23.97	23.61	24.88	27.87	25.20	23.80	23.69	24.25	24.60	22.88	20.51	20.42	20.50	21.42	19.65	19.49	21.29	17.56	20.37
61756	1.09	0.88	0.86	0.86	0.94	0.97	1.05	1.20	1.38	1.26	1.21	1.20	1.23	1.23	1.13	1.02	1.04	1.04	1.06	0.94	0.92	1.01	0.79	0.82
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MILLWD	30.83	25.16	24.86	25.12	26.65	25.19	24.78	26.09	29.17	26.29	24.84	24.72	25.23	25.57	23.93	21.53	21.31	21.41	22.36	20.58	20.52	22.40	18.54	21.63
61759	3.04	2.43	2.23	2.14	2.26	2.18	2.21	2.41	2.68	2.35	2.24	2.23	2.21	2.21	2.19	2.04	1.92	1.96	2.01	1.88	1.95	2.12	1.77	2.08
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
N.Y.C.	30.94	25.26	24.92	25.19	26.73	25.28	24.87	26.18	29.20	26.29	24.84	24.72	25.20	25.55	23.96	21.58	21.33	21.44	22.36	20.58	20.53	22.44	18.61	21.73
61761	3.14	2.53	2.30	2.21	2.34	2.28	2.30	2.50	2.71	2.35	2.24	2.23	2.18	2.18	2.22	2.09	1.95	1.98	2.01	1.88	1.96	2.16	1.84	2.17
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NORTH	26.57	21.75	21.73	22.14	23.51	22.20	21.85	22.88	25.59	23.09	21.68	21.59	22.15	22.54	20.95	18.77	18.69	18.76	19.63	18.07	17.96	19.59	16.21	18.90
61755	-1.22	-0.98	-0.90	-0.85	-0.88	-0.80	-0.72	-0.80	-0.90	-0.85	-0.91	-0.90	-0.87	-0.83	-0.79	-0.72	-0.69	-0.70	-0.72	-0.64	-0.62	-0.68	-0.56	-0.65
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NPX	29.64	24.69	24.52	24.81	26.29	24.69	24.52	25.17	28.34	25.59	24.51	24.60	24.54	24.85	23.23	20.41	20.64	20.75	21.67	19.98	19.94	22.28	16.86	22.03
61845	2.37	1.96	1.89	1.82	1.91	1.68	1.60	1.64	1.85	1.65	1.57	1.52	1.51	1.48	1.48	1.33	1.26	1.29	1.31	1.28	1.36	1.41	1.17	1.52
	0.52	0.00	0.00	0.00	0.00	0.00	-0.36	0.15	0.00	0.00	-0.34	-0.60	0.00	0.00	0.00	0.41	0.00	0.00	0.00	0.00	0.00	-0.59	1.08	-0.95

O H 61846	26.73 <u>0.26</u> 1.31	22.96 <u>0.23</u> 0.00	22.94 <u>0.32</u> 0.00	23.13 <u>0.14</u> 0.00	24.57 <u>0.18</u> 0.00	23.37 <u>0.37</u> 0.00	22.53 <u>-0.04</u> 0.00	23.38 <u>-0.30</u> 0.00	26.26 <u>-0.23</u> 0.00	23.89 <u>-0.05</u> 0.00	22.56 <u>-0.03</u> 0.00	22.27 <u>-0.22</u> 0.00	22.93 <u>-0.10</u> 0.00	23.92 <u>-0.04</u> -0.59	21.43 <u>-0.31</u> 0.00	19.30 <u>-0.19</u> 0.00	19.46 <u>0.08</u> 0.00	19.56 <u>0.10</u> 0.00	20.31 <u>-0.04</u> 0.00	18.63 <u>-0.07</u> 0.00	18.37 <u>-0.21</u> 0.00	20.16 <u>-0.12</u> 0.00	16.73 <u>-0.04</u> 0.00	19.42 <u>-0.13</u> 0.00
PJM 61847	29.84 <u>2.05</u> 0.00	24.40 <u>1.67</u> 0.00	24.17 <u>1.55</u> 0.00	24.41 <u>1.42</u> 0.00	25.91 <u>1.52</u> 0.00	24.55 <u>1.55</u> 0.00	24.02 <u>1.46</u> 0.00	25.17 <u>1.49</u> 0.00	28.18 <u>1.70</u> 0.00	25.44 <u>1.50</u> 0.00	23.60 <u>1.41</u> 0.41	24.27 <u>1.41</u> -0.37	25.55 <u>1.44</u> -1.09	26.14 <u>1.41</u> -1.36	22.16 <u>1.33</u> 0.90	20.76 <u>1.27</u> 0.00	20.70 <u>1.31</u> 0.00	20.82 <u>1.36</u> 0.00	21.73 <u>1.38</u> 0.00	19.97 <u>1.26</u> 0.00	19.84 <u>1.26</u> 0.00	22.29 <u>1.43</u> -0.59	17.53 <u>1.18</u> 0.43	20.90 <u>1.35</u> 0.00
WEST 61752	28.73 <u>0.94</u> 0.00	23.49 <u>0.76</u> 0.00	23.44 <u>0.82</u> 0.00	23.61 <u>0.63</u> 0.00	25.08 <u>0.69</u> 0.00	23.87 <u>0.87</u> 0.00	23.02 <u>0.45</u> 0.00	23.91 <u>0.23</u> 0.00	26.91 <u>0.42</u> 0.00	24.48 <u>0.53</u> 0.00	23.11 <u>0.52</u> 0.00	22.82 <u>0.33</u> 0.00	23.51 <u>0.49</u> 0.00	23.88 <u>0.51</u> 0.00	21.92 <u>0.18</u> 0.00	19.73 <u>0.24</u> 0.00	19.88 <u>0.50</u> 0.00	19.98 <u>0.52</u> 0.00	20.75 <u>0.40</u> 0.00	19.02 <u>0.32</u> 0.00	18.72 <u>0.15</u> 0.00	20.57 <u>0.30</u> 0.00	17.09 <u>0.31</u> 0.00	19.81 <u>0.25</u> 0.00